

2027 One- and Six-Year Street plan Summary

One Year

M-616- 88 Oldfield St. - from Canongate Rd. to N 141st- Concrete Paving

M-616-147 Waverly Road and N 148th asphalt patching and overly

M-616-142 Canongate Road- from N 134th to Castlewood St- Asphalt/Concrete overlay

Six Year

M-616- 83 Woodstock St. - from N 139th to N 140th – Concrete Paving.

M-616- 92b Energy Way- from Deerpark Rd. to west- Concrete Paving.

M-616- 94 Canongate Rd. Drainage area- from Jamestown to Oldfield- Storm sewer

M-616-111 Ash Hollow ditch-from Hwy 6 to city limits- channel improvements.

M-616- 127 Deerpark Road- from Amberly Road to Commercial Plastics- Asphalt mill and overlay.

M-616- 130 Jamestown St. - from N 137th to N 141st- Asphalt mill and overlay.

M-616- 131 Lancashire St.-from N 141st to N 142nd, N 142nd –from Lancashire to Kenilworth, Kenilworth- from N 142nd to N 140th- Asphalt mill and overlay.

M-616- 132 Eastbourne St.-from N 143rd to N 147th, N 147th- from Eastbourne Circle to Castlewood, Eastbourne Circle, and N 146th-from Eastbourne to Oak Lane- Asphalt mill and overlay.

M-616- 133 Danvers St.-from N 143rd to Castlewood- Asphalt mill and overlay.

M-616- 134 Folkestone St.-from N 143rd to Wayne Park entrance- Asphalt mill and overlay.

M-616- 136 Guildford St.-from Hwy 6 to N 140th- Concrete paving.

M 616- 140 N 148th- from Woodstock to Waverly Road- Concrete Paving, box culverts.

M 616- 145 Amberly Road and Canongate Road intersection

M 616- 146 Highway 6 and N 148th Intersection

Projects are in no particular order or prioritization.

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County:	City: WAVERLY	Village:																
Location Description: Oldfield Street- Canongate Road to N 141 st Street																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel																		
Average Daily Traffic: 2026 = 400, 2046 = 600		Classification Type: <i>(As shown on Functional Classification Map)</i> Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: Municipal	Surfacing	Thickness: 9"																
Width: 33'																		
<table style="width: 100%; border: none;"> <tr> <td>☒ Grading</td> <td>☒ Concrete</td> <td>☒ Right of Way</td> <td>☒ Lighting</td> </tr> <tr> <td>☐ Aggregate</td> <td>☒ Curb & Gutter</td> <td>☐ Utility Adjustments</td> <td>☐</td> </tr> <tr> <td>☐ Armor Coat</td> <td>☒ Drainage Structures</td> <td>☐ Fencing</td> <td>☐</td> </tr> <tr> <td>☐ Asphalt</td> <td>☐ Erosion Control</td> <td>☒ Sidewalks</td> <td>☐</td> </tr> </table>			☒ Grading	☒ Concrete	☒ Right of Way	☒ Lighting	☐ Aggregate	☒ Curb & Gutter	☐ Utility Adjustments	☐	☐ Armor Coat	☒ Drainage Structures	☐ Fencing	☐	☐ Asphalt	☐ Erosion Control	☒ Sidewalks	☐
☒ Grading	☒ Concrete	☒ Right of Way	☒ Lighting															
☐ Aggregate	☒ Curb & Gutter	☐ Utility Adjustments	☐															
☐ Armor Coat	☒ Drainage Structures	☐ Fencing	☐															
☐ Asphalt	☐ Erosion Control	☒ Sidewalks	☐															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length: Type:																	
Culvert	Diameter: various Length: 2340 Type: RCP																	
Bridges and Culverts Sized	☒ Yes ☐ N/A ☐ Hydraulic Analysis Pending																	
Other Construction Features: Street lights, storm sewer, bike path.																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY 1900																
	★ STATE	★ FEDERAL 1000																
	★ OTHER	TOTAL 2900																
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.5 MILE		Project No.: M-616 (88)																
Signature:		Title: Street Superintendent S 1352																
		Date:																

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County:	City: WAVERLY	Village:																
Location Description: Canongate Road repairs and resurfacing																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> 8" Asphalt																		
Average Daily Traffic: 2026 = 4500, 2046 = 6686		Classification Type: <i>(As shown on Functional Classification Map)</i> Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: Municipal	Surfacing	Thickness: 8" Width: 22"																
<table style="width: 100%; border: none;"> <tr> <td>☐ Grading</td> <td>☐ Concrete</td> <td>☐ Right of Way</td> <td>☐ Lighting</td> </tr> <tr> <td>☐ Aggregate</td> <td>☐ Curb & Gutter</td> <td>☐ Utility Adjustments</td> <td>☐</td> </tr> <tr> <td>☐ Armor Coat</td> <td>☐ Drainage Structures</td> <td>☐ Fencing</td> <td>☐</td> </tr> <tr> <td>☒ Asphalt</td> <td>☐ Erosion Control</td> <td>☐ Sidewalks</td> <td>☐</td> </tr> </table>			☐ Grading	☐ Concrete	☐ Right of Way	☐ Lighting	☐ Aggregate	☐ Curb & Gutter	☐ Utility Adjustments	☐	☐ Armor Coat	☐ Drainage Structures	☐ Fencing	☐	☒ Asphalt	☐ Erosion Control	☐ Sidewalks	☐
☐ Grading	☐ Concrete	☐ Right of Way	☐ Lighting															
☐ Aggregate	☐ Curb & Gutter	☐ Utility Adjustments	☐															
☐ Armor Coat	☐ Drainage Structures	☐ Fencing	☐															
☒ Asphalt	☐ Erosion Control	☐ Sidewalks	☐															
Bridge to Remain in Place	Roadway Width: 36 feet	Length: 450 feet Type: Steel beam																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	☐ Yes ☒ N/A ☐ Hydraulic Analysis Pending																	
Other Construction Features: Full depth repairs at various locations 2,877 SY resurfacing 2" overlay 10,216 SY 1" SLX overlay 5,216 SY																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL												
		1100				1100												
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 1.06 Mile				Project No.: M-616 (142)														
Signature:		Title: Street Superintendent S-1352			Date:													

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County:	City: WAVERLY	Village:																
Location Description: Woodstock Street- North 139 th Street to N 140th Street																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Armor Coat																		
Average Daily Traffic: 20 = , 20 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: Municipal	Surfacing	Thickness: 6" Width: 27'																
<table style="width: 100%; border: none;"> <tr> <td>☒ Grading</td> <td>☒ Concrete</td> <td>☒ Right of Way</td> <td>☐ Lighting</td> </tr> <tr> <td>☐ Aggregate</td> <td>☒ Curb & Gutter</td> <td>☐ Utility Adjustments</td> <td>☐</td> </tr> <tr> <td>☐ Armor Coat</td> <td>☐ Drainage Structures</td> <td>☐ Fencing</td> <td>☐</td> </tr> <tr> <td>☒ Asphalt</td> <td>☐ Erosion Control</td> <td>☐ Sidewalks</td> <td>☐</td> </tr> </table>			☒ Grading	☒ Concrete	☒ Right of Way	☐ Lighting	☐ Aggregate	☒ Curb & Gutter	☐ Utility Adjustments	☐	☐ Armor Coat	☐ Drainage Structures	☐ Fencing	☐	☒ Asphalt	☐ Erosion Control	☐ Sidewalks	☐
☒ Grading	☒ Concrete	☒ Right of Way	☐ Lighting															
☐ Aggregate	☒ Curb & Gutter	☐ Utility Adjustments	☐															
☐ Armor Coat	☐ Drainage Structures	☐ Fencing	☐															
☒ Asphalt	☐ Erosion Control	☐ Sidewalks	☐															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length: Type:																	
Culvert	Diameter: Length: Type:																	
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending																	
Other Construction Features:																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY 100	★ STATE	★ FEDERAL	★ OTHER	TOTAL 100												
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.1 MILE				Project No.: M-616 (83)														
Signature:		Title: Street Superintendent S-1352		Date:														

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County:	City: WAVERLY	Village:																
Location Description: Energy Way- Canongate Road to 400' West																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Gravel																		
Average Daily Traffic: 20 = , 20 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: Municipal	Surfacing	Thickness: 8" Width: 27'																
<table style="width: 100%; border: none;"> <tr> <td>☒ Grading</td> <td>☒ Concrete</td> <td>☐ Right of Way</td> <td>☐ Lighting</td> </tr> <tr> <td>☐ Aggregate</td> <td>☒ Curb & Gutter</td> <td>☐ Utility Adjustments</td> <td>☐</td> </tr> <tr> <td>☐ Armor Coat</td> <td>☒ Drainage Structures</td> <td>☐ Fencing</td> <td>☐</td> </tr> <tr> <td>☐ Asphalt</td> <td>☐ Erosion Control</td> <td>☐ Sidewalks</td> <td>☐</td> </tr> </table>			☒ Grading	☒ Concrete	☐ Right of Way	☐ Lighting	☐ Aggregate	☒ Curb & Gutter	☐ Utility Adjustments	☐	☐ Armor Coat	☒ Drainage Structures	☐ Fencing	☐	☐ Asphalt	☐ Erosion Control	☐ Sidewalks	☐
☒ Grading	☒ Concrete	☐ Right of Way	☐ Lighting															
☐ Aggregate	☒ Curb & Gutter	☐ Utility Adjustments	☐															
☐ Armor Coat	☒ Drainage Structures	☐ Fencing	☐															
☐ Asphalt	☐ Erosion Control	☐ Sidewalks	☐															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length: Type:																	
Culvert	Diameter: Length: Type:																	
Bridges and Culverts Sized	☐ Yes ☐ N/A ☒ Hydraulic Analysis Pending																	
Other Construction Features:																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY 197																
	★ STATE	★ FEDERAL																
	★ OTHER	TOTAL 197																
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.1 MILE		Project No.: M-616 (92)B																
Signature:		Title: Street Superintendent S-1352																
		Date:																

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County:	City: WAVERLY	Village:
Location Description: Canongate Road - Jamestown Street to Ash Hollow Ditch		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Asphalt, galvanized culverts		
Average Daily Traffic: 20 = , 20 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Local
PROPOSED IMPROVEMENT		
Design Standard Number: Municipal	Surfacing	Thickness: Width:
☒ Grading ☐ Concrete ☐ Right of Way ☐ Lighting ☐ Aggregate ☐ Curb & Gutter ☐ Utility Adjustments ☐ ☐ Armor Coat ☒ Drainage Structures ☐ Fencing ☐ ☐ Asphalt ☒ Erosion Control ☐ Sidewalks ☐		
Bridge to Remain in Place	Roadway Width:	Length: Type:
New Bridge	Roadway Width:	Length: Type:
Box Culvert	Span: Rise:	Length: Type:
Culvert	Diameter:	Length: Type:
Bridges and Culverts Sized	☐ Yes ☐ N/A ☒ Hydraulic Analysis Pending	
Other Construction Features: Storm Sewer installation from Jamestown Street to Ash Hollow Ditch along the east side of Canongate Road. Concrete flow liner , storm sewer pipe. Grading of existing ditch. Installation of storm sewer pipe along Jamestown street from Canongate Road to N 137 th street.		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY
		700
★ STATE		★ FEDERAL
★ OTHER		TOTAL
		700
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.3 MILE		Project No.: M-616 (94)
Signature:		Date:
		Street Superintendent S -1352

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County:	City: WAVERLY	Village:
Location Description: Highway 6 to N 134 th street		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> dirt		
Average Daily Traffic: 20 = , 20 =		Classification Type: <i>(As shown on Functional Classification Map)</i> local
PROPOSED IMPROVEMENT		
Design Standard Number: Municipal	Surfacing	Thickness: Width:
☒ Grading ☒ Concrete ☐ Right of Way ☐ Lighting ☐ Aggregate ☐ Curb & Gutter ☐ Utility Adjustments ☐ ☐ Armor Coat ☒ Drainage Structures ☐ Fencing ☐ ☐ Asphalt ☒ Erosion Control ☐ Sidewalks ☐		
Bridge to Remain in Place	Roadway Width:	Length: Type:
New Bridge	Roadway Width:	Length: Type:
Box Culvert	Span: Rise: Length: Type:	
Culvert	Diameter: Length: Type:	
Bridges and Culverts Sized	☐ Yes ☐ N/A ☒ Hydraulic Analysis Pending	
Other Construction Features: Concrete flow liner and ditch shaping from Highway 6 to N 134 th street along the Ash Hollow drainage basin. Flow liner construction starting at the north end of the Highway 6 box culverts, to the N 134 th box culvert. Ditch shaping and widening would cause the existing N134th gravel road to be moved to the west		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY
		2000
		★ STATE
		★ FEDERAL
		★ OTHER
		TOTAL
		2000
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.76 MILE		Project No.: M-616 (111)
Signature:		Date:
		Street Superintendent S -1352

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County:	City: WAVERLY	Village:
Location Description: Deerpark road from 600 feet south of Hwy 6 to Amberly Road		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> 5" concrete base, 2" asphalt overlay		
Average Daily Traffic: 20 = , 20 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Local
PROPOSED IMPROVEMENT		
Design Standard Number: Municipal	Surfacing	Thickness: 3"
Width: 27'		
☐ Grading ☒ Concrete ☐ Right of Way ☐ Lighting ☐ Aggregate ☐ Curb & Gutter ☐ Utility Adjustments ☐ ☐ Armor Coat ☐ Drainage Structures ☐ Fencing ☐ ☒ Asphalt ☐ Erosion Control ☐ Sidewalks ☐		
Bridge to Remain in Place	Roadway Width:	Length: Type:
New Bridge	Roadway Width:	Length: Type:
Box Culvert	Span: Rise: Length: Type:	
Culvert	Diameter: Length: Type:	
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending	
Other Construction Features: Milling of existing 2" asphalt surface, repair of any concrete base and curb, 1" leveling course, 2" surface course asphalt overlay		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY
		133
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.31 MILE		Project No.: M-616 (127)
Signature:		Date:
Street Superintendent S-1352		

County:		City: WAVERLY		Village:			
Location Description: Jamestown- N 137th street to N 141st street							
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> 5" concrete base, 2" asphalt overlay							
Average Daily Traffic: 20 = , 20 =			Classification Type: <i>(As shown on Functional Classification Map)</i> Local				
PROPOSED IMPROVEMENT							
Design Standard Number: Municipal		Surfacing		Thickness: 3"	Width: 30'		
☐ Grading ☒ Concrete ☐ Right of Way ☐ Lighting ☐ Aggregate ☐ Curb & Gutter ☐ Utility Adjustments ☐ ☐ Armor Coat ☐ Drainage Structures ☐ Fencing ☐ ☒ Asphalt ☐ Erosion Control ☐ Sidewalks ☐							
Bridge to Remain in Place		Roadway Width:		Length:	Type:		
New Bridge		Roadway Width:		Length:	Type:		
Box Culvert		Span:	Rise:	Length:	Type:		
Culvert		Diameter:		Length:	Type:		
Bridges and Culverts Sized		☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending					
Other Construction Features: Milling of existing 2" asphlat surface, repair of any concrete base and curb, 1" leveling course, 2" surface course asphalt overlay							
ESTIMATED COST <i>(in Thousands)</i>		★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL
★ OPTIONAL			115				115
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.26 MILE				Project No.: M-616 (130)			
Signature:			Title: Street Superintendent S-1352		Date:		

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County:	City: WAVERLY	Village:				
Location Description: Lancashire- from N 141 st to N 142 nd N 142 nd - from Lancashire to Kenilworth Kenilworth- from N 142 nd to N 141 st Kenilworth- from N 141 st to N 140th						
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> 5" concrete base, 2" asphalt overlay						
Average Daily Traffic: 20 = , 20 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Local				
PROPOSED IMPROVEMENT						
Design Standard Number: Municipal	Surfacing	Thickness: 3"				
Width: 45'						
☐ Grading ☒ Concrete ☐ Right of Way ☐ Lighting ☐ Aggregate ☐ Curb & Gutter ☐ Utility Adjustments ☐ ☐ Armor Coat ☐ Drainage Structures ☐ Fencing ☐ ☒ Asphalt ☐ Erosion Control ☐ Sidewalks ☐						
Bridge to Remain in Place	Roadway Width:	Length: Type:				
New Bridge	Roadway Width:	Length: Type:				
Box Culvert	Span: Rise: Length: Type:					
Culvert	Diameter: Length: Type:					
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending					
Other Construction Features: Milling of existing 2" asphalt surface, repair of any concrete base and curb, 1" leveling course, 2" surface course asphalt overlay						
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL
		141				141
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.25 MILE				Project No.: M-616 (131)		
Signature:		Title: Street Superintendent S-1352		Date:		

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County:	City: WAVERLY	Village:
Location Description: Eastbourne- from N 143 rd to N 147 th N 147 th - from Eastbourne Circle to Castlewood Eastbourne Circle N 146 th - from Eastbourne to Oak Lane		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> 5" concrete base, 2" asphalt overlay		
Average Daily Traffic: 20 = , 20 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Local
PROPOSED IMPROVEMENT		
Design Standard Number: Municipal	Surfacing	Thickness: 3"
Width: 25'		
☐ Grading ☒ Concrete ☐ Right of Way ☐ Lighting ☐ Aggregate ☐ Curb & Gutter ☐ Utility Adjustments ☐ ☐ Armor Coat ☐ Drainage Structures ☐ Fencing ☐ ☒ Asphalt ☐ Erosion Control ☐ Sidewalks ☐		
Bridge to Remain in Place	Roadway Width:	Length: Type:
New Bridge	Roadway Width:	Length: Type:
Box Culvert	Span: Rise:	Length: Type:
Culvert	Diameter:	Length: Type:
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending	
Other Construction Features: Milling of existing 2" asphalt surface, repair of any concrete base and curb, 1" leveling course, 2" surface course asphalt overlay		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY
		145
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.50 MILE		Project No.: M-616 (132)
Signature:		Date:
Street Superintendent S-1352		

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County:	City: WAVERLY	Village:																
Location Description: Danvers- from N 143 rd to Castlewood																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> 5" concrete base, 2" asphalt overlay																		
Average Daily Traffic: 20 = , 20 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: Municipal	Surfacing	Thickness: 3" Width: 25'																
<table style="width: 100%; border: none;"> <tr> <td>☐ Grading</td> <td>☒ Concrete</td> <td>☐ Right of Way</td> <td>☐ Lighting</td> </tr> <tr> <td>☐ Aggregate</td> <td>☐ Curb & Gutter</td> <td>☐ Utility Adjustments</td> <td>☐</td> </tr> <tr> <td>☐ Armor Coat</td> <td>☐ Drainage Structures</td> <td>☐ Fencing</td> <td>☐</td> </tr> <tr> <td>☒ Asphalt</td> <td>☐ Erosion Control</td> <td>☐ Sidewalks</td> <td>☐</td> </tr> </table>			☐ Grading	☒ Concrete	☐ Right of Way	☐ Lighting	☐ Aggregate	☐ Curb & Gutter	☐ Utility Adjustments	☐	☐ Armor Coat	☐ Drainage Structures	☐ Fencing	☐	☒ Asphalt	☐ Erosion Control	☐ Sidewalks	☐
☐ Grading	☒ Concrete	☐ Right of Way	☐ Lighting															
☐ Aggregate	☐ Curb & Gutter	☐ Utility Adjustments	☐															
☐ Armor Coat	☐ Drainage Structures	☐ Fencing	☐															
☒ Asphalt	☐ Erosion Control	☐ Sidewalks	☐															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length: Type:																	
Culvert	Diameter: Length: Type:																	
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending																	
Other Construction Features: Milling of existing 2" asphalt surface, repair of any concrete base and curb, 1" leveling course, 2" surface course asphalt overlay																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY 97	★ STATE	★ FEDERAL	★ OTHER	TOTAL 97												
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.28 MILE				Project No.: M-616 (133)														
Signature:		Title: Street Superintendent S-1352		Date:														

County:		City: WAVERLY		Village:																	
Location Description: Folkestone- from N 143 rd to park entrance																					
Existing Surface Type and Structures: (Such as dirt, gravel, asphalt, concrete, culvert, or bridge) 5" concrete base, 2" asphalt overlay																					
Average Daily Traffic: 20 = , 20 =			Classification Type: (As shown on Functional Classification Map) Local																		
PROPOSED IMPROVEMENT																					
Design Standard Number: Municipal		Surfacing		Thickness: 3"	Width: 25'																
<table border="0"><tr><td>☐ Grading</td><td>☒ Concrete</td><td>☐ Right of Way</td><td>☐ Lighting</td></tr><tr><td>☐ Aggregate</td><td>☐ Curb & Gutter</td><td>☐ Utility Adjustments</td><td>☐</td></tr><tr><td>☐ Armor Coat</td><td>☐ Drainage Structures</td><td>☐ Fencing</td><td>☐</td></tr><tr><td>☒ Asphalt</td><td>☐ Erosion Control</td><td>☐ Sidewalks</td><td>☐</td></tr></table>						☐ Grading	☒ Concrete	☐ Right of Way	☐ Lighting	☐ Aggregate	☐ Curb & Gutter	☐ Utility Adjustments	☐	☐ Armor Coat	☐ Drainage Structures	☐ Fencing	☐	☒ Asphalt	☐ Erosion Control	☐ Sidewalks	☐
☐ Grading	☒ Concrete	☐ Right of Way	☐ Lighting																		
☐ Aggregate	☐ Curb & Gutter	☐ Utility Adjustments	☐																		
☐ Armor Coat	☐ Drainage Structures	☐ Fencing	☐																		
☒ Asphalt	☐ Erosion Control	☐ Sidewalks	☐																		
Bridge to Remain in Place		Roadway Width:		Length:	Type:																
New Bridge		Roadway Width:		Length:	Type:																
Box Culvert		Span:	Rise:	Length:	Type:																
Culvert		Diameter:		Length:	Type:																
Bridges and Culverts Sized		☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending																			
Other Construction Features: Milling of existing 2" asphlat surface, repair of any concrete base and curb, 1" leveling course, 2" surface course asphalt overlay																					
ESTIMATED COST (in Thousands) ★ OPTIONAL		★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL														
			32				32														
Project Length: (Nearest Tenth, State Unit of Measure) 0.09 MILE				Project No.: M-616 (134)																	
Signature:			Title: Street Superintendent S-1352		Date:																

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County:	City: WAVERLY	Village:
Location Description: Guildford- from Highway 6 to N 140th		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> 7" concrete		
Average Daily Traffic: 20 = , 20 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Local
PROPOSED IMPROVEMENT		
Design Standard Number: Municipal	Surfacing	Thickness: 9"
Width: 30'		
☐ Grading ☒ Concrete ☐ Right of Way ☐ Lighting ☐ Aggregate ☒ Curb & Gutter ☐ Utility Adjustments ☐ ☐ Armor Coat ☐ Drainage Structures ☐ Fencing ☐ ☐ Asphalt ☐ Erosion Control ☐ Sidewalks ☐		
Bridge to Remain in Place	Roadway Width:	Length: Type:
New Bridge	Roadway Width:	Length: Type:
Box Culvert	Span: Rise:	Length: Type:
Culvert	Diameter:	Length: Type:
Bridges and Culverts Sized	☐ Yes ☐ N/A ☐ Hydraulic Analysis Pending	
Other Construction Features: 9" PCC Paving		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY
		300
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.14 MILE		Project No.: M-616 (136)
Signature:		Date:
Street Superintendent S-1352		

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County:	City: WAVERLY	Village:																
Location Description: N 148 th Street-from Woodstock to Waverly Road																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> 8" asphalt																		
Average Daily Traffic: 20 = , 20 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: Municipal	Surfacing	Thickness: 9" Width: 33'																
<table style="width: 100%; border: none;"> <tr> <td>☒ Grading</td> <td>☒ Concrete</td> <td>☒ Right of Way</td> <td>☒ Lighting</td> </tr> <tr> <td>☐ Aggregate</td> <td>☒ Curb & Gutter</td> <td>☒ Utility Adjustments</td> <td>☐</td> </tr> <tr> <td>☐ Armor Coat</td> <td>☒ Drainage Structures</td> <td>☐ Fencing</td> <td>☐</td> </tr> <tr> <td>☐ Asphalt</td> <td>☒ Erosion Control</td> <td>☐ Sidewalks</td> <td>☐</td> </tr> </table>			☒ Grading	☒ Concrete	☒ Right of Way	☒ Lighting	☐ Aggregate	☒ Curb & Gutter	☒ Utility Adjustments	☐	☐ Armor Coat	☒ Drainage Structures	☐ Fencing	☐	☐ Asphalt	☒ Erosion Control	☐ Sidewalks	☐
☒ Grading	☒ Concrete	☒ Right of Way	☒ Lighting															
☐ Aggregate	☒ Curb & Gutter	☒ Utility Adjustments	☐															
☐ Armor Coat	☒ Drainage Structures	☐ Fencing	☐															
☐ Asphalt	☒ Erosion Control	☐ Sidewalks	☐															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length: Type:																	
Culvert	Diameter: Length: Type:																	
Bridges and Culverts Sized	☐ Yes ☐ N/A ☒ Hydraulic Analysis Pending																	
Other Construction Features: 9" PCC Paving, turn lanes, street lights, replace 3 stream crossings																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY 2700	★ STATE	★ FEDERAL	★ OTHER	TOTAL 2700												
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.5 MILE				Project No.: M-616 (140)														
Signature:		Title: Street Superintendent S-1352		Date:														

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County:	City: WAVERLY	Village:																
Location Description: Amberly Road and Canongate Road Intersection																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> Concrete																		
Average Daily Traffic: 20 = , 20 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: Municipal	Surfacing	Thickness: 9"																
<table style="width: 100%; border: none;"> <tr> <td>☒ Grading</td> <td>☒ Concrete</td> <td>☒ Right of Way</td> <td>☒ Lighting</td> </tr> <tr> <td>☐ Aggregate</td> <td>☒ Curb & Gutter</td> <td>☒ Utility Adjustments</td> <td>☐</td> </tr> <tr> <td>☐ Armor Coat</td> <td>☒ Drainage Structures</td> <td>☐ Fencing</td> <td>☐</td> </tr> <tr> <td>☐ Asphalt</td> <td>☐ Erosion Control</td> <td>☒ Sidewalks</td> <td>☐</td> </tr> </table>			☒ Grading	☒ Concrete	☒ Right of Way	☒ Lighting	☐ Aggregate	☒ Curb & Gutter	☒ Utility Adjustments	☐	☐ Armor Coat	☒ Drainage Structures	☐ Fencing	☐	☐ Asphalt	☐ Erosion Control	☒ Sidewalks	☐
☒ Grading	☒ Concrete	☒ Right of Way	☒ Lighting															
☐ Aggregate	☒ Curb & Gutter	☒ Utility Adjustments	☐															
☐ Armor Coat	☒ Drainage Structures	☐ Fencing	☐															
☐ Asphalt	☐ Erosion Control	☒ Sidewalks	☐															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise:	Length: Type:																
Culvert	Diameter:	Length: Type:																
Bridges and Culverts Sized	☐ Yes ☐ N/A ☒ Hydraulic Analysis Pending																	
Other Construction Features:																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL												
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.01 MILE			Project No.: M-616 (145)															
Signature:		Title: Street Superintendent S 1352			Date:													

Board of Public Roads Classifications and Standards
Form 7 One- and Six-Year Plan
Highway or Street Improvement Project

County:	City: WAVERLY	Village:																
Location Description: Highway 6 and N 148 th Street Intersection																		
Existing Surface Type and Structures: <i>(Such as dirt, gravel, asphalt, concrete, culvert, or bridge)</i> asphalt																		
Average Daily Traffic: 20 = , 20 =		Classification Type: <i>(As shown on Functional Classification Map)</i> Local																
PROPOSED IMPROVEMENT																		
Design Standard Number: Municipal	Surfacing	Thickness: 9"																
<table style="width: 100%; border: none;"> <tr> <td>☒ Grading</td> <td>☒ Concrete</td> <td>☒ Right of Way</td> <td>☒ Lighting</td> </tr> <tr> <td>☐ Aggregate</td> <td>☒ Curb & Gutter</td> <td>☒ Utility Adjustments</td> <td>☐</td> </tr> <tr> <td>☐ Armor Coat</td> <td>☒ Drainage Structures</td> <td>☐ Fencing</td> <td>☐</td> </tr> <tr> <td>☒ Asphalt</td> <td>☐ Erosion Control</td> <td>☒ Sidewalks</td> <td>☐</td> </tr> </table>			☒ Grading	☒ Concrete	☒ Right of Way	☒ Lighting	☐ Aggregate	☒ Curb & Gutter	☒ Utility Adjustments	☐	☐ Armor Coat	☒ Drainage Structures	☐ Fencing	☐	☒ Asphalt	☐ Erosion Control	☒ Sidewalks	☐
☒ Grading	☒ Concrete	☒ Right of Way	☒ Lighting															
☐ Aggregate	☒ Curb & Gutter	☒ Utility Adjustments	☐															
☐ Armor Coat	☒ Drainage Structures	☐ Fencing	☐															
☒ Asphalt	☐ Erosion Control	☒ Sidewalks	☐															
Bridge to Remain in Place	Roadway Width:	Length: Type:																
New Bridge	Roadway Width:	Length: Type:																
Box Culvert	Span: Rise: Length: Type:																	
Culvert	Diameter: Length: Type:																	
Bridges and Culverts Sized	☐ Yes ☐ N/A ☒ Hydraulic Analysis Pending																	
Other Construction Features:																		
ESTIMATED COST <i>(in Thousands)</i> ★ OPTIONAL	★ COUNTY	★ CITY	★ STATE	★ FEDERAL	★ OTHER	TOTAL												
Project Length: <i>(Nearest Tenth, State Unit of Measure)</i> 0.01 MILE			Project No.: M-616 (146)															
Signature:		Title: Street Superintendent S 1352			Date:													

Board of Public Roads Classifications and Standards Form 8 Summary of One-Year Plan


Year Ending: September 30, 2027

Sheet 1 of 1

County:		City: Waverly		Village:	
PRIORITY NUMBER	PROJECT NUMBER	LENGTH (Nearest Tenth)	UNIT OF MEASURE	ESTIMATED COST (Thousands)	REMARKS
1	616 (88)	0.50	Mile	2900	concrete paving
2	616 (147)	0.56	Mile	275	asphalt paving
3	616 (142)	1.06	Mile	1100	asphalt paving
Signature:			Title: Street Superintendent S-1352	Date:	

Green = 1 Year


Red = 6 year



City of Waverly
2027

1 and 6 Year Street Plan
Page 2

M 616 (147)



Board of Public Roads Classifications and Standards

Form 11 Report of Previous Year Highway or Street Improvement

Year Ending: September 30,2026

Sheet 1 of 1

County:			City: Waverly		Village:	
PROJECT NUMBER	LENGTH (Nearest Tenth)	UNIT OF MEASURE	PROJECTED COST (Thousands)	CONTRACT PROJECT	OWN FORCES	DATE COMPLETED (Actual or Estimated)
M-616 (144)	0.20	Miles	300	yes	private develop	May 2026
Signature:			Title: Street Superintendent S-1352		Date:	