



Brownsville Independent School District

Agenda Category: General Function
Contracts/MOU Board of Education Meeting: 11/02/26

Item Title: Quote #001-27 Lease Purchase for
Class "C" School Buses X Action
Information
Discussion

BACKGROUND:

We are recommending the lease purchase of eleven (11) school buses for District-wide-use: Class "C" (conventional) Special Education 44-passenger buses equipped with a wheelchair lift, seats with integrated seatbelts, and three-point-contact to comply with SB #546. Santander Bank Municipal Lease Program LLC is financing the acquisition through a tax-exempt five-year financial plan.

FISCAL IMPLICATIONS:

Principal	\$ 2,062,500.00
Interest	\$ 213,510.00
Fee	\$ 800.00
	\$2,276,810.00 Budgeted from Local Maintenance funds.

RECOMMENDATION:

Recommend approval of Quote #001-27 Lease Purchase for Class "C" School Buses to the Santander Bank tax-exempt five-year installment financing for the lease purchase of eleven school buses from Longhorn Bus Sales using BuyBoard-Resolution R002/26-27. The contract number is 723-17, and there is a fee of \$800.00 per purchase order. Final Expenditure of \$2,276,810.00, which includes applicable one-time purchase and finance charges at 4.95% interest for five years.

Eliud Ornelas
Submitted by: Principal/Program Director

Dr. Nellie Cantu
Recommended by: Assistant Superintendent

Miguel Salinas
Reviewed by: Staff Attorney

Dr. Nellie Cantu
Approved by: Assistant Superintendent

Approved for Submission to Board of Education:

Dr. Timothy E. Cuff

Dr. Timothy E. Cuff, Superintendent



Board Meeting of October 6, 2026
Quote # Q001-27 Lease Purchase for the Replacement of Special Education School Buses

ITEM #	QTY Quoted	DESCRIPTION	UNIT PRICE	TOTAL	RECOMMENDATION	VENDOR
1	10	54 Passenger school bus equipped with wheelchair lift and the front two rods with child restrain seats	\$155,300.00	\$1,553,000.00	See Attachment	Thomas Bus Texas
1	11	54 Passenger school bus equipped with wheelchair lift and the front two rods with child restrain seats	\$187,500.00	\$2,062,500.00	Recommended - See Attachment	Holt Truck Centers (Longhorn International)



Brownsville ISD

Longhorn Bus Sales
Marcos Gutierrez

IC CE 54 SPED School Bus

Total Cost	\$187,500.00	1st PMT 30 days deferred
Term	5 Annual	
Payment Amount	\$41,617.00	
Rate:	5.250%	For Over \$1mm

11 Units

Total Cost	\$2,062,500.00	1st PMT 30 days deferred
Term	5 Annual	
Payment Amount	\$457,787.00	
Rate:	5.250%	

- * Rate locked - 150 days prior to funding.
 - * Credit approval and mutually acceptable documentation required.
 - * No document or other fees, etc. Simple interest.
 - * No prepayment penalties.
 - * There are no calls on interest for an early payoff - simple interest through payoff date.
 - * Non-appropriation clause included in the contract.
 - * No escrow account required.
 - * If Board approved, no legal opinion needed, no legal costs
 - * Rate locked thru 02/08/2027 or until funded. Can be re-locked if rate drops
- No Fees for any of the above.

Jeffrey W. Drawdy, VP
Pupil Transportation Group
Santander Bank
Jdrawdy@santander.us

Marcos Gutierrez


Longhorn Bus Sales
Salesman
9/11/2026

Brownsville ISD

Eliud Ornelas
1900 Price Road
Brownsville, TX 78521

IC CE 54 SPED School Bus

Nominal Annual Rate:		5.250%				
Event	Date	Amount	Number	Period	11 Units	
1 Loan	1/15/2027	187,500.00	1		\$2,062,500.00	
2 Payment	2/15/2027	41,617.00	5	Annual	\$457,787.00	
	Date	Payment	Interest	Principal	Balance	
Loan	1/15/2027				187,500.00	
1	2/15/2027	41,617.00	836.04	40,780.96	146,719.04	\$457,787.00
2	2/15/2028	41,617.00	7,702.75	33,914.25	112,804.79	\$457,787.00
3	2/15/2029	41,617.00	5,922.25	35,694.75	77,110.04	\$457,787.00
4	2/15/2030	41,617.00	4,048.28	37,568.72	39,541.32	\$457,787.00
5	2/15/2031	41,617.00	2,075.68	39,541.32	0.00	\$457,787.00
Grand Totals		208,085.00	20,585.00	187,500.00		\$2,288,935.00




Brownsville ISD

Eliud Ornelas
1900 Price Road
Brownsville, TX 78521

IC CE 54 SPED School Bus

Nominal Annual Rate:		4.950%				
Event	Date	Amount	Number	Period	11 Units	
1 Loan	1/15/2027	187,500.00	1		\$2,062,500.00	
2 Payment	2/15/2027	41,382.00	5	Annual	\$455,202.00	
	Date	Payment	Interest	Principal	Balance	
Loan	1/15/2027				187,500.00	
1	2/15/2027	41,382.00	788.27	40,593.73	146,906.27	\$455,202.00
2	2/15/2028	41,382.00	7,271.86	34,110.14	112,796.13	\$455,202.00
3	2/15/2029	41,382.00	5,583.41	35,798.59	76,997.54	\$455,202.00
4	2/15/2030	41,382.00	3,811.38	37,570.62	39,426.92	\$455,202.00
5	2/15/2031	41,382.00	1,955.08	39,426.92	0.00	\$455,202.00
Grand Totals		206,910.00	19,410.00	187,500.00		\$2,276,010.00

Nominal Annual Rate:		4.950%				
Event	Date	Amount	Number	Period		
1 Loan	1/15/2027	2,062,500.00	1			
2 Payment	2/15/2027	455,202.00	5	Annual		
	Date	Payment	Interest	Principal	Balance	
Loan	1/15/2027				2,062,500.00	
1	2/15/2027	455,202.00	8,670.98	446,531.02	1,615,968.98	
2	2/15/2028	455,202.00	79,990.46	375,211.54	1,240,757.44	
3	2/15/2029	455,202.00	61,417.49	393,784.51	846,972.93	
4	2/15/2030	455,202.00	41,925.16	413,276.84	433,696.09	
5	2/15/2031	455,202.00	21,505.91	433,696.09	0.00	
Grand Totals		2,276,010.00	213,510.00	2,062,500.00		



CE SCHOOL BUS

Sales Proposal For:
BROWNSVILLE I.S.D.

Presented By:
LONGHORN BUS SALES

Prepared For:
BROWNSVILLE I.S.D.
Eliud Ornelas
1900 Price Rd
Brownsville, TX 78521-
(956)548 - 8000
Reference ID: 1 53P DSL 3P3WC

Presented By:
LONGHORN BUS SALES
MARCOS GUTIERREZ
14201 HEMPSTEAD RD.
HOUSTON TX 77040 - 4901
(713)631-9306

Model Profile
2026 CE SCHOOL BUS (PB110)

AXLE CONFIG:	4X2
APPLICATION:	School Transportation, Special Needs
MISSION:	Requested GVWR: 29800. Calc. GVWR: 29800 Calc. Start / Grade Ability: 20.10% / 1.91% @ 55 MPH Calc. Geared Speed: 81.0 MPH
DIMENSION:	Wheelbase: 217.00, CA: N/A, Axle to Frame: 126.00
ENGINE, DIESEL:	{Cummins B6.7 200} EPA 2024, 200HP @ 2400 RPM, 600 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 200 Peak HP (Max), School Bus Only
TRANSMISSION, AUTOMATIC:	{Allison 2500 PTS} 6th Generation Controls, Wide Ratio, 5-Speed with Overdrive, Less PTO Provision, Less Retarder, with 33,000-lb GVW and GCW Max, School Bus
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-10-122A} I-Beam Type, 10,000-lb Capacity
AXLE, REAR, SINGLE:	{Dana Spicer 21060S} Single Reduction, 19,800-lb Capacity, R Wheel Ends Gear Ratio: 4.63
TIRE, FRONT:	(2) 255/70R22.5 Load Range H AH37 (HANKOOK), 562 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(4) 255/70R22.5 Load Range H AH37 (HANKOOK), 562 rev/mile, 75 MPH, All-Position
SUSPENSION, REAR, AIR, SINGLE:	{International IROS} 21,000-lb Capacity, 11.13" Ride Height, with Shock Absorbers Mounted Outside the Rails
PAINT:	Cab schematic 100NB Location 1: 4421, School Bus Yellow (Std) Chassis schematic N/A

Financial Summary
2026 CE SCHOOL BUS (PB110)

August 19, 2026

<u>Description</u>	<u>(US DOLLAR)</u>	<u>Price</u>
Net Sales Price:		\$187,500.00

Quotes are valid for 30 days from the proposal date. Prices below are based on production slots after January 1, 2027. Prices exclude the \$800 Buy Board fee per purchase order (Contract 722-23), which must be added where applicable. Final feature content subject to review/approval by IC Bus Corporation pending weight verification.

PRICE PER BUS: \$187,500.00

OPTIONAL ITEMS TO CONSIDER (Not included in above pricing)
SWITCH FROM BCC 126K A/C TO BERGSTROM 126K A/C: SAVE \$3,500 PER BUS

Estimated delivery is 5-9 months from the receipt of Purchase Order (PO). Longhorn Bus Sales is not liable for delays caused by material shortages, global pandemics, or factors outside the control of the OEM or third-party vendors. Vehicles may be delivered with pending installations for secondary items (e.g., A/C, GPS, radios, cameras). These will be installed immediately upon parts availability, where applicable. Due to market volatility, any applicable material surcharges incurred prior to customers final invoice, as well as any additional costs resulting from EPA/government mandates, greenhouse gas regulations, tariffs, or other regulatory changes are the responsibility of the buyer. The OEM may impose additional surcharges on orders, which will be passed through to the customer and may increase the vehicle purchase price. Any pricing adjustments will be communicated as soon as information becomes available. Customers are encouraged to consult with the dealer for the most current pricing information..

Potential delays or shortages do not exempt the buyer from invoicing or payment obligations. Under new ownership by Holt Truck Centers of Texas, LLC, please contact Ashley Schrader at 713-631-9306 for updated payment instructions. Do not wire funds to previous accounts.

By signing this proposal, the customer confirms all listed equipment is correct. Longhorn Bus Sales is not responsible for miss-built units resulting from incorrect specifications. Changes made after acceptance may incur additional charges.

A formal Purchase Order is required to initiate an order. If your agency does not utilize POs, please sign this proposal and provide a written Letter of Intent specifying the equipment to be ordered.

Approved by Seller:

Accepted by Purchaser:

Marcos Gutierrez
Official Title and Date

Firm or Business Name

9/11/2026
Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without
Seller's Authorized Signature

Official Title and Date

If you haven't added a planned maintenance service contract to your proposal yet, please get in touch with your local dealer, International or IC Bus Sales Representative to learn more about the benefits when ordering together with the vehicle.

International® Financial offers loans, a full line up of lease options, and can establish a line of credit for use towards the purchase of International and IC Bus vehicles. Ask your dealer, International® or IC Bus® Sales Representative

about completing an International Financial credit application and any promotional offers that may be available. International Financial services are provided by Navistar Financial Corporation.

The TOPS FET Calculation is an estimate for reference purposes only. The seller is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described here in are International Motors, LLC* standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

International Motors, LLC d/b/a International Motors USA LLC in Illinois and Ohio.

Vehicle Specifications
2026 CE SCHOOL BUS (PB110)

August 19, 2026

Code	Description
PB11000	Base Chassis, Model CE SCHOOL BUS with 217.00 Wheelbase, N/A CA, and 126.00 Axle to Frame. Bus Body Plan, ABAL0000TF Seat Capacity, 44

BODY PLANS

47AEU	BODY, BUS Conventional; 78" Headroom, 26'8" Body Length, +9 Section Front and Rear, 59 Passenger, 217/218 WB
49UBZ	STATE OF OPERATION Texas
51YYY	BODY PLAN, SPECIAL NEEDS for Bus Body Configurator, OMIT Body Plan
49000	BODY PLAN, APPROVED VARIATION None

AXLE CONFIGURATION

1ANA	AXLE CONFIGURATION 4x2
------	------------------------

ENGINE

12EYD	ENGINE, DIESEL {Cummins B6.7 200} EPA 2024, 200HP @ 2400 RPM, 600 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 200 Peak HP (Max), School Bus Only
12VKM	EMISSION, CALENDAR YEAR {Cummins B6.7} EPA, OBD and GHG Certified for Calendar Year 2026
12XCS	CARB EMISSION WARR COMPLIANCE Does Not Comply with CARB Emission Warranty
12WZE	CARB IDLE COMPLIANCE Does Not Comply with California Clean Air Idle Regulations
12WVG	EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood
10UAV	VEHICLE REGISTRATION IDENTITY ID for Non-CARB Omnibus and/or Non-ACT Adopting State or Exempt Vehicle. Not for use on vehicles registering in CA. Contains non-mitigated legacy engine & cannot be registered in CA unless exempt. You may be held liable under state law for failure to properly register vehicle. <u>Notes</u> : CANNOT BE REGISTERED IN CA. For vehicles that will be registered in States other than CA.
12XCC	RADIATOR Aluminum, 2-Row, Down Flow, Front to Back System, 640 SqIn Louvered, with 383 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler <u>Includes</u> : RADIATOR HOSES Premium, Rubber
12TSY	FAN DRIVE {Borg-Warner SA85} Viscous Type, Screw On <u>Includes</u> : FAN Nylon
12VCE	AIR CLEANER Single Element, Fire Retardant Media
12702	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection, Nitrite Free
12VVN	CRUISE CONTROL Electronic
12VYV	IDLE MANAGEMENT SYSTEM Ramp Engine Speed with Air Condition On, in Neutral and Parking Brake Set, Accommodation Package
12WPV	OIL PAN 15 Quart Capacity, For Cummins ISB/B6.7 Engines
12UGN	THROTTLE, HAND CONTROL Electronic

Vehicle Specifications
2026 CE SCHOOL BUS (PB110)

August 19, 2026

<u>Code</u>	<u>Description</u>
TRANSMISSION	
13BBN	TRANSMISSION, AUTOMATIC {Allison 2500 PTS} 6th Generation Controls, Wide Ratio, 5-Speed with Overdrive, Less PTO Provision, Less Retarder, with 33,000-lb GVW and GCW Max, School Bus
13WVW	NEUTRAL AT STOP OMIT
13WYY	SHIFT CONTROL PARAMETERS {Allison} 1000 or 2000 Series Transmissions, Performance Programming
13WLN	TRANSMISSION OIL Synthetic; 20 thru 28 Pints
13WEX	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, for Allison 1000 & 2000 Series Transmission
CLUTCH	
11001	CLUTCH Omit Item (Clutch & Control)
REAR AXLES, SUSPENSIONS	
14AWC	AXLE, REAR, SINGLE {Dana Spicer 21060S} Single Reduction, 19,800-lb Capacity, R Wheel Ends . Gear Ratio: 4.63
14TEH	SUSPENSION, REAR, AIR, SINGLE {International IROS} 21,000-lb Capacity, 11.13" Ride Height, with Shock Absorbers Mounted Outside the Rails
14WAW	FLAT FLOOR EFFECTS for Air Suspension; with Conventional Bus Models
FRONT AXLES	
2ASH	AXLE, FRONT NON-DRIVING {Meritor MFS-10-122A} I-Beam Type, 10,000-lb Capacity
FRONT SUSPENSIONS	
3ADB	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 10,000-lb Capacity, with Shock Absorbers
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
CABS, COWLS, BODIES	
16HLH	ADJUSTABLE PEDALS Accelerator and Brake, Allows Pedals to Move Forward or Rearward to Accommodate Driver
16010	COWL Flat Back
16BAM	AIR CONDITIONER with Integral Heater and Defroster
16VKB	CAB INTERIOR TRIM Classic, for Day Cab
16GEG	GAUGE CLUSTER Premium Level; English with English Electronic Speedometer
	<u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure or Auxiliary Air Pressure (if Air Equipped) : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure, Primary and Secondary (if Air Equipped)
16HLJ	GAUGE, DEF FLUID LEVEL

Vehicle Specifications
2026 CE SCHOOL BUS (PB110)

August 19, 2026

<u>Code</u>	<u>Description</u>
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission
16563	HEATER SHUT-OFF VALVES (2) Ball Valve Type
16XJP	INSTRUMENT PANEL Wing Panel
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16VVJ	WINDSHIELD Three Piece, Bonded, with Shaded Band

FRAMES

1CAC	FRAME RAILS High Strength Low Alloy Steel (50,000 PSI Yield); 10.125" x 3.062" x 0.312" (257.2mm x 77.8mm x 8.0mm); 489.2" (12425mm) Maximum OAL
1LSG	BUMPER, FRONT Contoured, Steel, Painted Gloss Black, Severe Duty
	<u>Notes</u> : Bumper Thickness is .25"
1LNT	CROSSING GATE, FRONT Omit Item
1SAL	CROSSMEMBER, REAR, AF (1)
1570	TOW HOOK, FRONT (2) Frame Mounted
1LEG	LICENSE PLATE HOLDER Includes Upper & Lower Mounting Plate Hardware, Mounted in Existing Holes in Front Bumper
1WHT	WHEELBASE RANGE 193" (490cm) Through and Including 217" (550cm)

BRAKES

4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6
4AZS	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Electronic Stability Program, with Automatic Traction Control
4GBL	BRAKE, PARKING {Bendix Intellipark} Electronic Park Brake, for Truck or Bus Applications
4XCJ	BRAKES, FRONT {Bendix Spicer ADB22X} Air Disc Type, Extended Service, Size 22.5", 23,000-lb Capacity
4XDV	BRAKE CHAMBERS, FRONT AXLE 14 SqIn, for Air Disc Brakes
4XCK	BRAKES, REAR {Bendix Spicer ADB22X} Air Disc Type, Extended Service, Size 22.5", 26,000-lb Capacity per Axle
4XDZ	BRAKE CHAMBERS, REAR AXLE 16/24 SqIn Spring Brake, Double Diaphragm, for Air Disc Brakes
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM
4EDN	AIR DRYER {Bendix AD-9SI} with Heater, Includes Safety Valve
4VLE	AIR DRYER LOCATION Mounted Inside Engine Compartment, Right Side
4VLY	AIR TANK LOCATION (1) Mounted Inside & Below Left Rail, Back of Cab
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank

**Vehicle Specifications
2026 CE SCHOOL BUS (PB110)**

August 19, 2026

Code	Description
4WZT	GVWR LIMITATION FOR BUS with Air Brakes, Limited to 33,000-lbs Maximum to meet FMVSS 121 Requirements, for Conventional Bus
4WJP	PARKING BRAKE INTERLOCK with Electronic Park Brake, Parking Brake Cannot be Released Until Ignition Switch is in "On" Position and Service Brake Pedal is Applied, Use with Air Brake Chassis Only

STEERING

5PRR	STEERING GEAR {TRW TAS66} Power
5710	STEERING COLUMN Tilting and Telescoping
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black

DRIVELINES

6DGA	DRIVELINE SYSTEM {Dana Spicer} SPL100, for 4x2/6x2
6901	PROPSHAFT GUARD

EXHAUST SYSTEMS

7BMK	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Under Right Rail, for Single Long Horizontal Tail Pipe
7SCP	ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger
7WCX	HEAT SHIELD Between Exhaust & Fuel Tank, Mounted to AF Crossmember
7WBL	TAIL PIPE (1) Horizontal, Long, Exits Left Side Through Bumper

ELECTRICAL SYSTEMS

8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment <u>Includes</u> : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : MISCELLANEOUS FEATURES Modular, Loom Protected, Grommets in all Applicable Body Openings, Assembled in Computer Assisted Fixture which Verifies Continuity and Correct Assembly Prior to Installation : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : TURN SIGNAL SWITCH Self-Cancelling with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WIRING, CHASSIS Color Coded and Continuously Numbered
8GXN	ALTERNATOR {Leece-Neville BLP4024N} Brushless, 12 Volt, 325 Amp Capacity, Pad Mount, with Remote Sense
8RPP	ANTENNA Shark Fin, Roof Mounted
8TTK	BATTERY BOX Steel, with Sliding Tray, 25.25" Wide, for Standard Batteries, 1-3 Battery Capacity, Mounted Left Side Behind Front Axle Perpendicular to Frame Rail
8RMH	BATTERY DISCONNECT SWITCH {Cole-Hersee 75920-06} 300 Amp, Disconnects Charging Circuits, Locks with Padlock, Battery Box Mounted
8MJU	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud

Vehicle Specifications
2026 CE SCHOOL BUS (PB110)

August 19, 2026

<u>Code</u>	<u>Description</u>
8XDX	BK WARN IND,PARK BK NOT SET Visual and Audible Alarm, Active Upon Ignition Off and Parking Brake Not Set, Reminder to Set Parking Brake
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
8TRM	COLLISION MITIGATION SYSTEM {Bendix Fusion 3.0} Adaptive Cruise Control, Stop & Drvr Go, Automatic Emergency Braking (AEB), with Pedestrian Collision Warning & Braking, Speed Sign Recognition with Overspeed Alert, Roadway Departure Alert & Braking, Lane Departure Warning
8XMB	CONNECTOR, DASH, CENTER PANEL Cab Wiring for TMC RP1226 Vehicle Accessory Connector; Includes 14-pin Connector with Switched Power, Battery Power, Ignition Power, Ground & Body 250K Datalink, Connector Located Behind Instrument Panel Center Console
8TYD	DATA RECORDER Omit Event Data Recorder Module
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position
8XPA	HEADLIGHTS LED, with Daytime Running Lights, Automatic Twilight Controlled
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn On if Windshield Wipers are Turned On
8540	HORN, ELECTRIC (2) Trumpet Style
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
8RRD	RADIO AM/FM/WB/Clock/Bluetooth (less Mic)/USB Input/Auxiliary Input, Includes Wiring and Antenna, with Public Address System
8XKL	STARTING MOTOR {Mitsubishi Electric Automotive America 90P47} 12-Volt, with Soft-Start

FRONT END

9WBW	FRONT END Tilting, Fiberglass, with Three Piece Construction, Dual Air Intakes
9HCY	GRILLE Molded in Black, with Chrome Surround
9WAB	HOOD TILT ASSIST {EASY TILT} Mechanical
9AAB	LOGOS EXTERIOR Model Badges
9AAE	LOGOS EXTERIOR, ENGINE Badges

SPEEDOMETER, TOOLS, MISC

10020	CHASSIS PAINT Full Chassis
10AGB	CONNECTED PLATFORM Includes Connectivity Module and Five Year Data Plan
10WUE	MUD FLAPS, FRONT WHEELS (2) Rubber, Mounted on Fender Extension
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "NB"
10788	PAINT TYPE Urethane, One or Two Colors, Other than Imron or International.
10AJY	PROMOTIONAL CREDIT for Bendix Fusion 3.0
10XAK	PROMOTIONAL PACKAGE 7 Year Unlimited Miles/km Warranty, Limited Time Program for Allison 2500 Series Transmission on School and Commercial Buses (Supplied directly through Allison)

FUEL TANKS

15SLK	FUEL TANK Top Draw, Steel, Rectangular, 65 US Gal (246L), Includes Protective Cage, Mounted Between Frame Rails and Behind Rear Axle
-------	--

Vehicle Specifications
2026 CE SCHOOL BUS (PB110)

August 19, 2026

Code	Description
15WEP	DEF TANK 16.5 US Gal (62.5L) Capacity, Frame Mounted Outside Right Rail, Behind 0 Bow
15LMN	FUEL/WATER SEPARATOR {Racor 400 Series,} 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor
15LRE	LOCATION FUEL/WATER SEPARATOR Mounted Under Hood, Left Side, Above Front Axle

WHEELS, TIRES - FRONT

27DUW	WHEELS, FRONT {Accuride 51408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
7752525809	(2) TIRE, FRONT 255/70R22.5 Load Range H AH37 (HANKOOK), 562 rev/mile, 75 MPH, All-Position

WHEELS, TIRES - REAR

28DUW	WHEELS, REAR {Accuride 51408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
7752525809	(4) TIRE, REAR 255/70R22.5 Load Range H AH37 (HANKOOK), 562 rev/mile, 75 MPH, All-Position

BODY FEATURES

47BAK	BUMPER, REAR Painted, 12" High, 3/16" Thick
47BAR	SUPPORTS, REAR BUMPER Bolted to Frame
47AYB	BODY, REAR Includes Emergency Door
47ARH	BOWS, ROOF 14 ga., One Piece Construction
	<u>Includes</u> : BOWS, ROOF Positioned Floor Line to Floor Line, Threaded Through Roof Strainers and Drip Rail
47BLU	FASTENERS, EXTERIOR MOUNTED Stainless Steel Screws; for All Exterior Body Lights, Body Exterior Rear View Mirrors, Bumper Mounted Crossing Gate and Body Mounted Stop Arms
47APX	FASTENERS, HEADLINER Screws
47AZK	FLOOR, BODY Flat
47PBZ	HANDLE, ASSIST Windshield Side Mounted, Left and Right, Body Color
47APR	HEADLINER, BODY Conventional; 25'11"-35'08" Body Length, Perforated Full Length with Sound Insulation Full Length
47ARP	LIGHT BARS Plastic
47BBH	LINING, SIDE INTERIOR, LOWER Embossed Steel, Clear Coated
47AXR	RUB RAILS, BODY (4) Conventional; Steel, 25'2", 25'11", 26'8", 27'5" Body Length, Includes Snow Rail
	<u>Includes</u> : RUB RAILS Full Length, Primer Coated (Both Sides), Attached to Body without Cuts or Splices
47BBZ	SEALER Extra; Sidewall to Floor, In Wheel Pocket Area, and Rear Wall to Floor
47AZC	SIDE SHEET, BODY, EXTERIOR Conventional, 16ga., Smooth, 25'2", 25'11", 26'8", 27'5", Body Length
47ASZ	SKIRT, BODY Conventional, 20", 16ga., 25'2", 25'11", 26'8", 27'5" Body Length
	<u>Includes</u> : SKIRT, BODY Extra Smooth Steel Supported by Floor Gussets
47BLE	STEP, FRONT ENTRANCE DOOR 25 3/4" Depth; 14ga Steel, Formed Treads, Naviflex Finish

**Vehicle Specifications
2026 CE SCHOOL BUS (PB110)**

August 19, 2026

<u>Code</u>	<u>Description</u>
47AUR	TIE DOWNS, BODY Grade 8 Bolts, Every Body Section <u>Includes</u> : TIE DOWNS, BODY with Formed Tab that Fits into Floor Structure to Prevent Turning
47DAJ	COVER, REAR DOOR INSIDE HANDLE Partial Coverage
47PCW	DOOR, ENTRANCE, FRONT Electric, Outward Opening, with Single Pane Glass
47DWP	DOOR, LIFT Single, 43" x 69.79", Mounted Aft of Rear Wheel Pocket, with 78" Headroom
47DAK	FASTENERS, REAR DOOR Bolts and Nutserts, Rear Door To Body
47DDE	HANDLE, ASSIST, ENTRANCE DOOR Outside Entrance
47DCW	HANDLE, EXTERIOR, LIFT DOOR Single Door, Yellow
47DEY	HANDLE, EXTERIOR, REAR Emergency Door; Yellow
47DDH	HOLD BACK, REAR DOOR Stationary, No Cables, with Plastic Cover
47AVK	INTERLOCK, STARTER with Key Switch for Entrance with Lock
47DDR	LATCH, LIFT DOOR Single, Three Point Slide Bar
47DDU	LATCH, REAR DOOR One Point Slide Bar, Cam Operated, with One Inch Stroke
47EYL	LOCK, ENTRANCE DOOR in External Release, with Key
47DEK	LOCK, REAR DOOR with Ignition Starter Interlock
47DEV	LOCK, SINGLE LIFT DOOR with Ignition Starter Interlock
47BDJ	COMPARTMENT, DRIVER STORAGE Bin, Sized to Hold Three Ring Binder, Includes (1) USB-A Port and (1) USB-C Port
47ETC	COMPARTMENT, LUGGAGE, LT MID 66" x 24" x 22" <u>Includes</u> : HINGES Rubber : LATCH, T-HANDLE, LOCKING Stainless Steel
47ETG	COMPARTMENT, LUGGAGE, RT MID 66" X 24" X 22" <u>Includes</u> : HINGES Rubber : LATCH, T-HANDLE, LOCKING Stainless Steel
47EBM	HOLD DOWN, BATTERY For Up To 3 Batteries
47BMA	WASTE CONTAINER Removable, Located in Driver Area
47LAU	INSULATION, ROOF/SIDES/BULKHEAD 1.5"
47LAR	NOISE REDUCTION, ROOF BOW Conventional; Insulation, 25'2", 25'11", 26'8", 27'5" Body Lengths
47MBA	UNDERCOAT, BODY Fire Resistant, Water Based, TT-C-730 Spec <u>Includes</u> : UNDERCOATING Performed Before and After Mounting on Chassis
47SPC	ALPHA/NUMERIC DECAL GUIDE Quantity 031-40
47AJA	BODY CERTIFICATION TAG Metal
47APJ	BODY RATING TAG Metal; for State of Texas, Includes Design Capacity and Seat Capacity
47AJC	BODY TAG, METAL Capacity to Include the Total Number of Passengers

Vehicle Specifications
2026 CE SCHOOL BUS (PB110)

August 19, 2026

<u>Code</u>	<u>Description</u>
47AKZ	DECAL, HANDICAP (4) 6" x 6", 1 Mounted on Electrical Access Door, 1 Mounted on Lift Door Below Window Line, 1 on Left Bumper, 1 on Rear Door Between Top and Bottom Glass
47PLX	LETTERS, DEF, I.D. Decal; "DEF ONLY", 1" Black, on DEF Filler Door
47MJR	LETTERS, DOOR, REAR Decals; "EMERGENCY DOOR", 2" Black Letters Inside and Outside
47NGP	LETTERS, FUEL I.D. Paint; "DIESEL FUEL", 2" Black, Adjacent to Fuel Filler Door
47MVA	LETTERS, HEADER Decal; "WATCH YOUR STEP", 1" Black, Above Windshield
47MRU	LETTERS, E/E WINDOW, LEFT (2) Decal Sets, "EMERGENCY EXIT", Black Inside and Outside
47NHL	LETTERS, E/E WINDOW, RIGHT (2) Decal Sets, "EMERGENCY EXIT", Black, Inside and Outside
47MAV	LETTERS, SCHOOL BUS SIDE Decal; "SCHOOL BUS"; in 8" Reflective Black Letters, Each Side
47MZB	LETTERS, SCHOOL BUS FRONT/REAR Decal; OMIT "SCHOOL BUS"; with 8" Black Letters; on Front and Rear Cap
47MVC	LETTERS, STEPWELL Decal, "WATCH YOUR STEP", 2.5" Black, Behind Door on Step Riser
47NTE	LOGO, ROOF LINE Decal; Wing and Shield, First Body Section, Above Driver Window and Entrance Door Over Driver Window and Entrance Door
47NMG	OPERATING INSTRUCTIONS, REAR Decal, Inside Rear Emergency Door
47NKM	PAINT COLOR, BODY INTERIOR 9384 Spring White
47NJA	PAINT COLOR, BODY EXTERIOR 4421 School Bus Yellow
47NJS	PAINT COLOR, BUMPER Rear, 0001 Canyon Black
47NJM	PAINT FLASHER BACKGRD 0001 Canyon Black
47NTY	PAINT HOOD AND FENDER To Match Body Exterior
47NKD	PAINT COLOR, ROOF 9219 Winter White, Beginning 5" Above Drip
47DXZ	PAINT, RUB RAIL Flange to Flange, Including Top Flange of Window Line Rub Rail
47NAB	PAINT COLOR, RUB RAILS 0001 Canyon Black
47NGW	SEAL, RUB RAILS Top Edge, All Rails
47MRN	STRIPING, E/E WINDOW, LEFT (02) Perimeter, 1" Yellow
47MUP	STRIPING, E/E WINDOW, RIGHT (02) Perimeter, 1" Yellow
47MSA	STRIPING, PERIMETER, REAR Emergency Door, 1" Yellow Reflective
47MVM	STRIPING, REAR END 1" Yellow
47MSJ	STRIPING, ROOF HATCH, FRONT Decal, Perimeter, 1" Yellow
47MSK	STRIPING, ROOF HATCH, REAR Decal, Perimeter, 1" Yellow
47MSS	STRIPING, SEATLINE 2" Yellow
47MTY	WIRING DIAGRAM Schematic, Electrical
	<u>Includes</u> : ACCESS PANEL for Wiring Diagram Schematic Located on Inside of Electrical Panel Door, Below Driver Window
47SAZ	SUB FLOOR, PLYWOOD Conventional; B-B Marine Grade, Less Sealed Edges, 5/8", 5 Ply, for 25'2", 25'11", 26'8" or 27'5" Body Lengths
47KEJ	DISARM, POST TRIP INSPECTION Button Located on Light Bar at Rear of Bus

Vehicle Specifications
2026 CE SCHOOL BUS (PB110)

August 19, 2026

<u>Code</u>	<u>Description</u>
47KEB	MONITOR, POST TRIP INSPECTION {Leave No Student Behind} Accessory Controlled, with Push Button Alarm Disable at Rear of Bus Prompts Driver to Walk to Back of Bus to Disable Alarm
47DNK	SWITCH, LOCATION Steering Wheel; Includes Master Flasher, Flasher On/Off, Red Override, and Door Control
	<u>Includes</u> : SWITCH, STEERING WHEEL, LIGHT Includes Illuminated Switches

BODY FEATURES

48ANT	WINDOW, DRIVER Laminated, Clear
48HAC	WINDOW, ENTRANCE DOOR Laminated, Clear, with Single Piece Glass
48BJA	COLOR, WINDOW FRAME, PASS Passenger Window, Natural Aluminum Finish
48BAH	WINDOW, E/E, LEFT (2) Vertical Hinge
48BKP	WINDOW, E/E, RIGHT (2) Vertical Hinge
48AUL	WINDOW, PASSENGER, TINT Conventional; 28% Light, Laminated Glass, 78" Headroom, with 25'2", 25'11", 26'8", 27'5" Body Lengths
48ARD	WINDOW, SASH (9) 27" Sections, 9"x 23" Opening
48ASR	WINDOW, SASH +9 SECTIONS (3) 9" x 32 1/4" Opening
48APL	WINDOW, STOPS 12" Opening, Only with 78" Headroom
48PAY	AISLE POSITION Center, for balanced seating
48PBB	FLOOR COVERING, COLOR Black
48PUP	FLOOR COVERING, TRIM Omit
48UWV	FLOOR COVERING, TYPE Koroseal, One Piece, Vinyl, All Body Lengths, Black
48VVR	STEP TREADS {Koroseal} Pebble White Nosing Only, with Non-Metal Backing, used with Formed Treaded Steps
48PKC	HOSE CLAMPS, HEATER HOSE Constant Torque for Heater System
48UZK	FAN, DEFOG LEFT OF DRIVER 6.50" Diameter, Black, Mounted on Driver Overhead Compartment, 2 Speed Switch in Panel
48PPP	HEATER CUT OFF, VALVE INSIDE Brass Ball, Inside Driver Area
48UYC	HEATER, REAR WALL, RT SIDE 80,000 BTU
48PNW	HEATER, WATER PUMP {2 MPU 12} Self Priming, with Plastic Housing
48UZN	ROOF HATCH, FRONT {Specialty Hybrid Adv H1975-025-191-0F} Emergency Exit with Outside Release, Alarm, English Decals
48UZT	ROOF HATCH, REAR {Specialty Hybrid Adv H1975-025-191-0F} Emergency Exit with Outside Release, Alarm, English Decals
48PPS	ROOF VENT, FRONT Static
48RYW	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Isolated, with 2 Position Front Cushion Adjustment, 6 to 17 Degree Seat Back Adjustment, Mechanical Lumbar Support, Includes Additional Back Padding
	<u>Includes</u> : SEAT BELT, DRIVER Adjustable D-Loop Seat Belt, Single Locking Retractor

Vehicle Specifications
2026 CE SCHOOL BUS (PB110)

August 19, 2026

Code	Description
48PXP	UPHOLSTERY, BARRIER, TYPE (1-2) Prevaill, 42 oz.
48PVN	UPHOLSTERY, DRIVER SEAT, COLOR Drivers Seat, Gray
48PVA	UPHOLSTERY, DRIVER SEAT, STYLE Plain, with Cloth Insert
48PWR	UPHOLSTERY, DRIVER SEAT, TYPE Prevaill, 42 oz.
48BDS	BARRIER, CRASH, AFT ENTRY DOOR 39", 2 Leg
48RAL	BARRIER, CRASH, AFT DRIVER 39", 1 Leg
48UZX	HAND RAIL, ENTRANCE DOOR, AFT Dual Height Stainless Steel, Upper Rail 1.25" OD 28" Above Floor, Lower Rail 1" OD
48UZY	HAND RAIL, ENTRANCE DOOR, FWD Dual Height Stainless Steel, Upper Rail 1.25" OD 28" Above Floor, Lower Rail 1" OD
48REP	PANEL, MODESTY, AFT OF DRIVER Mounted Under Barrier
48ACN	SEAT BELT, DRIVER, COLOR with Blaze Orange Seat Belt Webbing
48USV	SEAT BACK, PASSENGER High Back
48XAR	SEAT,36",WALL,3PT,CHLD,UCRA,LT {BTI Seating System} (02) High Back, with 3 Point Seat Belts, Child Restraint
48XAV	SEAT,36",WALL,3PT,CHLD,UCRA,RT {BTI Seating System} (02) High Back, with 3 Point Seat Belts, Child Restraint
48YSM	SEAT,39",TRK,3PT,UCRA,LT {IMMI Seats SBR-U} (04) with 3 Point Seat Belts, and UCRA
48XZW	SEAT,39",WALL,3PT,LT {BTI Seating System} (2) High Back, with 3 Point Seat Belts
48YAK	SEAT,39",WALL,3PT,RT {BTI Seating System} (2) High Back, with 3 Point Seat Belts
48YMX	SEAT,39",WALL,3PT,UCRA,LT {BTI Seating System} (01) High Back, with 3 Point Seat Belts
48YNH	SEAT,39",WALL,3PT,UCRA,RT {BTI Seating System} (03) High Back, with 3 Point Seat Belts
48PWD	UPHOLSTERY, PASS SEATS, COLOR Gray, for Seats, Barriers and Head Bumpers
48PHK	UPHOLSTERY, PASS SEATS, TYPE Prevaill, 42 oz.; for (15-16) Seats
48RLX	CUSHION, SEAT 15" Depth
48RRA	UPHOLSTERY, SEAT, STITCHING Single

BODY FEATURES

49HEZ	TRACK, FLOOR LENGTHS 101"-150", with Full Shoulder Track
49HHA	TIE DOWN, TRACK (02) Retractable
49HJU	TIE DOWN, TRACK TYPE {Sure-Lok FF612S-4C-7} Retractable
49JBG	TRACK, TYPE (BRAND) {OMNI L Track}
49AMJ	ALARM, BACKING {Ecco #575} 107 dB
49AMT	CIRCUIT, PROTECTION Breakers, Manual Reset in Lieu of Fuses
49BCN	FLASHER SYSTEM (8) Warning Lights, 8-Lamp System, Electronic Relay Flasher, Non-Sequential Operation, Red Lights Activate with Door Open
49JBU	LIGHT, ENTRY DOOR {Sound Off/OptiLuxx} LED; 4" Oval; Light Mounted in Skirt Behind Entrance Door, Wired To Step Light

Vehicle Specifications
2026 CE SCHOOL BUS (PB110)

August 19, 2026

<u>Code</u>	<u>Description</u>
49BCR	LIGHT, EXTERIOR, CHECK Automatically Activates Lights for Pre Trip Inspection
49ATJ	LIGHT, INDIC, LIFT DOOR Amber; Flashing, Located in Driver Area
49ATV	LIGHT, INDIC, WARNING LIGHTS Red and Amber
	<u>Includes</u> : LIGHTS, WARNING Indicator Located in Instrument Cluster
49JBV	LIGHT, LICENSE PLATE {Sound Off/OptiLuxx} LED, with Mounting Gasket
49BZC	LIGHT, LIFT DOOR, INTERIOR Above Lift Door, Rectangular LED, with Door Operated Switch (Functionality May Be Included in Existing Dome Light)
49JBW	LIGHT, STEP {Sound Off/OptiLuxx} 4" Round LED, White, Wired to Clearance Lights, Operated by Entrance Door
49ZNC	LIGHTS, BACK UP (2) {Sound Off/OptiLuxx} 4" Round, White, LED, with Flange
49JBS	LIGHTS, CLUSTER {Sound Off/OptiLuxx} Oval, 4 Internal LEDs per Light; Amber Front and Red Rear
49BYZ	LIGHTS, DIRECTIONAL, REAR (2) {Sound Off/OptiLuxx} LED, 7" Round Amber
49PTB	LIGHTS, DIRECTIONAL, SIDE {Sound Off/OptiLuxx} Rectangular LED Armor Type, Amber, 1 Each Side, Second Bow Section Aft of Entrance Door Between 2nd & 3rd Rub Rail
49JEN	LIGHTS, DOME LED, Rectangular Recessed Type, Stagger Mounted, for 25'02", 25'11", 26'08", 27'05", 28'02", 28'11" Body Lengths
49ESC	LIGHTS, DOME, DRIVER (1) LED, Rectangular, Mounted in Light Bar in Ceiling, with Separate Switch
49JED	LIGHTS, MARKER, FRONT & REAR LED, Flush Mount, Amber Front and Red Rear
49ZNN	LIGHTS, MARKER, SIDE, INTERMED LED, Amber, Flush Mount, Intermediate, Centered, Required for Units 30 Foot or Longer
49BYT	LIGHTS, STOP (2) {Sound Off/OptiLuxx} and Tail; 7" Round LED, Red
49ZNG	LIGHTS, STOP & TAIL ADDITIONAL (2) {Sound Off/OptiLuxx} 4" Round LED, Red, with Flange
49NGJ	LIGHTS, WARNING (8) {Sound Off/OptiLuxx} (4) 7" Round Red Strobing LED and (4) 7" Round Amber Strobing LED, 2 Front, 2 Rear Each Color
49AWV	SPEAKERS AND WIRING (8) Flush Mounted In Light Bar
49ELC	STOP ARM, FRONT Electric, Composite Blade, 18" Octagon, Double Sided, 1/2" White Border, Hi Intensity Grade, Strobing LED Lights
49ELG	STOP ARM, LEFT REAR Electric, Composite Blade, 18" Octagon, Single Sided, 1/2" White Border, Hi Intensity Grade, Strobing LED Lights
49BSL	SWITCH, DOME LIGHTS, DIMMER for All Passenger Dome Lights
49SAA	SWITCH, INSTRUMENT PANEL LIGHTS; Rheostat
49EVL	SWITCH, NOISE SUPPRESSION Actuator Legend States, "NOISE SUPP ", for Separate Solenoid, with Red Switch in Panel
49AMY	SWITCH, REAR DOOR BUZZER for Emergency Door
49BXN	SWITCH, RED, OVERRIDE WARNING Wired Hot, with ESC, Mounted Left of Driver
49BUS	WIRING, WARNING LIGHTS (8) for 7" Red Warning Lights, Alternately Flashing, 2 Front, 2 Rear, Red Warning Lights to Operate When Lift Door is Open and Master Flasher Switch is "ON"
49BVJ	MIRROR, CROSS VIEW, EXTERIOR (2) {Mirror Lite High Definition Busboy} Stainless Steel, Heated
49EGC	MIRROR, INSIDE 6" x 30", Clear Safety Glass, Metal Back, Round Corners

Vehicle Specifications
2026 CE SCHOOL BUS (PB110)

August 19, 2026

<u>Code</u>	<u>Description</u>
49DNC	MIRROR, REAR VIEW, EXTERIOR {Rosco AccuStyle} Stainless Steel, Motorized Head, Breakaway Bracket
49ENK	VISOR, INTERIOR, LEFT FRONT 6" x 30", Transparent, For Left Windshield
49GDS	COMPARTMENT ABOVE DRIVER Left of the Driver
	<u>Includes</u> : COMPARTMENT ABOVE DRIVER Compartment Size: 39" x 10" x 10" : HINGES Piano Type
49GGW	FIRE BLANKET Deist, in Storage Container, 1st Bow Section From Rear
49JGJ	FIRE EXTINGUISHER 5 lb 3A-40BC Minimum, with Flexible Hose and Metal Nozzle
49JGN	FIRE EXTINGUISHER, FRONT LOC Located Behind Driver Seat
49JGW	KIT, BODY FLUID National Standard, Poly White Box
49EBA	KIT, FIRST AID Plastic; 24 Unit, Spec State
49MZV	LATCH, COMPARTMENT Locking, for Overhead Storage Compartment
49JEY	LOCATION, BODY FLUID KIT on Bulkhead
49GCH	LOCATION, FIRST AID KIT Right Side Front Bulkhead with Screws
49GDG	PADDING COMPART ABOVE DRIVER Window; Safety Equipment Compartment, with Cutout for Dome Light
49GHN	REFLECTORS, REAR (2) 3", Red, Adhesive Back
49GHV	REFLECTORS, SIDE, FRONT (2) 3", Amber; Adhesive Back, 1 Aft Drivers Window Left, 1 Aft Entrance Door Right
49GHX	REFLECTORS, SIDE, INTERMEDIATE (2) 3" Amber, 1 Each Side, Below The Third Rub Rail From the Top, Adhesive Back
49GHR	REFLECTORS, SIDE, REAR (2) 3", Red, Adhesive Back
49GJL	SAFETY EQUIPMENT Evacuation Aid; 18 Sq Ft, Vinyl Sheet with Metal Hooks at each Corner, Used as Slide for Emergency Evacuation
49GED	SAFETY TRIANGLES Warning Reflectors, Mounted on Floor Between Driver Seat and Drivers Crash Barrier/ Stanchion/Partition
49GXM	STORAGE COMPARTMENT, BELTS (2) for Sure Lok Wheelchair Belts, Mounted to Wall
49GMM	INTERLOCK, LIFT for FMVSS Wheel Chair Interlock Requirements; Key Off, Lift Door Must be Open before Lift can be Activated, w/ Key in "On or Accessory" Position, Park Brake Must be Applied, Transmission in Neutral, Lift Door Must be Open Before Lift Can be Activated
49NAB	LIFT, WHEELCHAIR {Braun Model NCL1000FIB3451 Gen 2} Power Pack Mounted Forward of Lift, 1,000-lb Capacity
49EPY	CUTTER, SEAT BELT (2) {TIE TECH Safecut} for Cutting Seat Belts
49JGG	CUTTER, SEAT BELT, LOCATION (2) Mounted on Panel Left of Driver, Aft of Entrance Door
49JAC	DEF FILLER DOOR with Non-Locking Latch
49MZS	FUEL FILLER DOOR Non-Locking, Lever Latch, Spring Loaded to Hold in Open Position
49CKT	FUEL FILLER PIPE Low Profile Neck Cap and Vent Hosing, for Use with Right Side Fill for Between the Rail Fuel Tanks, for Above the Floor Fuel Fill, for 25 GPM Fill Rate Only
49GUM	INSPECTION PLATE Fuel Sending Unit 8" x 8" Steel
49GVC	MUD FLAPS, REAR WHEELS (2) Rubber

Vehicle Specifications
2026 CE SCHOOL BUS (PB110)

August 19, 2026

Code	Description
49ESS	SIGN, DESTINATION, FRONT LED Illuminated, Exterior Bulkhead Mounted, with 8" Letters "SCHOOL BUS" Activated by Ignition
49ESR	SIGN, DESTINATION, REAR LED Illuminated, Exterior Bulkhead Mounted, with 8" Letters "SCHOOL BUS" Activated by Ignition

Services Section:

WARRANTY

40126	WARRANTY Standard for CE, RE, BE School Bus Models, Effective with Vehicles Built March 1, 2017 or Later, CTS-3304H
40YET	SERVICES, TOWING {International} Service Call to 24-Month/Unlimited Mileage to the Nearest IC Bus Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident
40YGC	SRV CONTRACT, EXT VEH COVERAGE {International} To 24-Month/50,000 Miles (80,000 km), Covers 100% Parts and Labor; Includes Body; Excludes Extending Warranty for Engine, Transmission, Perforation or Corrosion of Cab/Cowl Structure and Paint

BODY FEATURES

49GVN	WARRANTY 5-Year, Limited 40YGC Warranty: Longhorn Bus will cover the warranty for 2 yrs./unlimited mileage. (International will cover the first 50K miles. Longhorn Bus will cover 50K+ miles, up to the ending of the two-year term, per current Texas School Bus Specifications.) 49GVN 5-Year Limited warranty is an International warranty only. It does not apply to any aftermarket parts listed herein. DOT INSPECTION SET GOVERNOR SPEED 65 MPH ROSCO STSK360HD, SURROUND VIEW CAMERA SYSTEM WITH 6 X 30 REAR VIEW MIRROR WITH INTEGRATED 10IN HIGH-DEFINITION MONITOR OFFERING 3D VIEWS OF THE BUS. SYSTEM WILLCONSIST OF 4 CAMERAS: ONE FRONT, ONE REAR, AND TWO SIDES. BUMPER BRAKE LIGHT - LHB 126K PA MCC - A/C SYSTEM-COMPLETE - INCLUDE FRONT AND REAR IN WALL - DUAL SKIRT CONDENSER DUAL TM 21 COMPRESSOR, INSTALLED BY ANDYS AIR REI 9 CAM SYS, INSTALLED - LHB
-------	--