

Regular School Board Meeting

Tuesday, July 8, 2025 5:45 PM

917 Board Room, 130 145th Street East, Rosemount, MN 55068

I. MISSION

In partnership with member districts, Intermediate School District 917 provides high quality, equitable and specialized programming to meet the needs of all students.

II. Call to Order - Chair Tom Bennett

III. Conduct Pledge of Allegiance - Chair Tom Bennett *(This was conducted at the Board Work Session prior to this meeting.)*

IV. Review and Approve the Agenda - Chair Tom Bennett

V. Consent Items - Chair Tom Bennett *(Communications)*

V.A.

- Minutes
- Personnel
- Policies

VI. Donations - Chair Tom Bennett *Roll Call*

- Three cases of water bottles from SSP Kwik Trip

VII. Finance Director - Mark Johns *(Stewardship)*

VII.A.

- Bills
- Wire Transfers
- Investment Reports

VIII. New Business - Chair Tom Bennett *(Collaboration)*

IX. Accounts Receivable Aging Report was reviewed in the Board Work Session.

X. Policies - Supt. Dr. Michael Favor *(Integrity)*

XI. Approve Lunch Prices for 2025-2026 - Mark Johns

XII. Approve Renewal of Memberships for Metro ECSU, AMSD, AESA, MASA, and MSBA - Dr. Michael Favor

XIII. Approve Health and Safety Plans and Indoor Air Quality Management Plan for 2025-2026 - Dr. Michael Favor

XIV. Approve Agreement with ISD 271 and ISD 917 for Early Childhood Special Education Teacher - Dr. Melissa Schaller

XV. Approve Special Education Services in Bloomington - Dr. Melissa Schaller

XVI. Closed Session to Review 2024-2025 Superintendent End-of-Year Goals Evaluation - Chair Tom Bennett

XVII. Adjournment - Chair Tom Bennett

INTERMEDIATE SCHOOL DISTRICT 917

A School Board Meeting of the Intermediate School District 917 School Board was held on Tuesday, June 10, 2025, at 1300 145th Street East, Rosemount, MN, in the Board Room.

Members Present: Kim Baker, Tom Bennett, Lisa Ehleringer, Cindy Nordstrom, Byron Schwab, Hannah Simmons, Monica Weber, Mark Zuzek and ex-officio Assistant Superintendent Dr. Michael Favor.

Members Absent: Lesley Chester

Also Present: Melissa Schaller, Brooke Peterson, Kate Hulse, Nicole Flesner, Melissa Torres, Mark Johns, Brenton Shavers (Supt. Intern) and Linda Berg.

School Board Chair Tom Bennett called the meeting to order at 6:15 PM.

The Pledge of Allegiance was conducted in the prior Board work session.

Motion by Mark Zuzek, seconded by Lisa Ehleringer, to approve the agenda. Voting aye: Kim Baker, Tom Bennett, Lisa Ehleringer, Cindy Nordstrom, Byron Schwab, Hannah Simmons, Monica Weber, Mark Zuzek. Voting naye: none. Motion passed.

1. Motion by Kim Baker, seconded by Cindy Nordstrom, to approve the consent items, as presented. Voting aye: Kim Baker, Tom Bennett, Lisa Ehleringer, Cindy Nordstrom, Byron Schwab, Hannah Simmons, Monica Weber, Mark Zuzek. Voting naye: none. Motion passed.
 - **Minutes:** May 6, 2025, Regular School Board Meeting
 - **Personnel:** *New Hires:* Karri Hollyman, C-Caption, effective May 19, 2025. Frank Herman, Principal - Secondary Program, effective July 1, 2025. Andrea Oldham, Intervener Support Professional, effective August 27, 2025. *Change in Status:* Laura Bray, Speech Language Pathologist, FTE reduction 0.8 to 0.7, effective July 1, 2025. Resignations and terminations: Emily Booth, Education Support Professional, effective May 30, 2025. Meredith Fancher-White, Education Support Professional, effective June 4, 2025. Cassandra Freeman, Education Support Professional, effective June 5, 2025. Robert Keech, Teacher, effective June 12, 2025. Rachel Opseth, School Counselor, effective April 22, 2025. Jakenthia Simms-Alexander, Education Support Professional, effective May 15, 2025. Norman Smith, School Counselor, effective June 12, 2025. *Retirements:* Jane Klemz, Education Support Professional, effective June 11, 2025.
2. Motion by Byron Schwab, seconded by Mark Zuzek, to approve the bills from May 1, 2025 – May 31, 2025, wire transfers, and investment report as presented. Voting aye: Kim Baker, Tom Bennett, Lisa Ehleringer, Cindy Nordstrom, Byron Schwab, Hannah Simmons, Monica Weber, Mark Zuzek. Voting naye: none. Motion passed.
3. Board Member Hannah Simmons introduced the following Donation resolution and waived reading the full resolution. The motion for the adoption of the foregoing resolution was duly seconded by Monica Weber, and upon vote being taken thereon, the following voted in favor thereof: Roll call: Voting aye: Kim Baker, Tom Bennett, Lisa Ehleringer, Cindy Nordstrom, Byron Schwab, Monica Weber, Hannah Simmons, Mark Zuzek. Voting naye: none. Motion passed. (Addendum A.)

4. Motion by Mark Zuzek, seconded by Byron Schwab, to approve the revised 2025-2026 ISD 917 Academic Calendar, as presented. Voting aye: Kim Baker, Tom Bennett, Lisa Ehleringer, Cindy Nordstrom, Byron Schwab, Hannah Simmons, Monica Weber, Mark Zuzek. Voting naye: none. Motion passed. (Addendum B.)
5. Motion by Lisa Ehleringer, seconded by Cindy Nordstrom, to approve Language Access Plan as presented. Voting aye: Kim Baker, Tom Bennett, Lisa Ehleringer, Cindy Nordstrom, Byron Schwab, Hannah Simmons, Monica Weber, Mark Zuzek. Voting naye: none. Motion passed. (Addendum C.)
6. Motion by Byron Schwab, seconded by Mark Zuzek, to approve the Administrative Variance as presented. Voting aye: Kim Baker, Tom Bennett, Lisa Ehleringer, Cindy Nordstrom, Byron Schwab, Hannah Simmons, Monica Weber, Mark Zuzek. Voting naye: none. Motion passed. (Addendum D.)
7. Motion by Byron Schwab, seconded by Cindy Nordstrom, to approve the Budget for FY 26, as presented by the Finance Director. Voting aye: Kim Baker, Tom Bennett, Lisa Ehleringer, Cindy Nordstrom, Byron Schwab, Hannah Simmons, Monica Weber, Mark Zuzek. Voting naye: none. Motion passed. (Addendum E.)
8. Motion by Mark Zuzek, seconded by Kim Baker, to approve Workers Compensation Renewal Contract for FY26 as presented. Voting aye: Kim Baker, Tom Bennett, Lisa Ehleringer, Cindy Nordstrom, Byron Schwab, Hannah Simmons, Monica Weber, Mark Zuzek. Voting naye: none. Motion passed. (Addendum F.)
9. Board Member Cindy Nordstrom, introduced the following resolution, waived reading the full resolution: Resolution Terminating Support Staff Personnel. The motion for the adoption of the foregoing resolution was duly seconded by Lisa Ehleringer, and upon vote being taken thereon, the following voted in favor thereof: Roll call: Kim Baker, Tom Bennett, Lisa Ehleringer, Cindy Nordstrom, Byron Schwab, Hannah Simmons, Monica Weber, Mark Zuzek. Voting naye: none. Motion passed. (Addendum G.)
10. Motion by Kim Baker, seconded by Cindy Nordstrom, to approve the agreement between ISD 199, and ISD 917 for Early Childhood Mental Health Program teachers, as presented. Voting aye: Kim Baker, Tom Bennett, Lisa Ehleringer, Cindy Nordstrom, Byron Schwab, Hannah Simmons, Monica Weber, Mark Zuzek. Voting naye: none. Motion passed. (Addendum H.)
11. Motion by Mark Zuzek, seconded by Monica Weber, to approve Dr. Michael Favor as IOwa Proxy with MDE. Voting aye: Kim Baker, Tom Bennett, Lisa Ehleringer, Cindy Nordstrom, Byron Schwab, Hannah Simmons, Monica Weber, Mark Zuzek. Voting naye: none. Motion passed. (Addendum I.)
12. Motion by Cindy Nordstrom, seconded by Byron Schwab, to approve the following policies on a first and final reading: Policy 204 School Board Meeting Minutes and Policy 209 Code of Ethics. Voting aye: Kim Baker, Tom Bennett, Lisa Ehleringer, Cindy Nordstrom, Byron Schwab, Hannah Simmons, Monica Weber, Mark Zuzek. Voting naye: none. Motion passed. (Addendum J.)

Policies 205 Open Meetings and Closed Meetings and Policy 706 Acceptance of Gifts were read on a first reading basis.

There being no further business the meeting adjourned at 6:18 PM.

Clerk



Intermediate School District 917

Purposeful. Personalized. Partners.

1300 145th Street East, Rosemount, MN 55068 (651) 423-

8229 * <http://www.isd917.org>

Dr. Michael Favor

TO: School Board
FROM: Dr. Michael Favor
DATE: July 8, 2025
RE: Policies

The policies listed below are a second and final reading:

- **205 Open Meetings and Closed Meetings – many changes throughout the policy.**
- **706 Acceptance of Gifts – changes in language**

205 OPEN MEETINGS AND CLOSED MEETINGS

I. PURPOSE

- A. The school board embraces ~~the philosophy of openness~~ **accountability and transparency** in the conduct of its business, in the belief that openness produces better programs, more ~~efficiency in~~ **efficient** administration of programs, and an organization more responsive to public interest and less susceptible to private interest. The school board shall conduct its business under a presumption of openness. At the same time, the school board recognizes and respects the privacy rights of individuals as provided by law. The school board also recognizes that there are certain exceptions to the Minnesota Open Meeting Law as recognized in statute where it has been determined that, in limited circumstances, the public interest is best served by closing a meeting of the school board.
- B. The purpose of this policy is to provide guidelines to assure the rights of the public to be present at school board meetings, while also protecting ~~the~~ **an** individual's rights to privacy under law, and to close meetings when the public interest so requires as recognized by law.

II. GENERAL STATEMENT OF POLICY

- A. Except as otherwise expressly provided by statute, all meetings of the school board, including executive sessions, shall be open to the public.
- B. Meetings shall be closed only when expressly authorized by law.

III. DEFINITION

“Meeting” means a gathering of at least a quorum ~~or more of~~ **school board** members ~~of the school board~~, or quorum of a committee or subcommittee of school board members, at which members discuss, decide, or receive information as a group on issues relating to the official business of the school board. The term does not include a chance or social gathering or the use of social media by members of a public body so long as the social media use is limited to exchanges with all members of the general public. For purposes of the Open Meeting Law, social media does not include e-mail.

IV. PROCEDURES

A. Meetings

1. Regular Meetings

A schedule of the regular meetings of the school board shall be kept on file at its ~~primary~~ **the school district** offices. If the school board decides to hold a regular meeting at a time or place different from the time or place stated in its **regular meeting** schedule, it shall give the same notice of the meeting as for a special meeting.

2. Special Meetings

a. For a special meeting, the school board shall post written notice of the date, time, place, and purpose of the meeting on the principal bulletin board of the school district or on the door of the school board's usual meeting room if there is no principal bulletin board. The school board's actions at the special meeting are limited to those topics included in the notice.

b. The notice shall also be mailed or otherwise delivered to each person who has filed a written request for notice of special meetings. **This notice shall be posted and mailed or delivered at least three days before the date of the meeting.**

c. ~~This notice shall be posted and mailed or delivered at least three days before the date of the meeting.~~ As an alternative to mailing or otherwise delivering notice to persons who have filed a written request, the school board may publish the notice once, at least three days before the meeting, in the official newspaper of the school district or, if none, in a qualified newspaper of general circulation within the area of the school district.

d. A person filing a request for notice of special meetings may limit the request to particular subjects, in which case the school board is required to send notice to that person only concerning those particular subjects.

e. The school board will establish an expiration date on requests for notice of special meetings and require refiling once each year. Not more than 60 days before the expiration date of request for notice, the school board shall send notice of the refiling requirement to each person who filed during the preceding year.

3. Emergency Meetings

a. An emergency meeting is a special meeting called because of

circumstances that, in the **school board's** judgment ~~of the school board~~, require immediate consideration.

- b. If matters not directly related to the emergency are discussed or acted upon, the minutes of the meeting shall include a specific description of those matters.
- c. The school board shall make good faith efforts to provide notice of the emergency meeting to each news medium that has filed a written request for notice if the request includes the news medium's telephone number.
- d. Notice of the emergency meeting shall be given by telephone or any other method used to notify the members of the school board.
- e. Notice shall be provided to each news medium which has filed a written request for notice as soon as reasonably practicable after notice has been given to the school board members.
- f. Notice shall include the subject of the meeting.
- g. Posted or published notice of an emergency meeting shall not be required.
- h. The notice requirements for an emergency meeting as set forth in this policy shall supersede any other statutory notice requirement for a special meeting that is an emergency meeting.

4. Recessed or Continued Meetings

If a meeting is a recessed or continued session of a previous meeting, and the time and place of the meeting was established during the previous meeting and recorded in the minutes of that meeting, then no further published or mailed notice is necessary.

5. Closed Meetings

The notice requirements of the Minnesota Open Meeting Law apply to closed meetings.

6. Actual Notice

If a person receives actual notice of a meeting of the school board at least **twenty-four (24)** hours before the meeting, all notice requirements are satisfied with respect to that person, regardless of the method of receipt of notice.

7. ~~Health Pandemic or Declared Emergency~~ **Meetings during Pandemic or Chapter 12 Emergency**

In the event of a health pandemic or an emergency declared under ~~Minn. Stat. Ch.~~ **Minnesota Statutes chapter** 12, a meeting may be conducted by telephone or ~~other electronic means~~ **interactive technology** in compliance with ~~Minn. Stat. §~~ **Minnesota Statutes section** 13D.021.

8. **Meetings by Interactive Techonlogy**

A meeting may be conducted by ineractive technology, Zoom, Skype, or other similar electronic means in compliance with Minnesota Statutes section 13D.02.

B. Votes

The votes of school board members shall be recorded in a journal **or minutes** kept for that purpose, ~~and t~~. The journal **or any minutes used to record votes of a meeting must be open** ~~shall be available~~ to the public during all normal business hours at the administrative offices ~~of the school district~~.

C. Written Materials

1. In any open meeting, a copy of any printed materials, including electronic communications, relating to the agenda items **of the meeting** prepared or distributed by **or at the direction of** the school board or its employees and distributed to or available to all school board members shall be available in the meeting room for inspection by the public while the school board considers their subject matter.
2. This provision does not apply to materials not classified by law as public, or to materials relating to the agenda items of a closed meeting.

D. ~~Data~~ **Open Meetings and Data**

1. Meetings may not be closed ~~merely because the~~ **to discuss** data ~~to be discussed~~ **that** are not public data, **except as provided under Minnesota law.**
2. Data that are not public data may be discussed at an open meeting if the disclosure relates to a matter within the scope of the school board's authority and is reasonably necessary to conduct the business or agenda item before the school board.
3. Data discussed at an open meeting retain the data's original classification;

however, a record of the meeting, regardless of form, shall be public.

E. Closed Meetings

1. Labor Negotiations Strategy

- a. The school board may, by a majority vote in a public meeting, decide to hold a closed meeting to consider strategy for labor negotiations, including negotiation strategies or developments or discussion and review of labor negotiation proposals, **conducted pursuant to Minnesota's Public Employment Labor Relations Act (PELRA)**.
- b. The time and place of the closed meeting shall be announced at the public meeting. A written roll of school board members and all other persons present at the closed meeting shall be made available to the public after the closed meeting. The proceedings **of a closed meeting to discuss negotiation strategies** shall be tape recorded, and the tape recording shall be preserved for two years after the contract discussed at the meeting is signed. The recording shall be made available to the public after all labor contracts are signed by the school board for the current budget period.

2. Sessions Closed by Bureau of Mediation Services

All negotiations, mediation sessions, **meetings**, and hearings between the school board and its employees or their respective representatives are public meetings. ~~These~~ **Mediation** meetings may be closed only by the Commissioner of the Bureau of Mediation Services (BMS). The use of recording devices, stenographic records, or other recording methods is prohibited in mediation meetings closed by the BMS.

3. Preliminary Consideration of **Allegations or** Charges

The school board shall close one or more meetings for preliminary consideration of allegations or charges against an individual subject to its authority. If the school board members conclude that discipline of any nature may be warranted as a result of those specific charges or allegations, further meetings or hearings relating to those specific charges or allegations held after that conclusion is reached must be open. A meeting must also be open at the request of the individual who is the subject of the meeting. A closed meeting **for this purpose** must be electronically recorded at the expense of the school district, and the recording must be preserved for at least three years after the date of the meeting. The recording is not available to the public.

4. Performance Evaluations

The school board may close a meeting to evaluate the performance of an individual who is subject to its authority. The school board shall identify the individual to be evaluated prior to closing a meeting. At its next open meeting, the school board shall summarize its conclusions regarding the evaluation. A meeting must be open at the request of the individual who is the subject of the meeting. A closed meeting **for this purpose** must be electronically recorded at the expense of the school district, and the recording must be preserved for at least three years after the date of the meeting. The recording is not available to the public.

5. Attorney-Client **Privilege** Meeting

A meeting may be closed if permitted by the attorney-client privilege. Attorney-client privilege applies when litigation is imminent or threatened, or when the school board needs advice above the level of general legal advice, ~~i.e.,~~ **for example**, regarding specific acts and their legal consequences. A meeting may be closed to seek legal advice concerning litigation strategy, but the mere threat that litigation might be a consequence of deciding a matter one way or another does not, by itself, justify closing the meeting. The motion to close the meeting must specifically describe the matter to be discussed at the closed meeting, subject to relevant privacy and confidentiality considerations under state and federal law. The law does not require that such a meeting be recorded.

6. Dismissal Hearing

- a. A hearing on ~~the~~ dismissal of a licensed teacher shall be public or private at the teacher's discretion. A hearing regarding placement of teachers on unrequested leave of absence shall be public.
- b. A hearing on dismissal of a student pursuant to the Pupil Fair Dismissal Act shall be closed unless the pupil, parent or guardian requests an open hearing.
- c. To the extent a teacher or student dismissal hearing is held before the school board and is closed, the closed meeting must be electronically recorded at the expense of the school district, and the recording must be preserved for at least three years after the date of the meeting. The recording is not available to the public.

7. Meetings to Discuss Certain Not Public Data

- a. Any portion of a meeting must be closed if the following types of

data are discussed:

- ~~(1)a-~~ data that would identify alleged victims or reporters of criminal sexual conduct, domestic abuse, or maltreatment of minors or vulnerable adults;
 - ~~(2)b-~~ active investigative data collected or created by a law enforcement agency;
 - ~~(3)e-~~ educational data, health data, medical data, welfare data, or mental health data that are not public data; or
 - ~~(4)d-~~ an individual's personal medical records.
- ~~b.e-~~ A closed meeting must be electronically recorded at the expense of the school district, and the recording must be preserved for at least three years after the date of the meeting. The recording is not available to the public.

8. Purchase and Sale of Property

- a. The school board may close a meeting:
 - (1) to determine the asking price for real or personal property to be sold by the school district;
 - (2) to review confidential or nonpublic appraisal data; and
 - (3) to develop or consider offers or counteroffers for the purchase or sale of real or personal property.
- b. Before closing the meeting, the school board must identify on the record the particular real or personal property that is the subject of the closed meeting.
- c. The closed meeting must be tape recorded at the expense of the school district. The tape must be preserved for eight years after the date of the meeting and be made available to the public after all real or personal property discussed at the meeting has been purchased or sold or the school board has abandoned the purchase or sale. The real or personal property that is the subject of the closed meeting must be specifically identified on the tape. A list of school board members and all other persons present at the closed meeting must be made available to the public after the closed meeting.

- d. An agreement reached that is based on an offer considered at a closed meeting is contingent on its approval by the school board at an open meeting. The actual purchase or sale must be approved at an open meeting and the purchase price or sale price is public data.

9. Security Matters

- a. The school board may close a meeting to receive security briefings and reports, to discuss issues related to security systems, to discuss emergency response procedures, and to discuss security deficiencies in or recommendations regarding public services, infrastructure, and facilities, if disclosure of the information discussed would pose a danger to public safety or compromise security procedures or responses.
- b. Financial issues related to security matters must be discussed and all related financial decisions must be made at an open meeting.
- c. Before closing a meeting, the school board must refer to the facilities, systems, procedures, services, or infrastructures to be considered during the closed meeting.
- d. The closed meeting must be tape recorded at the expense of the school district and the recording must be preserved for at least four years.

10. Other Meetings

Other meetings shall be closed as provided by law, except as provided above. A closed meeting must be electronically recorded at the expense of the school district, and the recording must be preserved for at least three years after the date of the meeting. The recording is not available to the public.

F. Procedures for Closing a Meeting

The school board shall provide notice of a closed meeting just as for an open meeting. A school board meeting may be closed only after a majority vote at a public meeting. Before closing a meeting, the school board shall state on the record the specific authority permitting the meeting to be closed and shall describe the subject to be discussed.

Legal References: Minn. Stat. Ch. 13 (Minnesota Government Data Practices Act)
Minn. Stat. Ch. 13D (Open Meeting Law)
Minn. Stat. § 121A.47, Subd. 5 (**Exclusion and Expulsion Procedures**)

~~Student Dismissal Hearing)~~

Minn. Stat. § 122A.33, Subd. 3 (**License and Degree Exemption for Head Coach**) ~~Coaches; Opportunity to Respond)~~

Minn. Stat. § 122A.40, Subd. 14 (**Employment; Contracts; Termination**) ~~Teacher Discharge Hearing)~~

Minn. Stat. § 179A.14, Subd. 3 (**Negotiation Procedures**) ~~Labor Negotiations)~~

Minn. Rules Part 5510.2810 (**Petition for Mediation**) ~~Bureau of Mediation Services)~~

Brown v. Cannon Falls Township, 723 N.W.2d 31 (Minn. App. 2006)

Brainerd Daily Dispatch v. Dehen, 693 N.W.2d 435 (Minn. App. 2005)

The Free Press v. County of Blue Earth, 677 N.W.2d 471 (Minn. App. 2004)

Prior Lake American v. Mader, 642 N.W.2d 729 (Minn. 2002)

Star Tribune v. Board of Education, Special School District No. 1, 507 N.W.2d 869 (Minn. App. 1993)

Minnesota Daily v. University of Minnesota, 432 N.W.2d 189 (Minn. App. 1988)

Moberg v. Independent School District No. 281, 336 N.W.2d 510 (Minn. 1983)

Sovereign v. Dunn, 498 N.W.2d 62 (Minn. App. 1993), *rev. denied.* (Minn. 1993)

Dept. of Admin. Advisory Op. No. 21-003 (April 19, 2021)

Dept. of Admin. Advisory Op. No. 21-002 (January 13, 2021)

Dept. of Admin. Advisory Op. No. 19-012 (October 24, 2019)

Dept. of Admin. Advisory Op. No. 19-008 (May 22, 2019)

Dept. of Admin. Advisory Op. No. 19-006 (April 9, 2019)

Dept. of Admin. Advisory Op. No. 12-004 (March 8, 2012)

Dept. of Admin. Advisory Op. No. 11-004 (April 18, 2011)

Dept. of Admin. Advisory Op. No. 10-020 (September 23, 2010)

Dept. of Admin. Advisory Op. No. 09-020 (September 8, 2009)

Dept. of Admin. Advisory Op. No. 08-015 (July 9, 2008)

Dept. of Admin. Advisory Op. No. 06-027 (September 28, 2006)

Dept. of Admin. Advisory Op. No. 04-004 (February 3, 2004)

Cross References:

MSBA/MASA Model Policy 204 (School Board Meeting Minutes)

MSBA/MASA Model Policy 206 (Public Participation in School Board Meetings/Complaints about Persons at School Board Meetings and Data Privacy Considerations)

MSBA/MASA Model Policy 207 (Public Hearings)

MSBA/MASA Model Policy 406 (Public and Private Personnel Data)

MSBA/MASA Model Policy 515 (Protection and Privacy of Pupil Records)

~~MSBA Service Manual, Chapter 13, School Law Bulletin “C”~~
(Minnesota’s Open Meeting Law)

Intermediate School District 917 Policy 706 (old Policy 903)

Board reviewed, March 2, 2021

Board revised December 6, 2022

Board revised, final reading July 8, 2025

706 ACCEPTANCE OF GIFTS

I. PURPOSE

The purpose of this policy is to provide guidelines for the acceptance of gifts by the school board.

II. GENERAL STATEMENT OF POLICY

It is the policy of this school district to accept gifts only in compliance with state law.

III. ACCEPTANCE OF GIFTS GENERALLY

The school board, **the Superintendent or the Superintendent's designee may receive bequests, donations or gifts that benefit the school district and are of proper purpose. All receipts must be reported to the school board.** ~~may receive, for the benefit of the school district, bequests, donations or gifts for any proper purpose.~~ The school board shall have the sole authority to determine whether any gift or any precondition, condition, or limitation on use included in a proposed gift furthers the interests of or benefits the school district and whether it should be accepted or rejected.

IV. GIFTS OF REAL OR PERSONAL PROPERTY

The school board may accept a gift, grant or devise of real or personal property only by the adoption of a resolution approved by a simple majority of the quorum. The resolution must fully describe any conditions placed on the gift. The real or personal property so accepted may not be used for religious or sectarian purposes.

V. ADMINISTRATION IN ACCORDANCE WITH TERMS

If the school board agrees to accept a bequest, donation, gift, grant or devise which contains preconditions, conditions or limitations on use, the school board shall administer it in accordance with those terms. Once accepted, a gift shall be the property of the school district unless otherwise provided in the agreed upon terms.

Legal references: Minn. Stat. Section 123B.02, Subd. 6 (General Powers of Independent School Boards-Minn. Stat. Section 465.03 (Gifts to Municipalities)

**SUMMARY OF PERSONNEL ITEMS RECOMMENDED FOR
ACTION AT BOARD MEETING OF July 8, 2025.**

NEW HIRES:

Chelsey Arends, Teacher, effective August 19, 2025.

Carolyn Arellano, Education Support professional, effective August 27, 2025.

Brian Casey, Health Associate, effective August 27, 2025.

Mari Antoinette Estillero, Teacher, effective August 19, 2025.

Bridget Fonseca, Teacher, effective August 19, 2025.

Kimberly Hanson, Health Associate, effective August 27, 2025.

Allison Inserra, Teacher, effective August 19, 2025.

Mackenzie Irwin, Board Certified Behavior Analyst, effective July 1, 2025.

Ashley Martinson-Packer, Teacher, effective August 19, 2025.

Kannon O'Brien, Teacher, effective August 19, 2025.

Olivia Sarasio Meyer, Teacher, effective August 19, 2025.

Heidi Sladek, Mental Health Professional, effective August 19, 2025.

Michelle Stromme, Certified Occupational Therapist Assistant, effective August 25, 2025.

Lacey Villavicencio, Teacher, effective August 19, 2025.

RE-HIRES:

Melissa Armbrust, Teacher, effective August 25, 2025.

Alison Blanchard, Teacher, effective August 19, 2025.

Rira Bullecer, Teacher, effective August 20, 2025.

Anna Corsello, Teacher, effective August 19, 2025.

Andrea Duesing, Teacher, effective August 20, 2025.

Antanaya Ferguson, Teacher, effective August 20, 2025.

Megan Haroldson, Teacher, effective August 25, 2025.

Rebecca Hennessey, August 20, 2025.

Rebecca Hauge, Teacher, effective August 19, 2025.

Lisa Mayer, Teacher, effective August 25, 2025.

Rushel Rejuso, Teacher, effective August 20, 2025.

Hawa Salad, Teacher, August 20, 2025.

**SUMMARY OF PERSONNEL ITEMS RECOMMENDED FOR
ACTION AT BOARD MEETING OF July 8, 2025.**

Richard Tiempo, Teacher, effective August 19, 2025.

Rechel Tupas, Teacher, effective August 20, 2025.

Lauren Weeks, Teacher, effective August 20, 2025.

Cassidy Williams, Mental Health Professional, effective August 19, 2025.

CHANGE IN STATUS:

Melissa Torres, Administrative Assistant SpEd to Executive Assistant to Superintendent, effective July 1, 2025.

Adam Ghormley, Teacher to Secondary Coordinator, effective July 1, 2025.

LEAVES OF ABSENCE:

RESIGNATION & TERMINATIONS:

Carmen Eaton, Teacher, effective June 30, 2025.

Redith Fancher-White, Education Support Professional, effective June 4, 2025.

Anne Jayasuriya, Education Support Professional, effective June 31, 2025.

Deb Strese, Education Support Professional, effective June 11, 2025.

Mallory Vaitkunas, Teacher, effective June 12, 2025.

Kim Wald, Teacher, effective July 25, 2025.

Alison McCusker, Teacher, effective July 31, 2025.

RETIREMENT:

**Intermediate School District #917
School Board**

Resolution to Accept Donations

Board member Kim Baker introduced the following Resolution:

RESOLVED, that the School Board of Intermediate School District 917 accept the following donations, as indicated below, in the amount of \$15.00.

1. Donation of three cases of water bottles from Kwik Trip of SSP to be used for Lincoln Center students and staff.

The motion for the adoption of the foregoing resolution was duly seconded by Board Member Byron Schwab, and upon vote being taken thereon, the following voted in favor thereof: Kim Baker, Tom Bennett, Cindy Nordstrom, Byron Schwab, Monica Weber, Hannah Simmons, and Mark Zuzek, and the following voted against the same: none.

Whereupon said resolution was duly passed and adopted.

Date Board Approved: July 8, 2025

CHECK NUMBER	ISSUE DATE	VENDOR	STATUS	TOTAL	DESCRIPTION
1909852	06/11/2025	SUNSHINE COTTAGE	V	(54.50)	VOID MANUAL CHECK
1909921	06/27/2025	SCALES AND TAILS OF MN LLC	V	(275.00)	VOID MANUAL CHECK
1909955	06/30/2025	OFFICE OF MN.IT SERVICES	V	(525.93)	VOID MANUAL CHECK
1909984	06/05/2025	CITY WIDE GLASS	R	1,295.65	ACCOUNTS PAYABLE CHECK
1909985	06/05/2025	CUB FOODS - APPLE VALLEY	R	580.59	ACCOUNTS PAYABLE CHECK
1909986	06/05/2025	CUB FOODS - EAGAN	R	34.26	ACCOUNTS PAYABLE CHECK
1909987	06/05/2025	CUB FOODS - INVER GROVE HTS	R	42.36	ACCOUNTS PAYABLE CHECK
1909988	06/05/2025	CUB FOODS - ROSEMOUNT	R	689.64	ACCOUNTS PAYABLE CHECK
1909989	06/05/2025	DISTRICT 191 FOOD SERVICE	R	1,405.05	ACCOUNTS PAYABLE CHECK
1909990	06/05/2025	PEDIATRIC HOME SERVICE	R	1,912.50	ACCOUNTS PAYABLE CHECK
1909991	06/06/2025	ADVANCE AUTO PARTS	R	1,266.69	ACCOUNTS PAYABLE CHECK
1909992	06/06/2025	ARVIG ENTERPRISES, INC	R	2,240.71	ACCOUNTS PAYABLE CHECK
1909993	06/06/2025	CENTURYLINK	R	1,199.15	ACCOUNTS PAYABLE CHECK
1909994	06/06/2025	CITY OF INVER GROVE HTS	R	794.19	ACCOUNTS PAYABLE CHECK
1909995	06/06/2025	FRONTIER COMMUNICATIONS	R	673.36	ACCOUNTS PAYABLE CHECK
1909996	06/06/2025	OUTDOOR IMAGES, INC	R	2,170.00	ACCOUNTS PAYABLE CHECK
1909997	06/06/2025	SCHMITTY & SONS	R	1,755.27	ACCOUNTS PAYABLE CHECK
1909998	06/06/2025	ST PAUL PIONEER PRESS	R	30.80	ACCOUNTS PAYABLE CHECK
1909999	06/06/2025	SUN AUTO TIRE AND SERVICE INC	R	675.72	ACCOUNTS PAYABLE CHECK
1910000	06/06/2025	VERIZON WIRELESS	R	730.20	ACCOUNTS PAYABLE CHECK
1910001	06/06/2025	VIRCO MFG CORP	R	3,457.00	ACCOUNTS PAYABLE CHECK
1910002	06/06/2025	WH SECURITY, LLC	R	71.85	ACCOUNTS PAYABLE CHECK
1910003	06/06/2025	XCEL ENERGY	R	7,251.54	ACCOUNTS PAYABLE CHECK
1910004	06/12/2025	BLUE SKY ONLINE CHARTER SCHOOL - IS	R	1,433.55	ACCOUNTS PAYABLE CHECK
1910005	06/12/2025	BOARD OF SCHOOL ADMINISTRATORS	R	55.00	ACCOUNTS PAYABLE CHECK
1910006	06/12/2025	DAKOTA COUNTY	R	12,000.00	ACCOUNTS PAYABLE CHECK
1910007	06/12/2025	IND SCH DIST 200	R	2,899.86	ACCOUNTS PAYABLE CHECK
1910008	06/12/2025	INT SCH DIST 287	R	479.73	ACCOUNTS PAYABLE CHECK
1910009	06/12/2025	MNACTE	R	50.00	ACCOUNTS PAYABLE CHECK
1910010	06/16/2025	WISCONSIN SCTF	R	987.50	ACCOUNTS PAYABLE CHECK
1910011	06/16/2025	ESP LOCAL 4242	R	3,575.96	ACCOUNTS PAYABLE CHECK
1910012	06/16/2025	FTC	R	258.33	ACCOUNTS PAYABLE CHECK
1910013	06/16/2025	O.P.E.I.U., LOCAL 12	R	419.70	ACCOUNTS PAYABLE CHECK
1910014	06/16/2025	BRIGHTWORKS	R	14,159.91	ACCOUNTS PAYABLE CHECK
1910015	06/16/2025	CENTRAL LAKES COLLEGE	R	715.36	ACCOUNTS PAYABLE CHECK
1910016	06/16/2025	DAKOTA COUNTY TECH COLLEGE	R	4,333.14	ACCOUNTS PAYABLE CHECK
1910017	06/16/2025	INVER HILLS COMMUNITY COLLEGE	R	111.54	ACCOUNTS PAYABLE CHECK
1910018	06/16/2025	MN STATE UNIVERSITY, MANKATO	R	9,064.62	ACCOUNTS PAYABLE CHECK
1910019	06/16/2025	PEDIATRIC HOME SERVICE	R	712.50	ACCOUNTS PAYABLE CHECK
1910020	06/17/2025	OFFICE OF MN.IT SERVICES	R	280.43	ACCOUNTS PAYABLE CHECK
1910021	06/17/2025	SAM'S CLUB/SYNCHRONY BANK	R	62.36	ACCOUNTS PAYABLE CHECK
1910022	06/17/2025	USI INSURANCE SERVICES, LLC	R	7,210.00	ACCOUNTS PAYABLE CHECK
1910023	06/20/2025	BENEFIT EXTRAS, INC	R	478.99	ACCOUNTS PAYABLE CHECK
1910024	06/20/2025	CENTERPOINT ENERGY	R	130.49	ACCOUNTS PAYABLE CHECK
1910025	06/20/2025	CITY OF ROSEMOUNT	R	1,964.22	ACCOUNTS PAYABLE CHECK
1910026	06/20/2025	FRONTIER COMMUNICATIONS	R	2,154.43	ACCOUNTS PAYABLE CHECK
1910027	06/20/2025	GRAINGER W W INC.	R	857.10	ACCOUNTS PAYABLE CHECK
1910028	06/20/2025	MN ENERGY RESOURCES CORPORATION	R	166.39	ACCOUNTS PAYABLE CHECK
1910029	06/20/2025	OUTDOOR IMAGES, INC	R	320.00	ACCOUNTS PAYABLE CHECK
1910030	06/20/2025	ROCHESTER INSTITUTE OF TECHNOLOGY	R	198.00	ACCOUNTS PAYABLE CHECK
1910031	06/20/2025	SAFE WAY BUS CO.	R	495.83	ACCOUNTS PAYABLE CHECK
1910032	06/20/2025	TECHNOLOGY BY DESIGN, LLC	R	320.00	ACCOUNTS PAYABLE CHECK
1910033	06/27/2025	DAKOTA COUNTY TECH COLLEGE	R	472,846.40	ACCOUNTS PAYABLE CHECK
1910034	06/27/2025	KRAFT MECHANICAL, LLC	R	18,550.00	ACCOUNTS PAYABLE CHECK
1910035	06/27/2025	PEDIATRIC HOME SERVICE	R	956.25	ACCOUNTS PAYABLE CHECK
1910036	06/27/2025	SAM'S CLUB/SYNCHRONY BANK	R	835.41	ACCOUNTS PAYABLE CHECK
1910037	06/27/2025	SCALES AND TAILS OF MN LLC	R	275.00	ACCOUNTS PAYABLE CHECK
1910038	06/30/2025	WISCONSIN SCTF	R	987.50	ACCOUNTS PAYABLE CHECK

CHECK NUMBER	ISSUE DATE	VENDOR	STATUS	TOTAL	DESCRIPTION
1910039	06/30/2025	FTC	R	258.33	ACCOUNTS PAYABLE CHECK
1910040	06/30/2025	ACCELERATED TECHNOLOGIES	R	500.00	ACCOUNTS PAYABLE CHECK
1910041	06/30/2025	ADVANCE AUTO PARTS	R	527.90	ACCOUNTS PAYABLE CHECK
1910042	06/30/2025	CENTURYLINK	R	1,739.46	ACCOUNTS PAYABLE CHECK
1910043	06/30/2025	CITY OF INVER GROVE HTS	R	729.82	ACCOUNTS PAYABLE CHECK
1910044	06/30/2025	DOOR SERVICE MIDWEST	R	645.00	ACCOUNTS PAYABLE CHECK
1910045	06/30/2025	MIDWEST SPECIAL INSTRUMENTS, CORP	R	610.38	ACCOUNTS PAYABLE CHECK
1910046	06/30/2025	OFFICE OF MN.IT SERVICES	R	525.93	ACCOUNTS PAYABLE CHECK
1910047	06/30/2025	ROOF TECH, INC	R	2,264.84	ACCOUNTS PAYABLE CHECK
1910048	06/30/2025	XCEL ENERGY	R	8,426.14	ACCOUNTS PAYABLE CHECK
V4002572	06/10/2025	ALDI	R	274.03	ACCOUNTS PAYABLE VOUCHER
V4002573	06/10/2025	AMBUTECH	R	445.98	ACCOUNTS PAYABLE VOUCHER
V4002574	06/10/2025	AMERGIS	V	-	VOID: MULTI STUB VOUCHER
V4002575	06/10/2025	AMERGIS	V	-	VOID: MULTI STUB VOUCHER
V4002576	06/10/2025	AMERGIS	V	-	VOID: MULTI STUB VOUCHER
V4002577	06/10/2025	AMERGIS	R	97,645.34	ACCOUNTS PAYABLE VOUCHER
V4002578	06/10/2025	BAYADA HOME HEALTH CARE	R	8,145.50	ACCOUNTS PAYABLE VOUCHER
V4002579	06/10/2025	WELLS FARGO	R	2,112.88	ACCOUNTS PAYABLE VOUCHER
V4002580	06/10/2025	OPENAI	R	60.00	ACCOUNTS PAYABLE VOUCHER
V4002581	06/10/2025	CITY OF APPLE VALLEY	R	398.87	ACCOUNTS PAYABLE VOUCHER
V4002582	06/10/2025	LOVING GUIDANCE LLC	R	3,920.00	ACCOUNTS PAYABLE VOUCHER
V4002583	06/10/2025	GOOGLE HQ	R	2,520.56	ACCOUNTS PAYABLE VOUCHER
V4002584	06/10/2025	HEALTHIEST YOU	R	3,898.50	ACCOUNTS PAYABLE VOUCHER
V4002585	06/10/2025	INDEED, INC	R	1,685.00	ACCOUNTS PAYABLE VOUCHER
V4002586	06/10/2025	INNOVATIVE OFFICE SOLUTIONS	R	5,872.35	ACCOUNTS PAYABLE VOUCHER
V4002587	06/10/2025	KEYSTONE INTERPRETING SOLUTIONS INC	R	436.96	ACCOUNTS PAYABLE VOUCHER
V4002588	06/10/2025	MCKESSON MEDICAL	R	1,195.92	ACCOUNTS PAYABLE VOUCHER
V4002589	06/10/2025	MICROSONIC	R	138.00	ACCOUNTS PAYABLE VOUCHER
V4002590	06/10/2025	MINNESOTA ZOO	R	60.00	ACCOUNTS PAYABLE VOUCHER
V4002591	06/10/2025	NATIONAL ASSOCIATION OF SCHOOL PSYCH	R	1,455.00	ACCOUNTS PAYABLE VOUCHER
V4002592	06/10/2025	REGISTRY OF INTERPRETERS F/DEAF,INC	R	70.00	ACCOUNTS PAYABLE VOUCHER
V4002593	06/10/2025	SCHOOL NURSE SUPPLY	R	1,566.00	ACCOUNTS PAYABLE VOUCHER
V4002594	06/10/2025	SCHOOL SPECIALTY, LLC	R	503.02	ACCOUNTS PAYABLE VOUCHER
V4002595	06/10/2025	SUN AUTO TIRE & SERVICE	R	77.18	ACCOUNTS PAYABLE VOUCHER
V4002596	06/10/2025	THE HOME DEPOT PRO	R	2,822.23	ACCOUNTS PAYABLE VOUCHER
V4002597	06/10/2025	TOLL GAS & WELDING SUPPLY	R	371.51	ACCOUNTS PAYABLE VOUCHER
V4002598	06/10/2025	TREVIS TRANSMISSION	R	397.55	ACCOUNTS PAYABLE VOUCHER
V4002599	06/10/2025	THE MCDOWELL AGENCY, INC.	R	45.10	ACCOUNTS PAYABLE VOUCHER
V4002600	06/10/2025	UNIVERSAL CLEANING SERVICES	R	7,947.50	ACCOUNTS PAYABLE VOUCHER
V4002601	06/10/2025	WARNERS STELLIAN	R	499.90	ACCOUNTS PAYABLE VOUCHER
V4002602	06/10/2025	WESTONE LABORATORIES INC.	R	248.82	ACCOUNTS PAYABLE VOUCHER
V6608196	06/20/2025	KATHRYN J ADEE	R	165.00	ACCOUNTS PAYABLE VOUCHER
V6608197	06/20/2025	MARTHA JOAN ALLEN	R	303.10	ACCOUNTS PAYABLE VOUCHER
V6608198	06/20/2025	ELIZABETH SHAWL ANNONI	R	568.58	ACCOUNTS PAYABLE VOUCHER
V6608199	06/20/2025	KELSIE K ARCH	R	65.80	ACCOUNTS PAYABLE VOUCHER
V6608200	06/20/2025	MELISSA L ARMBRUST	R	278.60	ACCOUNTS PAYABLE VOUCHER
V6608201	06/20/2025	KIM MARIE AUSTIN	R	501.20	ACCOUNTS PAYABLE VOUCHER
V6608202	06/20/2025	TREVOR R BAILEY	R	90.00	ACCOUNTS PAYABLE VOUCHER
V6608203	06/20/2025	KIMBERLY D BAKER	R	21.70	ACCOUNTS PAYABLE VOUCHER
V6608204	06/20/2025	KEITH JAMES BARTHOLOMAUS	R	221.20	ACCOUNTS PAYABLE VOUCHER
V6608205	06/20/2025	JODY A BAUER	R	14.70	ACCOUNTS PAYABLE VOUCHER
V6608206	06/20/2025	LINDA IRENE BECKER	R	90.00	ACCOUNTS PAYABLE VOUCHER
V6608207	06/20/2025	THOMAS RICHARD BENNETT	R	129.50	ACCOUNTS PAYABLE VOUCHER
V6608208	06/20/2025	LINDA JO BERG	R	90.00	ACCOUNTS PAYABLE VOUCHER
V6608209	06/20/2025	STEPHANIE BETLEY	R	90.00	ACCOUNTS PAYABLE VOUCHER
V6608210	06/20/2025	MICHAEL JASON BIBRO	R	435.80	ACCOUNTS PAYABLE VOUCHER
V6608211	06/20/2025	AMANDA JO BOEHMER	R	90.00	ACCOUNTS PAYABLE VOUCHER
V6608212	06/20/2025	LAURA MARIE BRAY	R	45.99	ACCOUNTS PAYABLE VOUCHER

CHECK NUMBER	ISSUE DATE	VENDOR	STATUS	TOTAL	DESCRIPTION
V6608213	06/20/2025	DON JAMES BUDACH	R	149.79	ACCOUNTS PAYABLE VOUCHER
V6608214	06/20/2025	MICHAEL ROBERT BURGIO	R	5.60	ACCOUNTS PAYABLE VOUCHER
V6608215	06/20/2025	LESLEY ANNE CHESTER	R	18.20	ACCOUNTS PAYABLE VOUCHER
V6608216	06/20/2025	BETHANY LEIGH CHRISTIANSON	R	38.50	ACCOUNTS PAYABLE VOUCHER
V6608217	06/20/2025	EMILY MARGARET MATULA	R	322.70	ACCOUNTS PAYABLE VOUCHER
V6608218	06/20/2025	CRAIG ALAN CURTIS	R	236.30	ACCOUNTS PAYABLE VOUCHER
V6608219	06/20/2025	AMY RICHELLE DAWSON	R	100.10	ACCOUNTS PAYABLE VOUCHER
V6608220	06/20/2025	CHRISTOPHER GORDON DEVINE	R	519.80	ACCOUNTS PAYABLE VOUCHER
V6608221	06/20/2025	MEGAN ROSE DIETRICH	R	234.30	ACCOUNTS PAYABLE VOUCHER
V6608222	06/20/2025	MARY KAY DISTAD	R	9.80	ACCOUNTS PAYABLE VOUCHER
V6608223	06/20/2025	DANIELLE LEE DONKERS	R	33.60	ACCOUNTS PAYABLE VOUCHER
V6608224	06/20/2025	AMANDA R ECKRE	R	45.00	ACCOUNTS PAYABLE VOUCHER
V6608225	06/20/2025	LISA A EHLERINGER	R	26.60	ACCOUNTS PAYABLE VOUCHER
V6608226	06/20/2025	SHAE K ELLIOTT	R	90.00	ACCOUNTS PAYABLE VOUCHER
V6608227	06/20/2025	KATHERINE DIANE ENGEL	V	(214.20)	VOID MANUAL CHECK
V6608227	06/20/2025	KATHERINE DIANE ENGEL	R	214.20	ACCOUNTS PAYABLE VOUCHER
V6608228	06/20/2025	ANDREW D EVANS	R	630.00	ACCOUNTS PAYABLE VOUCHER
V6608229	06/20/2025	MICHAEL LEONARD FAVOR	R	131.60	ACCOUNTS PAYABLE VOUCHER
V6608230	06/20/2025	KATHERINE J FILAS	R	179.00	ACCOUNTS PAYABLE VOUCHER
V6608231	06/20/2025	SOFIE L FITZSIMMONS	R	142.80	ACCOUNTS PAYABLE VOUCHER
V6608232	06/20/2025	ANGELITA LEE FLEMING	R	23.10	ACCOUNTS PAYABLE VOUCHER
V6608233	06/20/2025	NICOLE K FLESNER	R	90.00	ACCOUNTS PAYABLE VOUCHER
V6608234	06/20/2025	SHERILYN FAYE FRISQUE	R	732.90	ACCOUNTS PAYABLE VOUCHER
V6608235	06/20/2025	ALYSSA GAYLE GAHIMER	R	96.60	ACCOUNTS PAYABLE VOUCHER
V6608236	06/20/2025	CHRISTINA ANN TUOHY	R	121.10	ACCOUNTS PAYABLE VOUCHER
V6608237	06/20/2025	CASSIE J. GROFF	R	157.50	ACCOUNTS PAYABLE VOUCHER
V6608238	06/20/2025	MEGAN KRISTINE HAROLDSON	R	644.00	ACCOUNTS PAYABLE VOUCHER
V6608239	06/20/2025	LEAH HANISCH HARRIS	R	63.70	ACCOUNTS PAYABLE VOUCHER
V6608240	06/20/2025	JANA LEE HEIDEMANN	R	326.20	ACCOUNTS PAYABLE VOUCHER
V6608241	06/20/2025	PETER ALLYN HENDRICKS	R	728.00	ACCOUNTS PAYABLE VOUCHER
V6608242	06/20/2025	RYAN WILLIAM HENRIOTT	R	425.48	ACCOUNTS PAYABLE VOUCHER
V6608243	06/20/2025	SARA ASHLEY HENRY	R	946.40	ACCOUNTS PAYABLE VOUCHER
V6608244	06/20/2025	JENNIFER AMY HETLAND	R	90.00	ACCOUNTS PAYABLE VOUCHER
V6608245	06/20/2025	MELISSA ROCHELL HO	R	45.00	ACCOUNTS PAYABLE VOUCHER
V6608246	06/20/2025	JUSTIN DAVID HOELSCHER	R	90.00	ACCOUNTS PAYABLE VOUCHER
V6608247	06/20/2025	DENISE ERIN ERICKSON	R	75.00	ACCOUNTS PAYABLE VOUCHER
V6608248	06/20/2025	KATE SCHNEEWEIS HULSE	R	256.46	ACCOUNTS PAYABLE VOUCHER
V6608249	06/20/2025	SARAH CAITLIN IDEEN	R	45.00	ACCOUNTS PAYABLE VOUCHER
V6608250	06/20/2025	COURTNEY ELIZABETH ROBINSON	R	120.40	ACCOUNTS PAYABLE VOUCHER
V6608251	06/20/2025	CINDY LOU JACOBS	R	113.40	ACCOUNTS PAYABLE VOUCHER
V6608252	06/20/2025	DAVID J JENSEN	R	165.00	ACCOUNTS PAYABLE VOUCHER
V6608253	06/20/2025	MARK W JOHNS	R	319.60	ACCOUNTS PAYABLE VOUCHER
V6608254	06/20/2025	SARAH LYNN JOHNSON	R	540.40	ACCOUNTS PAYABLE VOUCHER
V6608255	06/20/2025	AMY TAMARAH WOLF KAUFMAN	R	357.70	ACCOUNTS PAYABLE VOUCHER
V6608256	06/20/2025	LORI ANN KLEIN	R	282.50	ACCOUNTS PAYABLE VOUCHER
V6608257	06/20/2025	CORY LEE LANGENFELD	R	90.00	ACCOUNTS PAYABLE VOUCHER
V6608258	06/20/2025	BETSY SUE LARSEN	R	276.50	ACCOUNTS PAYABLE VOUCHER
V6608259	06/20/2025	ABIGAIL MARIE EVANS LARSON	R	562.80	ACCOUNTS PAYABLE VOUCHER
V6608260	06/20/2025	SARAH MARIE LUDEWIG	R	361.90	ACCOUNTS PAYABLE VOUCHER
V6608261	06/20/2025	ERIN JEAN MAHNKE	R	90.00	ACCOUNTS PAYABLE VOUCHER
V6608262	06/20/2025	KIM MARIE MARTIN	R	94.50	ACCOUNTS PAYABLE VOUCHER
V6608263	06/20/2025	CATHLEEN CAROL MATTICE	R	45.00	ACCOUNTS PAYABLE VOUCHER
V6608264	06/20/2025	KATRINA ANNE MAYES	R	35.00	ACCOUNTS PAYABLE VOUCHER
V6608265	06/20/2025	SHARRI HELENE MCGIBBON	R	45.00	ACCOUNTS PAYABLE VOUCHER
V6608266	06/20/2025	JODI KAY MONSON	R	30.00	ACCOUNTS PAYABLE VOUCHER
V6608267	06/20/2025	STEPHANIE LYNN MUNNS	R	16.80	ACCOUNTS PAYABLE VOUCHER
V6608268	06/20/2025	JENNA ANN NACE	R	428.68	ACCOUNTS PAYABLE VOUCHER
V6608269	06/20/2025	CLAIRE M NACHTWEY	R	148.40	ACCOUNTS PAYABLE VOUCHER

CHECK NUMBER	ISSUE DATE	VENDOR	STATUS	TOTAL	DESCRIPTION
V6608270	06/20/2025	JO ANN MARISKA NAGY	R	45.00	ACCOUNTS PAYABLE VOUCHER
V6608271	06/20/2025	CINDY L NORDSTROM	R	11.90	ACCOUNTS PAYABLE VOUCHER
V6608272	06/20/2025	RACHEL ERIN NOVY	R	45.00	ACCOUNTS PAYABLE VOUCHER
V6608273	06/20/2025	ALICIA JOY ODELL	R	123.90	ACCOUNTS PAYABLE VOUCHER
V6608274	06/20/2025	CHARLOTTE ROSE OLSON	R	42.70	ACCOUNTS PAYABLE VOUCHER
V6608275	06/20/2025	ROSALIE L PALAN	R	56.00	ACCOUNTS PAYABLE VOUCHER
V6608276	06/20/2025	JACKIE MARIE PAULEY	R	90.00	ACCOUNTS PAYABLE VOUCHER
V6608277	06/20/2025	EMILY COLLEEN GOODSON	R	119.90	ACCOUNTS PAYABLE VOUCHER
V6608278	06/20/2025	HOLLY MARIE PEMBLE	R	429.80	ACCOUNTS PAYABLE VOUCHER
V6608279	06/20/2025	AMANDA LYNN PETERS	R	80.50	ACCOUNTS PAYABLE VOUCHER
V6608280	06/20/2025	JENNIFER MAE PETERSEN	R	280.90	ACCOUNTS PAYABLE VOUCHER
V6608281	06/20/2025	BROOKE ALLYSON PETERSON	R	172.60	ACCOUNTS PAYABLE VOUCHER
V6608282	06/20/2025	CAROLINE ROSE PETERSON	R	815.01	ACCOUNTS PAYABLE VOUCHER
V6608283	06/20/2025	EMILY ANN PFISTERER	R	655.90	ACCOUNTS PAYABLE VOUCHER
V6608284	06/20/2025	HANNAH ELAINE ANSEL	R	165.00	ACCOUNTS PAYABLE VOUCHER
V6608285	06/20/2025	MEGAN E PLOTTS	R	161.00	ACCOUNTS PAYABLE VOUCHER
V6608286	06/20/2025	MELANIE LAVONNE REINARDY	R	110.60	ACCOUNTS PAYABLE VOUCHER
V6608287	06/20/2025	WENDI MARLAINA RENKEN	R	45.00	ACCOUNTS PAYABLE VOUCHER
V6608288	06/20/2025	PAMELA R RICKERS	R	88.20	ACCOUNTS PAYABLE VOUCHER
V6608289	06/20/2025	MELANIE ANN RIX	R	45.00	ACCOUNTS PAYABLE VOUCHER
V6608290	06/20/2025	SARAH CATHERINE ROWLEY	R	252.70	ACCOUNTS PAYABLE VOUCHER
V6608291	06/20/2025	MELISSA RAE SCHALLER	R	325.90	ACCOUNTS PAYABLE VOUCHER
V6608292	06/20/2025	IRENE ELIZABETH SCHULTZ-ALBERT	R	144.90	ACCOUNTS PAYABLE VOUCHER
V6608293	06/20/2025	BYRON LEITH SCHWAB	R	47.60	ACCOUNTS PAYABLE VOUCHER
V6608294	06/20/2025	NANCY B SCHWARTZ	R	16.80	ACCOUNTS PAYABLE VOUCHER
V6608295	06/20/2025	ROLAND ARTHUR SESSIONS III	R	378.70	ACCOUNTS PAYABLE VOUCHER
V6608296	06/20/2025	MEGAN KELLY SHAVERS	R	47.04	ACCOUNTS PAYABLE VOUCHER
V6608297	06/20/2025	HANNAH GRACE SIMMONS	R	11.90	ACCOUNTS PAYABLE VOUCHER
V6608298	06/20/2025	BEVERLY GWEN SIMONSEN	R	18.20	ACCOUNTS PAYABLE VOUCHER
V6608299	06/20/2025	NORMAN C. SMITH III	R	19.60	ACCOUNTS PAYABLE VOUCHER
V6608300	06/20/2025	NICHOLAS J SOPKOWIAK	R	33.60	ACCOUNTS PAYABLE VOUCHER
V6608301	06/20/2025	PATTY L. STANLEY	R	165.00	ACCOUNTS PAYABLE VOUCHER
V6608302	06/20/2025	COREY S STOCCO	R	14.00	ACCOUNTS PAYABLE VOUCHER
V6608303	06/20/2025	HEATHER LYNN STOESZ	R	107.80	ACCOUNTS PAYABLE VOUCHER
V6608304	06/20/2025	ANN T STROM	R	94.92	ACCOUNTS PAYABLE VOUCHER
V6608305	06/20/2025	AMY LYNN SWANEY	R	90.00	ACCOUNTS PAYABLE VOUCHER
V6608306	06/20/2025	KAYLEEN LAVONNE TAFFE	R	77.70	ACCOUNTS PAYABLE VOUCHER
V6608307	06/20/2025	MARY ELIZABETH TAYLOR	R	233.10	ACCOUNTS PAYABLE VOUCHER
V6608308	06/20/2025	SONIA LYNN TENDRICH	R	238.70	ACCOUNTS PAYABLE VOUCHER
V6608309	06/20/2025	TAYLOR MAY LOVIN	R	90.00	ACCOUNTS PAYABLE VOUCHER
V6608310	06/20/2025	SHANYN NICOLE TUFTEE	R	201.10	ACCOUNTS PAYABLE VOUCHER
V6608311	06/20/2025	ADRIENNE KATE TURZYNSKI	R	51.80	ACCOUNTS PAYABLE VOUCHER
V6608312	06/20/2025	JOHN NATHAN VOLKERT	R	192.78	ACCOUNTS PAYABLE VOUCHER
V6608313	06/20/2025	GREGORY ALEXANDER WALETSKI	R	115.00	ACCOUNTS PAYABLE VOUCHER
V6608314	06/20/2025	ASHLEY LYNNETTE WARD	R	473.20	ACCOUNTS PAYABLE VOUCHER
V6608315	06/20/2025	MONICA J WEBER	R	20.30	ACCOUNTS PAYABLE VOUCHER
V6608316	06/20/2025	RENATA R. WESLEY	R	26.74	ACCOUNTS PAYABLE VOUCHER
V6608317	06/20/2025	SCOTT MICHAEL ZEHNDER	R	127.60	ACCOUNTS PAYABLE VOUCHER
V6608318	06/20/2025	MARK A. ZUZEK	R	61.60	ACCOUNTS PAYABLE VOUCHER
V6608319	06/20/2025	SHANNON M ZYWIEC	R	28.00	ACCOUNTS PAYABLE VOUCHER
V7703943	06/02/2025	APPLE VALLEY ISD LLC	R	47,267.25	ACCOUNTS PAYABLE VOUCHER
V7703944	06/02/2025	NATIONAL INSURANCE SERVICES OF WI,	R	9,850.35	ACCOUNTS PAYABLE VOUCHER
V7703945	06/02/2025	SE ISD, DST	R	83,425.60	ACCOUNTS PAYABLE VOUCHER
V7703946	06/04/2025	MEDICA	R	331.53	ACCOUNTS PAYABLE VOUCHER
V7703947	06/06/2025	AMANDA GROH	R	975.00	ACCOUNTS PAYABLE VOUCHER
V7703948	06/06/2025	AMAZON CAPITAL SERVICES	R	1,064.28	ACCOUNTS PAYABLE VOUCHER
V7703949	06/06/2025	BAMBOO PROFESSIONALS, LLC	R	2,360.00	ACCOUNTS PAYABLE VOUCHER
V7703950	06/06/2025	LOFFLER BUSINESS SYSTEMS	R	2,574.02	ACCOUNTS PAYABLE VOUCHER

CHECK NUMBER	ISSUE DATE	VENDOR	STATUS	TOTAL	DESCRIPTION
V7703951	06/06/2025	MARTIN LAW FIRM PLLC	R	264.00	ACCOUNTS PAYABLE VOUCHER
V7703952	06/06/2025	MENARDS	R	88.41	ACCOUNTS PAYABLE VOUCHER
V7703953	06/06/2025	MENTOR MINNESOTA	R	7,500.00	ACCOUNTS PAYABLE VOUCHER
V7703954	06/06/2025	MN CLN SERVICES, INC	R	7,686.00	ACCOUNTS PAYABLE VOUCHER
V7703955	06/06/2025	MRI INTERMEDIATE HOLDINGS, LLC	R	290.00	ACCOUNTS PAYABLE VOUCHER
V7703956	06/06/2025	NOVA EDUCATION CONSULTANTS	R	13,252.50	ACCOUNTS PAYABLE VOUCHER
V7703957	06/06/2025	PROCARE THERAPY	R	7,745.70	ACCOUNTS PAYABLE VOUCHER
V7703958	06/06/2025	REGINA MAENDLER, HEART & SCIENCE	R	5,557.50	ACCOUNTS PAYABLE VOUCHER
V7703959	06/06/2025	ZEN EDUCATE INC	R	11,519.47	ACCOUNTS PAYABLE VOUCHER
V7703960	06/10/2025	FIDELITY SECURITY LIFE INS CO	R	2,549.52	ACCOUNTS PAYABLE VOUCHER
V7703961	06/10/2025	MEDICA	R	3,077.74	ACCOUNTS PAYABLE VOUCHER
V7703962	06/10/2025	UNITED HEALTHCARE SERVICES, INC	R	138,712.97	ACCOUNTS PAYABLE VOUCHER
V7703963	06/12/2025	AMANDA GROH	R	585.00	ACCOUNTS PAYABLE VOUCHER
V7703964	06/12/2025	BAMBOO PROFESSIONALS, LLC	R	1,891.25	ACCOUNTS PAYABLE VOUCHER
V7703965	06/12/2025	BLUUM OF MINNESOTA, LLC	R	3,962.90	ACCOUNTS PAYABLE VOUCHER
V7703966	06/12/2025	CAPTURE VIDEO LLC	R	6,500.00	ACCOUNTS PAYABLE VOUCHER
V7703967	06/12/2025	IND SCH DIST 199	R	126,173.99	ACCOUNTS PAYABLE VOUCHER
V7703968	06/12/2025	KAREN CASS FELLING, M.A., LP	R	750.00	ACCOUNTS PAYABLE VOUCHER
V7703969	06/12/2025	MINNESOTA HUMANITIES CENTER	R	7,500.00	ACCOUNTS PAYABLE VOUCHER
V7703970	06/12/2025	NORTHEAST METRO 916	R	3,390.62	ACCOUNTS PAYABLE VOUCHER
V7703971	06/12/2025	PAWS FOR LEARNING, INC	R	925.00	ACCOUNTS PAYABLE VOUCHER
V7703972	06/12/2025	TEACHERS ON CALL INC	R	14,275.99	ACCOUNTS PAYABLE VOUCHER
V7703973	06/12/2025	UNITED HEALTHCARE SERVICES, INC	R	95,333.62	ACCOUNTS PAYABLE VOUCHER
V7703974	06/12/2025	UPWARD BOUND CONSULTING, LLC	R	5,000.00	ACCOUNTS PAYABLE VOUCHER
V7703975	06/12/2025	ANTHONY JOSEPH VILLELLI	R	599.86	ACCOUNTS PAYABLE VOUCHER
V7703976	06/12/2025	ZEN EDUCATE INC	R	9,405.66	ACCOUNTS PAYABLE VOUCHER
V7703977	06/13/2025	MEDICA	R	1,650.00	ACCOUNTS PAYABLE VOUCHER
V7703978	06/13/2025	SE ISD, DST	R	1,345.00	ACCOUNTS PAYABLE VOUCHER
V7703979	06/13/2025	UNITED HEALTHCARE SERVICES, INC	R	40,354.15	ACCOUNTS PAYABLE VOUCHER
V7703980	06/16/2025	MN CHILD SUPPORT PAYMENT CENTER	R	478.50	ACCOUNTS PAYABLE VOUCHER
V7703981	06/16/2025	AMERIPRISE FINANCIAL ADVISORS	R	4,191.88	ACCOUNTS PAYABLE VOUCHER
V7703982	06/16/2025	AXA EQUITABLE LIFE INS CO	R	1,030.92	ACCOUNTS PAYABLE VOUCHER
V7703983	06/16/2025	FIDELITY INVSTMT TAX-EX SVC CO	R	6,437.87	ACCOUNTS PAYABLE VOUCHER
V7703984	06/16/2025	HEALTH EQUITY, INC.	R	34,571.75	ACCOUNTS PAYABLE VOUCHER
V7703985	06/16/2025	HORACE MANN LIFE INS	R	516.66	ACCOUNTS PAYABLE VOUCHER
V7703986	06/16/2025	INTERNAL REVENUE SERVICE	R	277,644.95	ACCOUNTS PAYABLE VOUCHER
V7703987	06/16/2025	EDUCATION MN ESI BILLING TRUST	R	5,274.15	ACCOUNTS PAYABLE VOUCHER
V7703988	06/16/2025	MN DEPT OF REVENUE	R	48,363.94	ACCOUNTS PAYABLE VOUCHER
V7703989	06/16/2025	MN DEPT OF REVENUE(C)	R	307.69	ACCOUNTS PAYABLE VOUCHER
V7703990	06/16/2025	MN STATE RETIREMENT SYSTEM	R	15,495.83	ACCOUNTS PAYABLE VOUCHER
V7703991	06/16/2025	EXECUTIVE DIRECTOR	R	57,483.35	ACCOUNTS PAYABLE VOUCHER
V7703992	06/16/2025	STATE TREASURER, TRA	R	129,331.96	ACCOUNTS PAYABLE VOUCHER
V7703993	06/16/2025	VARIABLE ANNUITY LIFE INS CO	R	3,760.49	ACCOUNTS PAYABLE VOUCHER
V7703994	06/16/2025	VOYA	R	481.25	ACCOUNTS PAYABLE VOUCHER
V7703995	06/20/2025	ALL IN ONE TRANSLATION AGENCY, LLC	R	630.00	ACCOUNTS PAYABLE VOUCHER
V7703996	06/20/2025	AMANDA GROH	R	390.00	ACCOUNTS PAYABLE VOUCHER
V7703997	06/20/2025	AMAZON CAPITAL SERVICES	R	678.68	ACCOUNTS PAYABLE VOUCHER
V7703998	06/20/2025	AI TECHNOLOGIES, LLC	R	2,882.88	ACCOUNTS PAYABLE VOUCHER
V7703999	06/20/2025	CKC GOOD FOOD	R	38,796.38	ACCOUNTS PAYABLE VOUCHER
V7704000	06/20/2025	VICTORIA KAITLYNN ENGEL	R	56.00	ACCOUNTS PAYABLE VOUCHER
V7704001	06/20/2025	KATHERINE DIANE ENGEL	R	158.20	ACCOUNTS PAYABLE VOUCHER
V7704002	06/20/2025	GOPHER SPORT	R	440.00	ACCOUNTS PAYABLE VOUCHER
V7704003	06/20/2025	JOHNSON CONTROLS FIRE PROTECTION LP	R	3,010.00	ACCOUNTS PAYABLE VOUCHER
V7704004	06/20/2025	KAREN CASS FELLING, M.A., LP	R	750.00	ACCOUNTS PAYABLE VOUCHER
V7704005	06/20/2025	NOVA EDUCATION CONSULTANTS	R	5,736.25	ACCOUNTS PAYABLE VOUCHER
V7704006	06/20/2025	PROCARE THERAPY	R	14,144.02	ACCOUNTS PAYABLE VOUCHER
V7704007	06/20/2025	RATWIK, ROSZAK & MALONEY, P.A.	R	3,198.00	ACCOUNTS PAYABLE VOUCHER
V7704008	06/20/2025	STRATEGIC STAFFING SOLUTIONS	R	300.00	ACCOUNTS PAYABLE VOUCHER

CHECK NUMBER	ISSUE DATE	VENDOR	STATUS	TOTAL	DESCRIPTION
V7704009	06/20/2025	TEACHERS ON CALL INC	R	6,374.26	ACCOUNTS PAYABLE VOUCHER
V7704010	06/20/2025	TRIUMPH EDUCATIONAL CONSULTING	R	97.50	ACCOUNTS PAYABLE VOUCHER
V7704011	06/20/2025	ZEN EDUCATE INC	V	-	VOID: MULTI STUB VOUCHER
V7704012	06/20/2025	ZEN EDUCATE INC	R	18,214.55	ACCOUNTS PAYABLE VOUCHER
V7704013	06/20/2025	DELTA DENTAL OF MINNESOTA	R	44,069.26	ACCOUNTS PAYABLE VOUCHER
V7704014	06/20/2025	UNITED HEALTHCARE SERVICES, INC	R	181,496.16	ACCOUNTS PAYABLE VOUCHER
V7704015	06/27/2025	AMAZON CAPITAL SERVICES	R	198.00	ACCOUNTS PAYABLE VOUCHER
V7704016	06/27/2025	CAPTURE VIDEO LLC	R	1,000.00	ACCOUNTS PAYABLE VOUCHER
V7704017	06/27/2025	IND SCH DIST 191	R	1,533.21	ACCOUNTS PAYABLE VOUCHER
V7704018	06/27/2025	MINNESOTA HUMANITIES CENTER	R	300.00	ACCOUNTS PAYABLE VOUCHER
V7704019	06/27/2025	PROCARE THERAPY	R	4,887.27	ACCOUNTS PAYABLE VOUCHER
V7704020	06/27/2025	REGINA MAENDLER, HEART & SCIENCE	R	3,735.00	ACCOUNTS PAYABLE VOUCHER
V7704021	06/27/2025	TEACHERS ON CALL INC	R	4,086.87	ACCOUNTS PAYABLE VOUCHER
V7704022	06/27/2025	UPWARD BOUND CONSULTING, LLC	R	5,000.00	ACCOUNTS PAYABLE VOUCHER
V7704023	06/30/2025	MN CHILD SUPPORT PAYMENT CENTER	R	478.50	ACCOUNTS PAYABLE VOUCHER
V7704024	06/30/2025	AFLAC	R	1,312.72	ACCOUNTS PAYABLE VOUCHER
V7704025	06/30/2025	AMERIPRISE FINANCIAL ADVISORS	R	4,191.88	ACCOUNTS PAYABLE VOUCHER
V7704026	06/30/2025	AXA EQUITABLE LIFE INS CO	R	1,030.92	ACCOUNTS PAYABLE VOUCHER
V7704027	06/30/2025	FIDELITY INVSTMT TAX-EX SVC CO	R	6,237.87	ACCOUNTS PAYABLE VOUCHER
V7704028	06/30/2025	HEALTH EQUITY, INC.	R	39,029.25	ACCOUNTS PAYABLE VOUCHER
V7704029	06/30/2025	HORACE MANN LIFE INS	R	491.66	ACCOUNTS PAYABLE VOUCHER
V7704030	06/30/2025	INTERNAL REVENUE SERVICE	R	356,250.95	ACCOUNTS PAYABLE VOUCHER
V7704031	06/30/2025	EDUCATION MN ESI BILLING TRUST	R	5,274.15	ACCOUNTS PAYABLE VOUCHER
V7704032	06/30/2025	MN DEPT OF REVENUE	R	63,282.10	ACCOUNTS PAYABLE VOUCHER
V7704033	06/30/2025	MN DEPT OF REVENUE(C)	R	250.00	ACCOUNTS PAYABLE VOUCHER
V7704034	06/30/2025	MN STATE RETIREMENT SYSTEM	R	62,653.43	ACCOUNTS PAYABLE VOUCHER
V7704035	06/30/2025	EXECUTIVE DIRECTOR	R	63,510.33	ACCOUNTS PAYABLE VOUCHER
V7704036	06/30/2025	STATE TREASURER, TRA	R	148,617.94	ACCOUNTS PAYABLE VOUCHER
V7704037	06/30/2025	VARIABLE ANNUITY LIFE INS CO	R	3,760.49	ACCOUNTS PAYABLE VOUCHER
V7704038	06/30/2025	VOYA	R	481.25	ACCOUNTS PAYABLE VOUCHER
V7704039	06/30/2025	INTERNAL REVENUE SERVICE	R	1,762.76	ACCOUNTS PAYABLE VOUCHER
Total				<u>3,123,177.93</u>	



Customer Service
PO Box 11760
Harrisburg, PA 17108-11760

ACCOUNT STATEMENT

For the Month Ending
May 31, 2025

INTERMEDIATE SCHOOL DISTRICT 917

Client Management Team

Amber Cannegieter

Key Account Manager
213 Market Street
Harrisburg, PA 17101-2141
1-888-4-MSDLAF
cannegietera@pfmam.com

Danny A. Nelson

Director
800 Nicollet Mall, 4th Floor
Minneapolis, MN 55402
612-371-3747
nelsond@pfmam.com

Contents

Cover/Disclosures
Summary Statement
Individual Accounts

Accounts included in Statement

600430	STATE PAYMENTS
--------	----------------

Important Messages

MSDLAF will be closed on 06/19/2025 for Juneteenth.
MSDLAF will be closed on 07/04/2025 for Independence Day.

INTERMEDIATE SCHOOL DISTRICT 917
AMY D ALEXANDER
1300 145TH STREET E
ROSEMOUNT, MN 55068

Online Access www.msdlaf.org

Customer Service 1-888-4-MSDLAF

Important Disclosures

Important Disclosures

This statement is for general information purposes only and is not intended to provide specific advice or recommendations. PFM Asset Management ("PFMAM") is a division of U.S. Bancorp Asset Management, Inc. ("USBAM"), a SEC-registered investment adviser. USBAM is direct subsidiary of U.S. Bank National Association ("U.S. Bank") and an indirect subsidiary of U.S. Bancorp. U.S. Bank is not responsible for and does not guarantee the products, services or performance of PFMAM. PFMAM maintains a written disclosure statement of our background and business experience. If you would like to receive a copy of our current disclosure statement, please contact Service Operations at the address below.

Proxy Voting PFMAM does not normally receive proxies to vote on behalf of its clients. However, it does on occasion receive consent requests. In the event a consent request is received the portfolio manager contacts the client and then proceeds according to their instructions. PFMAM's Proxy Voting Policy is available upon request by contacting Service Operations at the address below.

Questions About an Account PFMAM's monthly statement is intended to detail our investment advisory activity as well as the activity of any accounts held by clients in pools that are managed by PFMAM. The custodian bank maintains the control of assets and executes (i.e., settles) all investment transactions. The custodian statement is the official record of security and cash holdings and transactions. PFMAM recognizes that clients may use these reports to facilitate record keeping and that the custodian bank statement and the PFMAM statement should be reconciled and differences resolved. Many custodians use a settlement date basis which may result in the need to reconcile due to a timing difference.

Account Control PFMAM does not have the authority to withdraw funds from or deposit funds to the custodian outside the scope of services provided by PFMAM. Our clients retain responsibility for their internal accounting policies; implementing and enforcing internal controls and generating ledger entries or otherwise recording transactions.

Market Value Generally, PFMAM's market prices are derived from closing bid prices as of the last business day of the month as supplied by ICE Data Services. There may be differences in the values shown for investments due to accrued but uncollected income and the use of differing valuation sources and methods. Non-negotiable FDIC-insured bank certificates of deposit are priced at par. Although PFMAM believes the prices to be reliable, the values of the securities may not represent the prices at which the securities could have been bought or sold. Explanation of the valuation methods for a registered investment company or local government investment program is contained in the appropriate fund offering documentation or information statement.

Amortized Cost The original cost of the principal of the security is adjusted for the amount of the periodic reduction of any discount or premium from the purchase date until the date of the report. Discount or premium with respect to short term securities (those with less than one year to maturity at time of issuance) is amortized on a straightline basis. Such discount or premium with respect to longer term securities is amortized using the constant yield basis.

Tax Reporting Cost data and realized gains / losses are provided for informational purposes only. Please review for accuracy and consult your tax advisor to determine the tax consequences of your security transactions. PFMAM does not report such information to the IRS or other taxing authorities and is not responsible for the accuracy of such information that may be required to be reported to federal, state or other taxing authorities.

Financial Situation In order to better serve you, PFMAM should be promptly notified of any material change in your investment objective or financial situation.

Callable Securities Securities subject to redemption prior to maturity may be redeemed in whole or in part before maturity, which could affect the yield represented.

Portfolio The securities in this portfolio, including shares of mutual funds, are not guaranteed or otherwise protected by PFMAM, the FDIC (except for certain non-negotiable certificates of deposit) or any government agency. Investment in securities involves risks, including the possible loss of the amount invested. Actual settlement values, accrued interest, and amortized cost amounts may vary for securities subject to an adjustable interest rate or subject to principal paydowns. Any changes to the values shown may be reflected within the next monthly statement's beginning values.

Rating Information provided for ratings is based upon a good faith inquiry of selected sources, but its accuracy and completeness cannot be guaranteed.

Shares of some local government investment programs and TERM funds are distributed by representatives of USBAM's affiliate, U.S. Bancorp Investments, Inc. which is registered with the SEC as a broker/dealer and is a member of the Financial Industry Regulatory Authority ("FINRA") and the Municipal Securities Rulemaking Board ("MSRB"). You may reach the FINRA by calling the FINRA Hotline at 1-800-289-9999 or at the FINRA website address <https://www.finra.org/investors/investor-contacts>. A brochure describing the FINRA Regulation Public Disclosure Program is also available from FINRA upon request.

Key Terms and Definitions

Dividends on local government investment program funds consist of interest earned, plus any discount ratably amortized to the date of maturity, plus all realized gains and losses on the sale of securities prior to maturity, less ratably amortization of any premium and all accrued expenses to the fund. Dividends are accrued daily and may be paid either monthly or quarterly. The monthly earnings on this statement represent the estimated dividend accrued for the month for any program that distributes earnings on a quarterly basis. There is no guarantee that the estimated amount will be paid on the actual distribution date.

Current Yield is the net change, exclusive of capital changes and income other than investment income, in the value of a hypothetical fund account with a balance of one share over the seven-day base period including the statement date, expressed as a percentage of the value of one share (normally \$1.00 per share) at the beginning of the seven-day period. This resulting net change in account value is then annualized by multiplying it by

365 and dividing the result by 7. The yields quoted should not be considered a representation of the yield of the fund in the future, since the yield is not fixed. **Average maturity** represents the average maturity of all securities and investments of a portfolio, determined by multiplying the par or principal value of each security or investment by its maturity (days or years), summing the products, and dividing the sum by the total principal value of the portfolio. The stated maturity date of mortgage backed or callable securities are used in this statement. However the actual maturity of these securities could vary depending on the level or prepayments on the underlying mortgages or whether a callable security has or is still able to be called.

Monthly distribution yield represents the net change in the value of one share (normally \$1.00 per share) resulting from all dividends declared during the month by a fund expressed as a percentage of the value of one share at the beginning of the month. This resulting net change is then annualized by multiplying it by 365 and dividing it by the number of calendar days in the month.

YTM at Cost The yield to maturity at cost is the expected rate of return, based on the original cost, the annual interest receipts, maturity value and the time period from purchase date to maturity, stated as a percentage, on an annualized basis.

YTM at Market The yield to maturity at market is the rate of return, based on the current market value, the annual interest receipts, maturity value and the time period remaining until maturity, stated as a percentage, on an annualized basis.

Managed Account A portfolio of investments managed discretely by PFMAM according to the client's specific investment policy and requirements. The investments are directly owned by the client and held by the client's custodian.

Unsettled Trade A trade which has been executed however the final consummation of the security transaction and payment has not yet taken place.

Please review the detail pages of this statement carefully. If you think your statement is wrong, missing account information, or if you need more information about a transaction, please contact PFMAM within 60 days of receipt. If you have other concerns or questions regarding your account, or to request an updated copy of PFMAM's current disclosure statement, please contact a member of your client management team at PFMAM Service Operations at the address below.

PFM Asset Management
Attn: Service Operations
213 Market Street
Harrisburg, PA 17101

NOT FDIC INSURED NO BANK GUARANTEE MAY LOSE VALUE

Account Statement - Transaction Summary

For the Month Ending **May 31, 2025**

INTERMEDIATE SCHOOL DISTRICT 917 - STATE PAYMENTS - 600430

MSDLAF+ Liquid Class	
Opening Market Value	11,219.23
Purchases	39.48
Redemptions	0.00
Unsettled Trades	0.00
Change in Value	0.00


Closing Market Value **\$11,258.71**
Cash Dividends and Income 39.48

MSDLAF+ MAX Class	
Opening Market Value	16,383,183.13
Purchases	57,234.13
Redemptions	(1,750,000.00)
Unsettled Trades	0.00
Change in Value	0.00

Closing Market Value **\$14,690,417.26**
Cash Dividends and Income 57,234.13

Asset Summary		
	May 31, 2025	April 30, 2025
MSDLAF+ Liquid Class	11,258.71	11,219.23
MSDLAF+ MAX Class	14,690,417.26	16,383,183.13
Total	\$14,701,675.97	\$16,394,402.36

Asset Allocation



Account Statement

For the Month Ending **May 31, 2025**

INTERMEDIATE SCHOOL DISTRICT 917 - STATE PAYMENTS - 600430

Trade Date	Settlement Date	Transaction Description	Share or Unit Price	Dollar Amount of Transaction	Total Shares Owned
MSDLAF+ Liquid Class					
Opening Balance					11,219.23
05/30/25	06/02/25	Accrual Income Div Reinvestment - Distributions	1.00	39.48	11,258.71
Closing Balance					11,258.71

	Month of May	Fiscal YTD July-May		
Opening Balance	11,219.23	139,302.79	Closing Balance	11,258.71
Purchases	39.48	1,011,955.92	Average Monthly Balance	11,221.78
Redemptions (Excl. Checks)	0.00	(1,140,000.00)	Monthly Distribution Yield	4.15%
Check Disbursements	0.00	0.00		
Closing Balance	11,258.71	11,258.71		
Cash Dividends and Income	39.48	11,955.92		

MSDLAF+ MAX Class					
Opening Balance					16,383,183.13
05/15/25	05/15/25	Redemption - ACH Redemption	1.00	(750,000.00)	15,633,183.13
05/29/25	05/29/25	Redemption - ACH Redemption	1.00	(1,000,000.00)	14,633,183.13
05/30/25	06/02/25	Accrual Income Div Reinvestment - Distributions	1.00	57,234.13	14,690,417.26

Account Statement

For the Month Ending **May 31, 2025**

INTERMEDIATE SCHOOL DISTRICT 917 - STATE PAYMENTS - 600430

Trade Date	Settlement Date	Transaction Description	Share or Unit Price	Dollar Amount of Transaction	Total Shares Owned
Closing Balance					14,690,417.26
		Month of May	Fiscal YTD July-May		
Opening Balance		16,383,183.13	12,453,732.60	Closing Balance	14,690,417.26
Purchases		57,234.13	11,586,684.66	Average Monthly Balance	15,878,811.14
Redemptions (Excl. Checks)		(1,750,000.00)	(9,350,000.00)	Monthly Distribution Yield	4.24%
Check Disbursements		0.00	0.00		
Closing Balance		14,690,417.26	14,690,417.26		
Cash Dividends and Income		57,234.13	546,316.49		

Intermediate School District 917
School Board Report
Consolidate Investments (General & Building)

	MSDLAF: Liquid						MSDLAF: +Max						Total	
	Purchases	Sales	Fees	Interest	Ending Balance	Monthly Yield	Purchases	Sales	Fees	Interest	Ending Balance	Monthly Yield	Ending Balance	Interest
Jun					139,302.79	5.16%					12,453,732.60	5.24%	12,593,035.39	
Jul	-	100,000.00	-	593.51	39,896.30	5.14%	-	1,400,000.00	-	55,113.80	11,108,846.40	5.23%	11,148,742.70	55,707.31
Aug	1,000,000.00			1,714.46	1,041,610.76	5.11%				49,195.39	11,158,041.79	5.21%	12,199,652.55	50,909.85
Sep				4,267.28	1,045,878.04	4.99%	1,500,000.00			51,004.33	12,709,046.12	5.09%	13,754,924.16	55,271.61
Oct				4,201.03	1,050,079.07	4.73%				52,125.78	12,761,171.90	4.83%	13,811,250.97	56,326.81
Nov		1,000,000.00		574.01	50,653.08	4.55%	1,500,000.00	1,000,000.00		50,959.61	13,312,131.51	4.64%	13,362,784.59	51,533.62
Dec				189.43	50,842.51	4.40%				50,194.93	12,162,326.44	4.46%	12,213,168.95	50,384.36
Jan				184.38	51,026.89	4.27%		500,000.00		43,903.26	11,706,229.70	4.36%	11,757,256.59	44,087.64
Feb		40,000.00		114.66	11,141.55	4.21%	2,040,000.00	1,000,000.00		42,579.48	12,788,809.18	4.32%	12,799,950.73	42,694.14
Mar				39.33	11,180.88	4.16%	1,000,000.00	1,000,000.00		47,740.61	12,836,549.79	4.28%	12,847,730.67	47,779.94
Apr				38.35	11,219.23	4.17%	5,000,000.00	1,500,000.00		46,633.34	16,383,183.13	4.27%	16,394,402.36	46,671.69
May				39.48	11,258.71	4.15%	-	1,750,000.00		57,234.13	14,690,417.26	4.25%	14,701,675.97	57,273.61
Jun														
Total														
FY 25	1,000,000.00	1,140,000.00	-	11,955.92	11,258.71		11,040,000.00	9,350,000.00	-	546,684.66	14,690,417.26		14,701,675.97	558,640.58

AUDREY WEILER, PAYROLL SPECIALIST

PLEASE APPROVE NET PAYROLL FOR

06/30/2025 DIRECT DEPOSITS REGULAR PAY (PR424)	\$927,345.96
PAYROLL CHECKS	\$0.00

NET PAYROLL \$ **927,345.96**

Authorized Signature Mab John Date 6/30/25

AUDREY WEILER, PAYROLL SPECIALIST

PLEASE APPROVE NET PAYROLL FOR

05/30/2025 DIRECT DEPOSITS REGULAR PAY (PR422)	\$830,373.79
PAYROLL CHECKS	\$0.00

NET PAYROLL \$ **830,373.79**

Authorized Signature Mark Johns Date 5/29/2025

AUDREY WEILER, PAYROLL SPECIALIST

PLEASE APPROVE NET PAYROLL FOR

06/13/2025 DIRECT DEPOSITS REGULAR PAY (PR423)
PAYROLL CHECKS

\$806,812.17
\$0.00

NET PAYROLL

\$ 806,812.17

Authorized Signature Mal Johns Date 6/13/25

Intermediate School District 917
Accounts Receivable Aged Report As of 6/30/25

Member Districts	31-60 Days	61-90 Days	Over 90 Days	Totals
ISD 191 Burnsville	\$ 134,203.20	\$ -	\$ -	\$ 134,203.20
	\$ -	\$ -	\$ -	\$ -
	\$ -	\$ -	\$ -	\$ -
	\$ -	\$ -	\$ -	\$ -
	\$ -	\$ -	\$ -	\$ -
	\$ -	\$ -	\$ -	\$ -
Totals	\$ 134,203.20	\$ -	\$ -	\$ 134,203.20
All Others				
	\$ -	\$ -	\$ -	\$ -
ISD 625 St Paul Public School	\$ 9,845.75	\$ 9,845.75	\$ 29,537.25	\$ 49,228.75
	\$ -	\$ -	\$ -	\$ -
	\$ -	\$ -	\$ -	\$ -
	\$ -	\$ -	\$ -	\$ -
	\$ -	\$ -	\$ -	\$ -
Totals	\$ 9,845.75	\$ 9,845.75	\$ 29,537.25	\$ 49,228.75
Grand Total	\$ 144,048.95	\$ 9,845.75	\$ 29,537.25	\$ 183,431.95
Total Receivables				\$ 284,021.81

Prepared by: T. Welch



Intermediate School District 917

Purposeful. Personalized. Partners.

1300 145th Street East, Rosemount, MN 55068 (651) 423-

8229 * <http://www.isd917.org>

Dr. Michael Favor

TO: School Board
FROM: Dr. Michael Favor
DATE: July 8, 2025
RE: Policies

The policies listed below are a first and final reading:

- **210 Conflict of Interest – School Board** – no changes
- **212 School Board Member Development** – statute changes

The policies below are a first reading:

- **211 Criminal or Civil Action Against School District, School Board Member, Employee or Student** – miscellaneous changes
- **213 School Board Committee** – needs discussion on committees

210 CONFLICT OF INTEREST – SCHOOL BOARD MEMBERS

I. PURPOSE

The purpose of this policy is to observe state statutes regarding conflicts of interest and to engage in school district business activities in a fashion designed to avoid any conflict of interest or the appearance of impropriety.

II. GENERAL STATEMENT OF POLICY

It is the policy of the school board to contract for goods and services in conformance with statutory conflict of interest laws and in a manner that will avoid any conflict of interest or the appearance thereof. Accordingly, the school board will contract under the statutory exception provisions only when it is clearly in the best interest of the school district because of limitations that may exist on goods or services otherwise available to the school district.

III. GENERAL PROHIBITIONS AND RECOGNIZED STATUTORY EXCEPTIONS

- A. A school board member who is authorized to take part in any manner in making any sale, lease, or contract in his or her official capacity shall not voluntarily have a personal financial interest in that sale, lease, or contract or personally benefit financially therefrom.
- B. In the following circumstances, however, the school board may as an exception, by unanimous vote, contract for goods or services with a school board member of the school district:
 - 1. In the designation of a bank or savings association, in which a school board member is interested, as an authorized depository for school district funds and as a source of borrowing, provided such deposited funds are protected in accordance with Minnesota Statutes chapter 118A. Any school board member having said interest shall disclose that interest and the interest shall be entered upon the school board minutes. Disclosure shall be made when such bank or savings association is first designated as a depository or source of borrowing, or when such school board member is elected, whichever is later. Disclosure serves as notice of interest and need only be made once;
 - 2. The designation of an official newspaper, or publication of official matters therein, in which the school board member is interested when it is the only newspaper complying with statutory requirements relating to the designation or publication;

3. A contract with a cooperative association of which the school board member is a shareholder or stockholder but not an officer or manager;
 4. A contract for which competitive bids are not required by law. A contract made under this exception will be void unless the following procedures are observed:
 - a. The school board shall authorize the contract in advance of its performance by adopting a resolution setting out the essential facts and determining that the contract price is as low as or lower than the price at which the goods or services could be obtained elsewhere.
 - b. In the case of an emergency when the contract cannot be authorized in advance, payment of the claims must be authorized by a like resolution wherein the facts of the emergency are also stated.
 - c. Before a claim is paid, the interested school board member shall file with the clerk of the school board an affidavit stating:
 - (1) The name of the school board member and the office held;
 - (2) An itemization of the goods or services furnished;
 - (3) The contract price;
 - (4) The reasonable value;
 - (5) The interest of the school board member in the contract; and
 - (6) That to the best of the school board member's knowledge and belief, the contract price is as low as, or lower than, the price at which the goods or services could be obtained from other sources.
 5. A school board member may contract with the school district to provide construction materials or services, or both, when the sealed bid process is used. When the contract comes before the school board for consideration, the interested school board member may not vote on the contract.
 6. A school board member may rent space in a public facility at a rate commensurate with that paid by other members of the public.
- C. In the following circumstances, the school board may as an exception, by majority vote at a meeting at which all school board members are present, contract for services with a school board member of the school district: A school board member may be newly employed or may continue to be employed by the school district as an employee only if there is a reasonable expectation on July 1, or at the time the contract is entered into or extended, that the amount to be earned by that school

board member under that contract or employment relationship, will not exceed \$20,000 in that fiscal year. If the school board member does not receive majority approval to be initially employed or to continue in employment at a meeting at which all school board members are present, that employment is immediately terminated and that school board member has no further rights to employment while serving as a school board member in the school district.

- D. The school board may contract with a class of school district employees, such as teachers or custodians, when the spouse of a school board member is a member of the class of employees contracting with the school board and the employee spouse receives no special monetary or other benefit that is substantially different from the benefits that other members of the class receive under the employment contract. For the school board to invoke this exception, it must have a majority of disinterested school board members vote to approve the contract, direct the school board member spouse to abstain from voting to approve the contract, and publicly set out the essential facts of the contract at the meeting in which the contract is approved.

IV. LIMITATIONS ON RELATED EMPLOYEES

- A. The school board must hire or dismiss teachers only at duly called meetings. When a husband and wife, brother and sister, or two brothers or sisters, constitute a quorum, no contract employing a teacher may be made or authorized except upon the unanimous vote of the full school board.
- B. The school board may not employ any teacher related by blood or marriage to a school board member, within the fourth degree as computed by the civil law, except by a unanimous vote of the full school board.

V. CONFLICTS PRIOR TO TAKING OFFICE

A school board member with personal financial interest in a sale, lease, or contract with the school district which was entered before the school board member took office and presents an actual or potential conflict of interest, shall immediately notify the school board of such interest. It shall thereafter be the responsibility of the school board member to refrain from participating in any action relating to the sale, lease, or contract. At the time of renewal of any such sale, lease, or contract, the school board may enter into or renew such sale, lease, or contract only if it falls within one of the enumerated exceptions for contracts relating to goods or services provided above and if the procedures provided in this policy are followed.

VI. DETERMINATION AS TO WHETHER A CONFLICT OF INTEREST EXISTS

The determination as to whether a conflict of interest exists is to be made by the school board. Any school board member who has an actual or potential conflict shall notify the school board of such conflict immediately. The school board member shall thereafter cooperate with the school board as necessary for the school board to make its determination.

Legal References: Minn. Stat. § 122A.40, Subd. 3 (Employment; Contracts; Termination)
Minn. Stat. § 123B.195 (Board Member’s Right to Employment)
Minn. Stat. § 471.87 (Public Officers, Interest in Contract; Penalty)
Minn. Stat. § 471.88, Subds. 2, 3, 4, 5, 12, 13, and 21 (Exceptions)
Minn. Stat. § 471.89 (Contract, When Void)
Op. Atty. Gen. 437-A-4, March 15, 1935
Op. Atty. Gen. 90-C-5, July 30, 1940
Op. Atty. Gen. 90-A, August 14, 1957

Cross References: MSBA/MASA Model Policy 101 (Legal Status of the School Board)
MSBA/MASA Model Policy 209 (Code of Ethics)

211 CRIMINAL OR CIVIL ACTION AGAINST SCHOOL DISTRICT, SCHOOL BOARD MEMBER, EMPLOYEE, OR STUDENT

I. PURPOSE

The purpose of this policy is to provide guidance ~~as to~~ **about** the school district's position, rights, and responsibilities when a civil or criminal action is pending against the school district, or a school board member, school district employee or student.

II. GENERAL STATEMENT OF POLICY

- A. The school district recognizes that, when civil or criminal actions are pending against a school board member, school district employee, or student, the school district may be requested or required to take action.
- B. In responding to such requests and/or requirements, the school district will take such measures as are appropriate to its primary mission of providing for the education of students in an environment that is safe for staff and students and is conducive to learning.
- C. The school district acknowledges its statutory obligations with respect to providing assistance to school board members and employees who are sued in connection with performance of school district duties. Collective bargaining agreement and school district policies may also apply.

III. CIVIL ACTIONS

- A. Pursuant to ~~Minn. Stat. §~~ **Minnesota Statutes section** 466.07, Subd. 1, the school district shall defend and indemnify any school board member or school district employee for damages in school-related litigation, including punitive damages, claimed or levied against the school board member or employee, provided that ~~they~~ **the school board member or employee** were acting in the performance of the duties of the position and were not guilty of malfeasance, willful neglect of duty, or bad faith.
- B. Pursuant to ~~Minn. Stat. §~~ **Minnesota Statutes section** 123B.25(b), with respect to teachers employed by the school district, upon written request of the teacher involved, the school district ~~shall~~ **must** provide legal counsel for any school teacher against whom a claim is made or action is brought for recovery of

damages in any tort action involving physical injury to any person or property or for wrongful death arising out of or in connection with the employment of the teacher with the school district. The school district will choose legal counsel after consultation with the teacher.

C. Data Practices

Educational data and personnel data maintained by the school district may be sought as evidence in a civil proceeding. The school district will release the data only pursuant to the Minnesota Government Data Practices Act, ~~Minn. Stat. Ch.~~ **Minnesota Statutes Chapter** 13, and to the Family Educational Rights and Privacy Act, 20 U.S.C. § **United States Code** 1232g and related regulations. When an employee is subpoenaed and is expected to testify regarding educational data or personnel data, **the employee will** inform the building administrator or designated supervisor, who shall immediately inform the superintendent or designee. No school board member or employee may release data without consultation in advance with the school district official ~~who is~~ designated as the **responsible** authority ~~responsible~~ for the collection, use and dissemination of data.

D. Service of Subpoenas

~~The policy of the school district is that its~~ **School district** officers and employees will normally not be involved in providing service of process for third parties in the school setting.

E. Leave to Testify

Leave for employees appearing in court, either when sued or under subpoena to testify, will be considered in accordance with school district personnel policies and applicable collective bargaining agreements.

IV. CRIMINAL CHARGES OR CONDUCT

A. Employees

1. The school district expects that its employees serve as positive role models for students. As role models for students, employees have a duty to conduct themselves in an exemplary manner.
2. If the school district receives information relating to activities of a criminal nature, by an employee, the school district will investigate and take appropriate disciplinary action, which may include discharge, subject to school district policies, statutes and provisions of applicable collective bargaining agreements.

FYI - the following paragraph was not in our policy – was there a reason we did not include it?

3. Pursuant to Minnesota Statutes section 123B.02, subdivision 20, if reimbursement for a criminal defense is requested by a school district employee, the school board may, after consulting with its legal counsel, reimburse the employee for any costs and reasonable attorney fees incurred by the employee to defend criminal charges brought against the employee arising out of the performance of duties for the school district. The decision whether to reimburse shall be made in the school board's discretion. A school board member who is a witness or an alleged victim in the case may not vote on the reimbursement. If a quorum of the school board is disqualified from voting on the reimbursement, the reimbursement must be approved by a judge of the district court.

B. Students

The school district has an interest in maintaining a safe and healthful environment and in preventing disruption of the educational process. ~~In order to further~~ **To promote** that interest, the school district will take appropriate action regarding students convicted of crimes that relate to the school environment.

C. Criminal Investigations

1. The policy of the school district is to cooperate with law enforcement officials. The school district will make all efforts, however, to encourage law enforcement officials to question students and employees outside of school hours and off school premises unless ~~there are~~ extenuating circumstances **exist** or the matter being investigated is school-related, or as otherwise provided by law.
2. If ~~such~~ questioning at school is unavoidable, the school district will attempt to maintain confidentiality, to avoid embarrassment to students and employees and to avoid disruption of the educational program. The school district will attempt to notify parents of a student under age 18 that police will be questioning their child. Normally, the superintendent, principal, or other appropriate school official will be present during the interview, except as otherwise required by law (Minnesota Statutes section 260E.22), or as otherwise determined in consultation with the parent or guardian.

D. Data Practices

The school district will release to juvenile justice and law enforcement authorities educational and personnel data only in accordance with ~~Minn. Stat. Ch.~~ **Minnesota Statutes Chapter** 13 (Minnesota Government Data Practices Act) and

20 U.S.C. § ~~United Statutes Code section~~ 1232g (FERPA).

V. STATEMENTS WHEN LITIGATION IS PENDING

The school district recognizes that when a civil or criminal action is commenced or pending, parties to the lawsuit have particular duties in reference to persons involved or named in the lawsuit, as well as insurance carrier(s). Therefore, school board members or school district employees shall make or release statements in that situation only in consultation with legal counsel.

Legal References: Minn. Stat. Ch. 13 (Minnesota Government Data Practices Act)
Minn. Stat. §§ 121A.40-121A.56 (Pupil Fair Dismissal Act)
Minn. Stat. § 123B.02, Subd. 20 (Legal Counsel; Reimbursement)
Minn. Stat. § 123B.25(b) (~~Actions Against Teachers~~) **(Legal Actions Against Districts and Teachers)**
Minn. Stat. § 260E.22(Interviews)
Minn. Stat. § 260E.22 (Interviews)
Minn. Stat. § 466.07, Subd. 1 (Indemnification)
20 U.S.C. § 1232g (Family Educational Rights and Privacy Act)
42 U.S.C. § 1983 (Civil Action for Depriving Rights)
Op. Atty. Gen. 169 (Minn, Mar. 7, 1963)
Op. Atty. Gen. 169 (Minn, Nov. 3, 1943)
Dyppress v. School Committee of Boston, 446 N.E.2d 1099 (Mass. App. Ct. 1983)
Wood v. Strickland, 420 U.S. 308, 95 S.Ct. 992, 43 L.Ed.2d 214 (1975)

Cross References: MSBA/MASA Model Policy 403 (Discipline, Suspension, and Dismissal of School District Employees)
MSBA/MASA Model Policy 406 (Public and Private Personnel Data)
MSBA/MASA Model Policy 408 (Subpoena of a School District Employee)
MSBA/MASA Model Policy 414 (Mandated Reporting of Child Neglect or Physical or Sexual Abuse)
MSBA/MASA Model Policy 506 (Student Discipline)
MSBA/MASA Model Policy 515 (Protection and Privacy of Pupil Records)

212 SCHOOL BOARD MEMBER DEVELOPMENT

I. PURPOSE

In recognition of the need for continuing inservice training and development for its members, the purpose of this policy is to encourage the members of the school board to participate in professional development activities designed for them so that they may perform their responsibilities.

II. GENERAL STATEMENT OF POLICY

- A. New school board members will be provided the opportunity and encouragement to attend the orientation and training sessions sponsored by the Minnesota School Boards Association (MSBA). School board members shall receive training in school finance and management developed in consultation with MSBA.
- B. All school board members are encouraged to participate in school board and related workshops and activities sponsored by local, state and national school boards associations, as well as in the activities of other educational groups.
- C. School board members are expected to report back to the school board with materials of interest gathered at the various meetings and workshops.
- D. The school board will reimburse the necessary expenses of all school board members who attend meetings and conventions pertaining to school activities and the objectives of the school board, within the approved policy and budget allocations of the school district relating to the reimbursement of expenses involving the attendance at workshops and conventions.

Legal References: Minn. Stat. § 123B.09, Subd. 2 (**Boards of Independent School Districts**
~~School Board Member Training~~)

Cross References: MSBA/MASA Model Policy 214 (Out-of-State Travel by School Board Members)
MSBA/MASA Model Policy 412 (Expense Reimbursement)

AS OF THIS DATE, WE HAVE NO BOARD COMMITTEES ASSIGNED.

Mark Zuzek is assigned our MSBA and AMSD Rep. All other committees will be discussed in the Board Work Sessions prior to the Regular Board meetings.

213 SCHOOL BOARD COMMITTEES

In order to facilitate the Board policy-making responsibilities, the Board shall establish committees for the purpose of allowing more extensive study or work on specific issues than would be possible by the Board as a whole.

Standing Committees of the Board shall be:

Budget & Finance
~~Buildings and Grounds~~
Instructional Programs
Insurance
~~Personnel~~
Policy

The members of each standing committee shall be appointed annually by the Board Chair.

School Board Committee membership is reviewed annually and voted upon by the Board. No member shall serve longer than three consecutive years on a committee without the formal approval of the majority of the Board.

The Board Chair shall appoint a committee chair.

The Chair may appoint temporary committees at the request of the Board. These temporary committees will be dissolved when their purpose has been accomplished.

The Board Chair shall be an ex-officio member of all committees, standing and temporary. The Superintendent shall be an ex-officio member of all committees except for the exclusion provided in 002.54, Executive sessions.

To: ISD 917 School Board Members
Dr. Michael Favor, Superintendent

From: Mark Johns, Director of Finance

Date: July 8, 2025

Re: FY26 ISD 917 board approved meal prices

Information:

- Intermediate School District 917 has renewed our participation in the National School Lunch Program (NSLP) for FY26. Our Lunch Program operates at five of our locations: Alliance Education Center, Dakota County Technical College, Lebanon Education Center, Concord Education Center and DCALS North.
- CKC Good Food will again be contracting with us to provide our breakfast and lunch meals. The contract price per meal will increase by \$0.08 to **\$2.62** per breakfast and \$0.13 to **\$4.30** per lunch. This 3.1% increase reflects the maximum allowed increase by statute.
- ISD #917 participates in the Free School Meals program signed into law in Minnesota. As a result of our Free and Reduced student population, we are also required to participate in the Community Eligibility Provision which results in a Federal Free reimbursement rate of 77.68% and Paid reimbursement rate of 22.32%. The balance of the Paid meals reimbursement rate will be paid by the state. FY26 Reimbursement rates have not been released by the USDA as of this date.
- Historically ISD #917 transfers general funds revenues each fiscal year to balance the food service fund. In FY23, this amount was \$22,764.08 and FY24 was \$26,331.94. I anticipate a need for approximately \$35K to balance the FY25 food service fund.

Recommendation: Per state statute, student meal prices for both breakfast and lunch will now be \$0.00. Recommend the following based on contract prices to our food vendor:

Student Breakfast \$0.00, Student Lunch \$0.00,
Second Meal Student Breakfast \$2.62 and Lunch \$4.30, Milk \$0.45
Adult Breakfast **\$3.00**, Adult Lunch **\$4.75**



Intermediate School District 917

Purposeful. Personalized. Partners.

1300 145th Street East, Rosemount, MN 55068

(651) 423-8229 * <http://www.isd917.org>

TO: School Board Members
FROM: Dr. Michael Favor
DATE: July 8, 2025
RE: Renewal of Memberships

The renewal rates for the following memberships are listed below. If there is a “?” after the amount, I do not have this year’s rates as of this date.

Memberships	2024	2025	2025
Brightworks (formerly Metro ECSU)	\$700	\$700	\$700 ?
AMSD - Association of Metropolitan School Districts	\$3,700	\$4,000	\$4,000 ?
MSBA Membership Dues	\$5261	\$5,542	\$5,800
BoardBook Subscription Tier I	\$2,100	\$2,700	\$2,950
MSBA Policy Renewal	\$750	\$750	\$760
AESA - Association of Educational Service Agencies	\$935	\$1,125	\$1,125
MASA - Minnesota Association of School Administrators	\$860	\$860	\$860 ?
AASA – American Association of School Administrators <i>(FYI—MASA and AASA are combined for a total of \$1330)</i>		\$470	\$470 ?

I recommend approval of these renewals for 2025-2026.

MF:ljb

ISD 917 Vision

Intermediate School District 917 models an innovative culture with diverse pathways serving students and families through equitable practices with highly trained staff.

ISD 917 Core Values

Collaboration * Empathy * Innovation * Stewardship * Communication * Integrity * Personalization * Equity * Diversity

RESPIRATORY PROTECTION

WRITTEN PLAN

Intermediate School District 917

July 2025

This Respiratory Protection Plan specifies standard operating procedures to protect all employees from respiratory hazards, according to the requirements of 29 CFR 1910.134. At Intermediate School District 917, respirators are not required but can be used by employees on a voluntary basis. Employees who voluntarily determine that they wish to use a respirator shall be responsible for the storage, maintenance, and cleanliness of the respirator. Procurement, consumables, and replacement parts shall be funded by the District.

Administrative Duties

At Intermediate School District 917 our Respiratory Protection Program Administrator is Amy Alexander, the Health and Safety Coordinator. This person is solely responsible for all facets of the plan and has full authority to make necessary decisions to ensure success of this plan.

Employees may review a copy of this Respiratory Protection Plan. It is located in the District Office. We review this plan periodically to ensure its effectiveness.

Respiratory Hazards

A review of potential respiratory hazards indicates that employees may be exposed to mold, soot, solvents, welding fumes and dust. These exposures are below the permissible exposure limit. However, for comfort, employees may choose to wear a respirator.

Respirator Selection

Respirators are selected on the basis of respiratory hazards to which the worker is exposed and workplace and user factors that affect respirator performance and reliability.

Our district's selection procedures include:

Selection Procedure Checklist

When selecting any respirator in general:

- Select and provide respirators based on respiratory hazard(s) to which a worker is exposed and workplace and user factors that affect respirator performance and reliability.
- Select a NIOSH-certified respirator. (NIOSH stands for the National Institute for Occupational Safety and Health)

- Select respirators from a sufficient number of respirator models and sizes so that the respirator is acceptable to, and fits the user.

When selecting respirators for atmospheres that are not IDLH (Immediately Dangerous to Life or Health):

- Provide a respirator that is adequate to protect the health of the employee and ensure compliance with all other OSHA statutory and regulatory requirements, under routine and reasonably foreseeable emergency situations.
- Select respirators appropriate for the chemical state and physical form of the contaminant.

For protection against gases and vapors, provide:

- An atmosphere-supplying respirator, or
- An air-purifying respirator, provided that: (1) The respirator is equipped with an end-of-service-life indicator (ESLI) certified by NIOSH for the contaminant; or (2) If there is no ESLI appropriate for conditions in our workplace, implement a change schedule for canisters and cartridges that is based on objective information or data that will ensure that canisters and cartridges are changed before the end of their service life. Describe in the respirator program the information and data relied upon and the basis for the canister and cartridge change schedule and the basis for reliance on the data.

For protection against particulates, provide:

- An atmosphere-supplying respirator; or
- An air-purifying respirator equipped with a filter certified by NIOSH under 30 CFR part 11 as a high efficiency particulate air (HEPA) filter, or an air-purifying respirator equipped with a filter certified for particulates by NIOSH under 42 CFR 84; or
- For contaminants consisting primarily of particles with mass median aerodynamic diameters (MMAD) of at least 2 micrometers, an air-purifying respirator equipped with any filter certified for particulates by NIOSH.

Respirator Types and Uses

- Half-mask canister respirator for boiler cleaning, removing mold, welding, painting, dust, and solvents
- A 2 strap paper dust mask for dust or mold

The following types of respirators are in use in this facility for the following uses:

Only NIOSH-certified respirators are selected and used. The respirators will be assigned to individual workers for their exclusive and voluntary use.

Medical Evaluations

A medical evaluation for respirator use is not provided to employees by Intermediate School District 917 since the employees are wearing the respirator on a voluntary basis. However, a medical evaluation to determine whether an employee is able to use a given respirator is an important element and recommended to prevent injuries, illnesses, and even, in rare cases, death from the physiological burden imposed by respirator use. A medical evaluation will determine if an employee is physically able to perform the work and use the respirator. Please see 29 CFR 1910.134 for information regarding the recommended medical evaluation. Respirator medical evaluations will be the employee's responsibility and at the employee's expense.

Fit Testing Procedures

Fit testing is not provided since this is a voluntary respirator program.

Proper Use Procedures

Once the respirator has been properly selected and fitted, its protection efficiency must be maintained by proper use in accordance with 29 CFR 1910.134(g).

Our district uses the following recommendations for employees who wear respirators:

Face piece Seal Protection

Do not permit respirators with tight-fitting face pieces to be worn by employees who have:

- Facial hair that comes between the sealing surface of the face piece and the face or that interferes with valve function; or
- Any condition that interferes with the face-to-face piece seal or valve function.

If an employee wears corrective glasses or goggles or other personal protective equipment, ensure that such equipment is worn in a manner that does not interfere with the seal of the face piece to the face of the user.

For all tight-fitting respirators, ensure that employees perform a user seal check each time they put on the respirator using the procedures in 29 CFR 1910.134 Appendix B-1 (User Seal Check Procedures) or procedures recommended by the respirator manufacturer that you could demonstrate are as effective as those in Appendix B-1.

Maintenance and Care Procedures

In order to ensure continuing protection from respiratory protective devices, it is necessary to establish and implement proper maintenance and care procedures and schedules. A lax attitude toward maintenance and care will negate successful selection and fit because the devices will not

deliver the assumed protection unless they are kept in good working order.

Cleaning & disinfecting

Our district provides each respirator user with a respirator that is clean, sanitary, and in good working order. Respirator users are responsible to ensure that respirators are cleaned and disinfected using the procedures below:

- In Appendix B-2 of 29 CFR 1910.134.
- Recommended by the respirator manufacturer.

The respirators are cleaned and disinfected at the following intervals:

Respirator type:	Are cleaned and disinfected at the following interval:
Issued for the exclusive use of an employee	As often as necessary to be maintained in a sanitary condition

Storage

Storage of respirators must be done properly to ensure that the equipment is protected and not subject to environmental conditions that may cause deterioration. Respirator users are responsible for ensuring that respirators are stored to protect them from damage, contamination, dust, sunlight, extreme temperatures, excessive moisture, and damaging chemicals to prevent deformation of the face piece and exhalation valve.

Inspection

In order to assure the continued reliability of respirator equipment, it must be inspected by the user on a regular basis. The frequency of inspection is related to the frequency of use. Frequencies for inspection:

Respirator type:	Inspected at the following frequencies:
All types used in routine situations	Before each use and during cleaning

Respirator inspections include a check:

- For respirator function, tightness of connections, and the condition of the various parts including, but not limited to, the face piece, head straps, valves, connecting tube, and cartridges, canisters or filters; and
- Of elastomeric parts for pliability and signs of deterioration.

Repairs

Respirators that fail an inspection or are otherwise found to be defective are removed from service, and are discarded or repaired or adjusted by the district in accordance with the following procedures:

- Repairs or adjustments to respirators are to be made only by persons appropriately trained to perform such operations and only with the respirator manufacturer's NIOSH-approved parts designed for the respirator;
- Repairs must be made according to the manufacturer's recommendations and specifications for the type and extent of repairs to be performed; and
- Reducing and admission valves, regulators, and alarms must be adjusted or repaired only by the manufacturer or a technician trained by the manufacturer.

Discarding of respirators

Respirators that fail an inspection or are otherwise not fit for use and cannot be repaired must be discarded and will be replaced by the District.

Air Quality Procedure

Filters, Cartridges, and Canisters:

Ensure that all filters, cartridges and canisters used in the workplace are labeled and color-coded with the NIOSH approval label and that the label is not removed and remains legible.

Training

No training is required since this is a voluntary respirator program. Employees are provided with a copy of Appendix D of the standard. Employees are also periodically informed regarding:

- Respiratory hazards to which our employees are potentially exposed during routine and emergency situations, and
- Proper use of respirators, including putting on and removing them, any limitations on their use, and their maintenance.
- Providing the employee with a copy of Appendix D to 1910.134:

Information for employees using respirators when not required under the standard

Respirators are an effective method of protection against designated hazards when properly selected and worn. Respirator use is encouraged, even when exposures are below the exposure limit, to provide an additional level of comfort and protection for workers. However, if a respirator is used improperly or not kept clean, the respirator itself can become a hazard to the worker. Sometimes, workers may wear respirators to avoid exposures to hazards, even if the amount of hazardous substance does not exceed the limits set by OSHA standards. If your employer provides respirators for your voluntary use, or if you provide your own respirator, you need to take certain precautions to be sure that the respirator itself does not present a hazard.

You should do the following:

- Read and heed all instructions provided by the manufacturer on use, maintenance, cleaning and care, and warnings regarding the respirators limitations.
- Choose respirators certified for use to protect against the contaminant of concern. NIOSH, the National Institute for Occupational Safety and Health of the U.S. Department of Health and Human Services, certifies respirators. A label or statement of certification should appear on the respirator or respirator packaging. It will tell you what the respirator is designed for and how much it will protect you.
- Do not wear your respirator into atmospheres containing contaminants for which your respirator is not designed to protect against. For example, a respirator designed to filter dust particles will not protect you against gases, vapors, or very small solid particles of fumes or smoke.
- Keep track of your respirator so that you do not mistakenly use someone else's respirator.

Questions

If an employee has questions or concerns regarding respirator use they are to contact Amy Alexander, Health and Safety Coordinator at 651-423-8229.

Appendix B-1 to § 1910.134: User Seal Check Procedures (Mandatory)

The individual who uses a tight-fitting respirator is to perform a user seal check to ensure that an adequate seal is achieved each time the respirator is put on. Either the positive and negative pressure checks listed in this appendix, or the respirator manufacturer's recommended user seal check method shall be used. User seal checks are not substitutes for qualitative or quantitative fit tests.

I. Facepiece Positive and/or Negative Pressure Checks

- A. *Positive pressure check.* Close off the exhalation valve and exhale gently into the facepiece. The face fit is considered satisfactory if a slight positive pressure can be built up inside the facepiece without any evidence of outward leakage of air at the seal. For most respirators this method of leak testing requires the wearer to first remove the exhalation valve cover before closing off the exhalation valve and then carefully replacing it after the test.
- B. *Negative pressure check.* Close off the inlet opening of the canister or cartridge(s) by covering with the palm of the hand(s) or by replacing the filter seal(s), inhale gently so that the facepiece collapses slightly, and hold the breath for ten seconds. The design of the inlet opening of some cartridges cannot be effectively covered with the palm of the hand. The test can be performed by covering the inlet opening of the cartridge with a thin latex or nitrile glove. If the facepiece remains in its slightly collapsed condition and no inward leakage of air is detected, the tightness of the respirator is considered satisfactory.

II. Manufacturer's Recommended User Seal Check Procedures

The respirator manufacturer's recommended procedures for performing a user seal check may be used instead of the positive and/or negative pressure check procedures provided that the employer demonstrates that the manufacturer's procedures are equally effective.

Appendix B-2 to § 1910.134: Respirator Cleaning Procedures (Mandatory)

These procedures are provided for employer use when cleaning respirators. They are general in nature, and the employer as an alternative may use the cleaning recommendations provided by the manufacturer of the respirators used by their employees, provided such procedures are as effective as those listed here in Appendix B- 2. Equivalent effectiveness simply means that the procedures used must accomplish the objectives set forth in Appendix B-2, i.e., must ensure that the respirator is properly cleaned and disinfected in a manner that prevents damage to the respirator and does not cause harm to the user.

I. Procedures for Cleaning Respirators

- A. Remove filters, cartridges, or canisters. Disassemble facepieces by removing speaking diaphragms, demand and pressure- demand valve assemblies, hoses, or any components recommended by the manufacturer. Discard or repair any defective parts.
- B. Wash components in warm (43 deg. C [110 deg. F] maximum) water with a mild detergent or with a cleaner recommended by the manufacturer. A stiff bristle (not wire) brush may be used to facilitate the removal of dirt.
- C. Rinse components thoroughly in clean, warm (43 deg. C [110 deg. F] maximum), preferably running water. Drain.
- D. When the cleaner used does not contain a disinfecting agent, respirator components should be immersed for two minutes in one of the following:
 - 1. Hypochlorite solution (50 ppm of chlorine) made by adding approximately one milliliter of laundry bleach to one liter of water at 43 deg. C (110 deg. F); or,
 - 2. Aqueous solution of iodine (50 ppm iodine) made by adding approximately 0.8 milliliters of tincture of iodine (6-8 grams ammonium and/or potassium iodide/100 cc of 45% alcohol) to one liter of water at 43 deg. C (110 deg. F); or,
 - 3. Other commercially available cleansers of equivalent disinfectant quality when used as directed, if their use is recommended or approved by the respirator manufacturer.
- E. Rinse components thoroughly in clean, warm (43 deg. C [110 deg. F] maximum), preferably running water. Drain. The importance of thorough rinsing cannot be overemphasized. Detergents or disinfectants that dry on facepieces may result in dermatitis. In addition, some disinfectants may cause deterioration of rubber or corrosion of metal parts if not completely removed.
- F. Components should be hand-dried with a clean lint-free cloth or air-dried.
- G. Reassemble facepiece, replacing filters, cartridges, and canisters where necessary.
- H. Test the respirator to ensure that all components work properly.

Appendix D to Sec. 1910.134 (Mandatory) Information for Employees Using Respirators When Not Required Under the Standard

Respirators are an effective method of protection against designated hazards when properly selected and worn. Respirator use is encouraged, even when exposures are below the exposure limit, to provide an additional level of comfort and protection for workers. However, if a respirator is used improperly or not kept clean, the respirator itself can become a hazard to the worker. Sometimes, workers may wear respirators to avoid exposures to hazards, even if the amount of hazardous substance does not exceed the limits set by OSHA standards. If your employer provides respirators for your voluntary use, or if you provide your own respirator, you need to take certain precautions to be sure that the respirator itself does not present a hazard.

You should do the following:

1. Read and heed all instructions provided by the manufacturer on use, maintenance, cleaning and care, and warnings regarding the respirators limitations.
2. Choose respirators certified for use to protect against the contaminant of concern. NIOSH, the National Institute for Occupational Safety and Health of the U.S. Department of Health and Human Services, certifies respirators. A label or statement of certification should appear on the respirator or respirator packaging. It will tell you what the respirator is designed for and how much it will protect you.
3. Do not wear your respirator into atmospheres containing contaminants for which your respirator is not designed to protect against. For example, a respirator designed to filter dust particles will not protect you against gases, vapors, or very small solid particles of fumes or smoke.
4. Keep track of your respirator so that you do not mistakenly use someone else's respirator.

CONFINED SPACE ENTRY

WRITTEN PLAN

Intermediate School District 917

July 202

General District Policy

The purpose of this program is to inform interested persons, including employees, that I.S.D. 917 is complying with the OSHA Confined Space Standard, Title 29 Code of Federal Regulations 1910.146. We have determined that this workplace needs written procedures for the evaluation of confined spaces, and where permit-required spaces are identified, we have developed and implemented a permit-required confined space entry program. This program applies to all work operations at I.S.D. 917 where employees must enter a confined space as part of their job duties.

Superintendent Michael Favor has overall responsibility for coordinating safety and health programs in this district and is the person having overall responsibility for the Confined Space Entry Program. This program will be reviewed and updated as necessary.

Copies of the written program may be obtained from Amy Alexander, Health and Safety Coordinator, District Office, at 651-423-8229.

Under this program, we identify non-permit and permit- required spaces in ISD 917, and provide training for our employees according to their responsibilities in these spaces. These employees receive instructions for safe entry into our specific type of confined spaces, including testing and monitoring, appropriate personal protective equipment, rescue procedures, and attendant responsibilities.

This program is designed to ensure that safe work practices are utilized during all activities regarding the confined spaces to prevent personal injuries and illnesses that could occur.

If, after reading this program, you find that improvements can be made, please contact Amy Alexander at 651-423-8229. We encourage all suggestions because we are committed to creating a safe workplace for all our employees and a safe and effective confined space entry program is an important component of our overall safety plan. We strive for clear understanding, safe work practices, and involvement in the program from every level of the district.

Hazard Evaluation for Permit Spaces

To determine if there are permit-required confined spaces in ISD 917 a review of the spaces was conducted. Information was provided by District 917 employees regarding the location of and hazards of the confined spaces. This evaluation has provided ISD 917 employees with the information necessary for the classification of the confined spaces throughout the district. This written hazard evaluation is kept in the Health and Safety files located in the district office. The confined spaces in our district have been classified.

Class 1 Spaces – No permit required. No known toxic gas, no engulfment potential and are naturally ventilated upon opening dampers, doors, etc.

Class 1 spaces include: (Alliance Education Center, Cedar, Lebanon, Concord Education Center)

HVAC Duct Work
Plumbing Access Areas
Air Conditioning Units

Pre-Entry procedures for Class 1 spaces:

- 1) Assure that a sign, which indicates that this space is a confined space, is posted at all the entrances to the space.
- 2) Only persons who have been trained on confined spaces can enter.
- 3) These spaces will be opened to allow for natural ventilation before and during the entry.
- 4) Lockout/tagout shall be applied before entry occurs.
- 5) Air monitoring is not required.
- 6) No written permit is required however the use of the attached checklist is recommended.
- 7) Notify another employee regarding entry, however no attendant is required.

Entry procedures for Class 1 spaces:

- 1) Ensure space is ventilated during the entry.

Class 2 Spaces – No permit required. No known toxic gas, no engulfment potential and the primary concern is adequate ventilation. These spaces have defined walls and can be effectively ventilated with a mechanically powered ventilator.

Class 2 Spaces include: (Alliance Education Center)

(Boiler Room Sumps)

Pre-Entry procedures for Class 2 spaces:

- 1) Assure that a sign, which indicates that this space is a confined space, is posted at all the entrances to the space.
- 2) Only persons who have been trained on confined spaces can enter.
- 3) Before beginning work isolate the space using barricades, cones, ribbon, etc. to prevent unauthorized persons from entering the area around the space or the space.
- 4) These spaces will be ventilated with a powered blower initially for the time period necessary to replace the volume of the confined space a minimum of five times prior to entry.
- 5) Lockout/tagout shall be applied before entry occurs.
- 6) Air monitoring is not required.
- 7) No permit is required however the use of the attached checklist is recommended.
- 8) Notify another employee regarding the entry, however no attendant is required.

Entry Procedures for Class 2 spaces:

- 1) Continue this ventilation at a minimum rate of 200 cfm per worker inside the space.

Class 3 Spaces –No permit required. These confined spaces are the pipe chase tunnels. These spaces are all below grade and are naturally ventilated. Some have dirt or rock floors, some have concrete floors, they open to the boiler room, have pipes running throughout, and have access hatches or openings in various locations. On occasion a tunnel has steam leaking into the tunnels necessitating repairs. These confined spaces have the potential for oxygen deficiency. They can not be manually ventilated due to their size and shape.

Class 3 Spaces include: (none)

Class 4 spaces include:

(Any confined space with sewage or the odor of sewage--dock storm drains)

There are no Class 4 spaces at Alliance Education Center, Cedar, Lebanon, or Concord Education Center.

Work Tasks Performed in a Confined Space

The work activities authorized employees are expected to perform in district confined spaces include:

- 1) Cleaning
- 2) Maintenance
- 3) Surveillance

District employees may not weld or use hazardous materials in a confined space.

Preventing Unauthorized Entry

To provide a safe work environment and to prevent exposed employees from accidentally entering a permit space, we have implemented the following procedures to inform all employees of the existence, location, and danger posed by confined spaces in ISD 917. To inform employees of the existence of a permit space, we post every entrance to a confined space. This signage indicates that unauthorized employees are not to enter. Employees who work in areas where confined spaces are accessible are trained on the existence of confined spaces.

Pre-Entry Non-Permit Confined Space Evaluation

To ensure the safety and health of our employees a Pre-Entry Checklist is available for use with Class 1, 2 and 3 spaces before entry. Use of this checklist is optional.

Equipment

To ensure the safety and health of our employees, ISD 917 will provide a torpedo mechanical fan for entry into Class 2 spaces. We maintain all equipment in excellent working condition, train the entrants in the correct usage of this equipment, and ensure that all equipment, including that used for personal protection, is used properly.

Duties: Authorized Entrants

Only persons who have completed confined space entry training are authorized to enter our spaces. The elements covered in the training program for authorized entrants include:

- 1) Recognition of confined spaces
- 2) Understanding that only trained employees may enter
- 3) Proper procedures for entry into Class 1 and spaces
- 4) Use of equipment
- 5) Knowledge of Pre-Entry Checklist

These are the employees who have current authorization to work in our Class 1 confined spaces:

- 1) Lead Custodian

These are the employees who have current authorization to work in our Class 2 confined spaces:

- 1) Lead Custodian

Duties: Attendants

Those persons who have completed the training and have been designated as confined space attendants are assigned specific duties and responsibilities, which they must perform in confined space, job duties.

Lead Custodian duties and responsibilities include:

- 1) Maintain voice communications with employee in the confined space
- 2) Be able to access an emergency response team

Duties: Entry Supervisors

Only Scott Zehnder, who has completed the training, is designated as confined space entry custodian and is assigned specific duties and responsibilities which must be performed in confined space job duties. Those duties and responsibilities include:

- 1) Posting the entrances of all confined spaces
- 2) Ensuring that Pre-entry and Entry procedures are followed by ISD 917 Employees
- 3) Providing a copy of the Confined Space Entry Program to vendors prior to their entering any confined space.

Training Program

Every employee at ISD 917 who faces the risk of confined space entry is provided with training so that each designated employee acquires the understanding, knowledge and skills necessary for the safe performance of the duties assigned to them. This can be done using the SafeSchools Online Training. All training related materials and documents are kept in the Alliance Education Center office and in the Health and Safety files located in the District office.

When we conduct the training, we use a variety of materials and methods. New employees are always trained before their initial assignment of duties. When changes occur in permit-required confined space areas of our district, we notify custodians in the building. If we have reason to believe that an employee has deviated from a previously trained upon procedure or that their knowledge seems inadequate, discipline procedures for insubordination as outlined in the contract may be used.

Rescue and Emergency Services

ISD 917 utilizes local public emergency personnel to perform rescue and emergency services in the event of a permit space incident. To familiarize this service with our facility and emergency needs, we provide access to all permit spaces from which rescue may be necessary so the rescue team can develop appropriate rescue plans and practice rescue operations. We also send a copy of this plan to the Rosemount fire department.

Multiple Employer Entry Procedures

When vendors/outside employers/contractors enter our facility to perform work in confined spaces, we coordinate entry and work operations following these procedures:

- 1) The Lead Custodian provides contractors with a copy of the Confined Space Entry Written Program.
- 2) The Lead Custodian informs the contractor that they are to follow appropriate safety procedures.
- 3) The Lead Custodian informs outside personnel of any expected hazards.
- 4) The Lead Custodian retains a copy of any Pre-Entry Checklists or Permits completed by the contractor.
- 5) The Lead Custodian will debrief the people entering to ascertain if there was any change in conditions confronted in the space and report these changes to the Health and Safety Coordinator.

Post-operations Procedures

Upon completion of work in a confined space, we follow these procedures to close-off the space.

- 1) Barricades are removed.
- 2) Any hatches or doors are closed.
- 3) The Pre-Entry checklist is filed.

Review-Procedures

To ensure that all employees participating in entry operations are protected from confined space hazards; ISD 917 reviews the Confined Space Entry Program on a regular basis. ISD 917 performs a single annual review covering all entries performed during a 12-month period. If no entry is performed during a 12-month period, no review will be performed.

Enforcement

Constant awareness of and respect for confined space entry hazards, and compliance with all safety rules is considered conditions of employment. Supervisors reserve the right to issue disciplinary warnings to employees and to act as detailed in the contract.

Appendix

Appendix A: Optional Pre-Entry Checklist for Use with Class 1 and 2.

SECONDARY TECHNOLOGY CENTER SAFETY MANAGEMENT

WRITTEN PLAN

Intermediate School District 917

July 2025

INTRODUCTION

The health and safety standards included in the following sections are provided for guidance to Intermediate School District 917 Secondary Technology Center instructors. Compliance with these standards will substantially aid in providing a safe and healthy work and teaching environment. Procedures outlined should be considered the minimum standards that apply for classrooms. The standards are derived from existing state or federal occupational health and safety regulations and other organizations such as: the National Fire Protection Association and the American National Standards Institute. If there are discrepancies between this plan and the standards, the standards are to take precedence.

The Intermediate School District 917 technology programs include: Construction; Total Auto Care; Heavy Duty Truck Technology; Graphic Communications; Computer Repair, Networking, and Video Game Design. It is imperative that instructors become familiar with and implement the sections in this plan that pertain to the operation(s) under their control.

Each technology program is responsible for providing safety equipment and supplies as specified in this plan. If there is equipment that does not meet the standard, it is not to be used. If there is equipment that is not used and is not likely to be used in the future, it should be decommissioned. Equipment shall be maintained in good repair. If equipment is not operable or does not meet the standards, it should be red tagged as not operable until a time when it is repaired or upgraded. Instructors are not to perform repairs or upgrades to equipment.

Section 1: The Technology Shop Safety Management Plan

The Secondary Technology Center Safety Management Plan covers: general safety and housekeeping, clothing and safe dress, personal protective equipment, machine safety, hand and power tool safety, electrical safety, compressed air safety, compressed gas cylinders, employee right to know, chemical storage requirements, safety equipment, emergency procedures, employee training and recordkeeping. This plan will be reviewed annually, evaluated for effectiveness and updated as necessary. This plan will be maintained in the District Office and on-site by each shop instructor. It shall be made available to employees, employee representatives, and safety inspectors upon request.

Each Technology Shop curriculum shall develop and implement their safety plan specific to the activities being performed. Safety guidelines for students are to be developed by instructors that are specific to the task to be performed. Student guidelines should include items identified in this plan and student behavior do's and don'ts. **Health and safety must be made an integral part of all Technology Shop curriculums and the instructor must document student competency on safety procedures by maintaining a file for each student containing safety worksheets and actual safety test passed at the 100% level.**

On a regular schedule, but not less than monthly, instructors are responsible for inspecting the shop areas under their control.

Section 2: General Safety/Housekeeping

The following precautions pertain to the minimum general safety/housekeeping procedures to be implemented in the Technology Shop classrooms:

1. Report all injuries. Injuries to instructors must be documented through the **Business and Nurses's** Office on the Injury Report Form. The Student Injury Log is to be used to document injuries to students.
2. Students are to be supervised by a licensed Technology Shop instructor when using shop equipment or chemicals.
3. No food is allowed in a Technology Shop area. Do not eat, drink, chew gum, or apply cosmetics in a shop area.
4. Minimize exposures by using appropriate personal protective apparel and equipment. (i.e. eye protection, machine guards, etc.)
5. Only tools, equipment, and machinery that are properly maintained and adjusted may be used.
6. Tools, equipment, and machinery may not be altered for use other than that for which it was designed and specified by the manufacturer.
7. Know the locations of and maintain accessibility of all safety equipment including: fire extinguishers, eyewashes, drench showers, etc.
8. Floor areas and aisles must be kept free of debris or any item that may constitute a tripping or slipping hazard.
9. Dust collections systems must be used when performing woodworking activities.
10. Cleanliness around woodworking activities is to be maintained. Particular attention should be made in regards to preventing fire hazards from wood dust inside electrical switch enclosures, bearings and motors.
11. Use shop vacuum equipment to keep work areas clean. Compressed air must not be used to clean dirt and dust from equipment, clothing or skin.
12. Clean up liquid spills immediately.
13. Maintain storage areas in a safe and orderly manner.
14. Store flammables in an approved flammable cabinet if in excess of 10 gallons.
15. Maintain aisles and egresses open and clear.
16. A minimum of 18 inches of clearance must be maintained between storage materials and fire sprinkler heads.
17. Storage of materials must not create a hazard. Overhead storage must be stable and secure. Large objects should not be stored overhead. Attention to the weight limit of a shelving or rack unit should be monitored.

18. A minimum of 36 inches of open area must be maintained for access to all electrical boxes and utility controls.

Section 3: Clothing and Safe Dress

The following precautions pertain to the minimum clothing and safe dress procedures to be implemented in Technology Shop classrooms:

1. The type of clothing is to be appropriate for the planned shop activities.
2. Instructors are responsible for ensuring that students are informed as to the requirements for wearing apparel that is suitable for the type of shop activities to be performed and the hazards involved.
3. For those working with machinery or in other hazardous operations, clothing should be well fitted with no loose or flowing articles. Shirts must be tucked in and short sleeve types are the best.
4. Shoes should be well fitted with good soles and heels and of a style that completely covers the foot. Open-toe shoes “sandals” or lightweight shoes must not be worn during shop activities.
5. Instructors and students with long hair who work around moving machinery must wear adequate hair covering to preclude the possibility of entanglement.
6. Jewelry such as rings, pendants, necklaces, earrings, and watches shall not be worn when working around moving machinery, electricity or electronics equipment.

Section 4: Personal Protective Equipment

This section addresses eye, face, hand and hearing protection. Activities are not to be performed which would require the use of respirator protection, however voluntary use of respirators is allowed. Personal protective equipment (PPE) is to be used by instructors and students whenever doing so will reduce the likelihood of injury. PPE is not a substitute for engineering controls, administrative controls, or good work practices, but must be used in conjunction with these controls.

Responsibility

Instructors have the primary responsibility for implementation of the PPE program in their shop area. This includes: conducting a hazard assessment in their area, determining what type of PPE is required, purchasing the necessary equipment and signage, ensuring students are trained on the proper use, care and cleaning of PPE, ensuring students are wearing PPE and replacing defective or damaged equipment immediately. Based on the hazard assessment, locations or activities that require PPE are to be clearly demarcated identifying the type of PPE required. Visitors or others passing through the area should be able to easily identify the hazards and PPE required.

Eye and Face Protection

Instructors and students must use appropriate eye and face protection when working in eye protection areas or exposed to hazards from flying particles or chemicals. Eye protection areas include but are not limited to, technology shops in which activities are taking place and materials are being used involving: hot molten materials, milling, sawing, turning, shaping, cutting,

grinding or stamping of any solid materials, heat treatment, tempering, or kiln firing of any metal or other materials, gas or electric arc welding, repair or servicing of any vehicle or mechanical equipment. Eyewear must comply with ANSI Z87.1 as indicated by labels on the PPE. When there is a hazard from flying objects, side protectors must be used.

Hand Protection

Instructors and students must use appropriate hand protection when exposed to hazards from skin absorption of harmful substances, severe cuts or lacerations, abrasions, punctures, chemical burns or temperature extremes. An evaluation of the hazard must be made and the appropriate glove type selected. Glove selection will be based on performance characteristics of the gloves, conditions, duration of use, and hazard present. One type of gloves will not work in all situations.

Hearing Protection

Instructors and students exposed to noise levels at or above the OSHA permissible exposure limit of 85 dBA as measured on an eight-hour time weighted average (TWA) must wear hearing protection. It is recommended that hearing protection be used whenever operating equipment which generates decibel level above 80 dBA. The type of hearing protection device used must, at a minimum, attenuate the noise level to an 8-hour TWA of 85 dBA or less. Instructors should also limit their daily noise exposure by reducing the time period devoted to excessively noisy activities. Personnel and equipment noise level monitoring can be performed by Health and Safety upon request.

Refer to the District Respiratory Protection, Personal Protective Equipment and Hearing Conservation Written Plans for more information on these topics.

Section 5: Machine Safety

Machinery is the most immediate and apparent safety hazard in the shop area. **It is imperative that instructors supervise students at all times when using any shop machines.** Prior to student usage, the instructor must approve the intended operation by the student making sure that guards are in place and that student has passed the safety test for the equipment he/she will be operating. Instructors must ensure that the equipment is functioning properly and all safety equipment is in place and being used. Equipment lighting is to be maintained operational and must be protected from breakage. All safety guards must be maintained in proper position while the machine is in operation. The instructor is responsible for performing regular scheduled inspections and manufacturer specified preventative maintenance of machinery. The instructor is not to perform maintenance that will require the implementation of lockout/tagout procedures. If machine equipment is determined not to be functioning properly or it is missing safety or guarding equipment, it is not to be used. The instructor must label the equipment with a red tag as not operational until such a time when repairs or upgrades can be made. Students shall have completed a safety worksheet for each piece of equipment and passed a safety test at the 100% level in order to be deemed fit to operate that machine. The instructor will keep a file for each student containing the worksheet and student safety test. The instructor will record on a visible, posted sheet the student's name and the machines he is qualified to operate. Students not

demonstrating competency with machine operation and safety procedures must not be allowed to operate machinery.

Guarding

Machine guarding procedures are as required by OSHA 29 CFR 1910.212. One or more methods of machine guarding shall be provided to protect the operator and other people in the machine area from hazards such as those created by point of operation, in-going nip points, rotating parts, flying chips and sparks. Examples of guarding methods are barrier guards, two-hand tripping devices, electronic safety devices, etc. Safeguards must meet the following minimum requirements:

1. **Prevent Contact:** The safeguard must prevent hands, arms, and any other body part of the user's body from making contact with dangerous moving parts. All belts, pulleys, gears, shafts and moving parts must be guarded. Chip shield guards and filler plates need to be maintained at a maximum clearance of 1/4 inch on the top plate and 1/8 inch on bottom.
2. **Secure:** Users should not be able to easily remove or tamper with the safeguard. Guards and safety devices should be made of durable material that will withstand the conditions of normal use. Safeguards must be firmly attached to the machine.
3. **Protect from Falling Objects:** The safeguard should ensure that no objects could fall into moving parts.
4. **Create No New Hazards:** A safeguard defeats its own purpose if it creates a hazard of its own such as a shear point, a jagged edge, or an unfinished surface which can cause a laceration. The edges of guards should be rolled or bolted in such a way that they eliminate sharp edges.
5. **Create No Interference:** Any safeguard, which impedes a user from performing the job quickly and comfortably, may soon be overridden or disregarded. The guard should be evaluated by Health and Safety personnel for possible improvement but **not** removed.
6. **Allow Safe Lubrication:** If possible, machines should be able to be lubricated without removing the safeguards.

Section 6: Hand and Power Tool Safety

The instructor must monitor activities involving the use of hand and power tools. Tools must be maintained in a safe and operable condition. Any hand or power tool found not in proper working order must be removed from service. Tools must be inspected at regular intervals and preventative maintenance performed in accordance with the manufacturer's specifications. All tools must be used with the correct PPE, shield, guard or attachment recommended by the manufacturer. Tools are only to be used for the designed or intended usage. Following usage, hand and power tools are to be properly stored and secured. Tools should never be left unattended where they may be available to unauthorized persons.

Guarding of Portable Power Tools

Portable power tool guarding procedures must meet the following minimum procedures:

1. All portable, power-driven circular saws having a blade diameter greater than two inches must be equipped with guards above and below the base plate or shoe. The upper guard must cover the saw to the depth of the teeth except for the minimum arc required to permit the base to be tilted for bevel cuts. The lower guard must cover the saw to the depth of the teeth except for the minimum arc required to allow proper retraction and contact with the work. When the tool is withdrawn from the work, the lower guard must automatically and instantly return to covering position.
2. All hand-held power circular saws having a blade diameter greater than two inches must be equipped with a constant pressure switch or control that will shut off the power when the pressure is released.
3. All hand-held power drills, fastener drivers, grinders or disc with wheels greater than two inches, belt sanders, reciprocating saws, saber, scroll and jig saws with blade shanks greater than a one-fourth inch, and other similarly operating powered tools will be equipped with a constant pressure switch or control, and may have a lock-on control provided that turnoff can be accomplished by a single motion of the same finger that turned it on.
4. The operating control on hand-held power tools must be located as to minimize the possibility of its accidental operation.
5. All portable electric power tools must be grounded.

Section 7: Electrical Safety

Safe work practices must be employed to prevent electric shock or other injuries resulting from electrical contact. Activities performed near or on equipment or circuits that are or may be energized must incorporate safety-related work practices consistent with the nature and extent of the associated electrical hazard. The minimum electrical safety procedures are as follows:

1. All electrical equipment and cords must be inspected monthly by the instructor to insure proper use and safe condition.
2. Damaged electrical equipment must be reported for repairs.
3. The power source to damaged electrical equipment must be disconnected (red tagged) until repairs can be made.
4. Damaged extension cords should be discarded.
5. All electrical equipment and cords must be properly grounded with three-prong type plugs. Power tools not equipped with three-prong type plugs must be double insulated or connected to a ground-faulted outlet or adapter.
6. All occasional use electrical equipment must be disconnected when not in use.
7. Extension cords must not be used on a **permanent basis** to supplement existing outlets to provide electricity for appliances and equipment in regular use.
8. The use of octopus plugs, strip adapters and three-prong adapters are prohibited. The use of ground faulted power strips is acceptable.
9. Circuit breaker panels and wiring are not to be modified by instructors or students.
10. All circuit breakers must be identified by label according to service area. Breakers are to be labeled to facilitate power shut-off in the case of an emergency.
11. A minimum of a 36-inch clearance around electrical service panels and emergency shut-off equipment must be maintained.

12. Electrical service panels are to be secured (locked) at all times to prevent student access. If the service panel is the only location for equipment emergency shut-off, it is to be maintained unlocked and accessible.

Electrical Controls and Equipment

1. Mechanical or electrical power controls must be provided for each machine to make it possible for the operator to cut off the power. Clearly marked power controls must be located within easy reach of the operator. Emergency stops should be identified in red.
2. Students should be given instruction on the purpose of the over-current devices and disconnects should be properly labeled.
3. Electrically driven equipment must be controlled with a magnetic or similar device to prevent automatic restarting of the machine after a power failure.
4. Power controls and operating controls should be located within easy reach of the operator without requiring them to reach over operating parts.
5. Instructors are not to perform repairs on electrical equipment. Adjustments that are considered to be routine, repetitive, and integral to the use of the equipment can be performed by the instructor.
6. Prior to making adjustments to electrical machinery, procedures must be followed to render controls and devices inoperative (lockout/tagout).

Section 8: Compressed Air Safety

The following precautions pertain to the use of compressed air in shop areas:

1. Students are to be supervised by the instructor at all times during compressed air activities.
2. The instructor, prior to each use, must inspect all components of the compressed air system.
3. Compressed air equipment is not to be modified by instructors or students.
4. Compressed air equipment must be labeled to identify its use and maximum allowable working pressures.
5. Air supply shutoff valves must be located as near as possible to the point of operation.
6. Air hoses must be kept free of grease and oil to reduce the possibility of deterioration.
7. Hoses must not be strung across floors or aisles where they are likely to cause occupants to trip and fall.
8. Hose storage must be in a location that provides efficient access and protects the hose and nozzle from damage.
9. Hose ends must be secured to prevent whipping if an accidental cut or break occurs.
10. Before a pneumatic tool is disconnected, the air supply must be turned off at the control valve and the tool bled.
11. Eye and face protection must be worn at all times by instructors and students during compressed air activities.
12. Compressed air nozzles must be equipped with a separate regulator to reduce pressure to less than 30 psi when used for blowing.
13. Compressed air must not be used to clean dirt and dust from clothing or off a person's skin.

14. Compressed air is not to be used for cleaning machinery or blowing dust around the shop area. Shop vacuums and brooms are to be used for cleaning.

Section 9: Compressed Gas Cylinders

Procedures for the use and storage of compressed gas cylinders must meet the following minimum procedures:

1. Instructors must inspect compressed gas cylinders on a weekly basis when in storage and prior to each use.
2. Compressed gases must be handled as a high-energy source and as a potential explosive.
3. All compressed gas cylinders must be clearly labeled with the chemical or trade name of the gas.
4. Always protect cylinder valve stems with valve protectors when not in use or connected for use.
5. Avoid exposing cylinders to heat sources and direct sunlight.
6. Never lubricate, modify, force or tamper with cylinder valves.
7. Gas cylinders must be secured in place and reactive gas cylinders must be separated from oxidizing cylinders by a firewall or a minimum of a 20-foot distance. Mobile cylinders must be securely chained to a wall or cart.
8. Proper personal protective equipment must be used when necessary. (i.e., welding/cutting)

Section 10: Right-to-Know

Right to Know is designed to protect employees, occupants and students from the effects of any hazardous chemical used or stored in industrial arts areas. The purpose of the program is to ensure that all hazardous chemicals in the workplace are identified and to increase employee education and awareness of hazardous chemicals. The District-wide written Employee Right to Know Written Plan is maintained in the District Office.

Procedures to be implemented by instructors are as follows:

1. **Chemical Inventory:** A complete and current inventory of all hazardous chemicals must be maintained for each technology program. The inventory should be maintained as part of this plan using the Chemical Inventory Form. All items in inventory must show the chemical name, manufacturer information, storage location, quantity, product usage and hazard analysis. Examples of hazardous chemicals include, but are not limited to, cleaning chemicals, gasoline and other petroleum products, compressed gases, paints and solvents, inks, and processing chemicals. Products exempted from this requirement include consumer products packaged for distribution to the general public, if used by employees in the workplace in the same form, concentration, frequency and manner, as would the general public.
2. **Safety Data Sheets:** Every item in the chemical inventory must have a corresponding Safety Data Sheet (SDS). It is the responsibility of each school technology shop

department to maintain SDS's as part of this plan. SDS's must be organized and made easily available to employees and students. ISD 917 uses MSDSONline for their chemical inventory. Every teacher computer has it on their desktop for easy access.

SDS's are available from the product suppliers and should provide the following minimum information: chemical name, hazardous components, physical characteristics (density, flashpoint, etc.) physical hazards (fire, explosion, reactivity) health hazards and symptoms, primary routes of entry, permissible exposure limits or threshold limit value, any applicable precautions (gloves, goggles, fume hood, etc.) first aid and emergency procedures, date prepared and name and address of the manufacturer. Any item in inventory that does not have a SDS is to be disposed of. Hazardous products are to be disposed of in accordance with the Regulated Waste Management Plan.

3. **Chemical Labeling:** All chemical containers must be labeled to clearly identify contents. At a minimum, chemical container labeling is to list: chemical name, concentration and how the chemical can hurt you. It is best if the label on the container matches the name on the corresponding SDS.

Section 11: Chemical Storage Requirements

All chemicals represent potential hazards and storage systems must recognize these hazards and be designed to minimize them. The quantity of stored chemicals should be minimized to include only those needed for scheduled shop activities. In the event that a shop area has excess or old chemical products, the District Office should be contacted to provide for proper disposal. Storage and disposal requirements for specific chemicals are identified in the Regulated Waste Management Plan.

Chemical storage requirements to be implemented by instructors are as follows:

1. Chemicals should be stored in secured, storerooms or cabinets. Unsecured areas are not to be used for chemical storage.
2. Instructors must inspect chemical storage rooms and cabinets weekly.
3. No unlabeled products should be stored anywhere.
4. Store only the minimum amount of chemicals needed.
5. Storage areas and cabinets must be labeled to identify the hazardous nature of the products stored within.
6. Shelving above work areas must be kept free of chemical storage.
7. All storage containers must have lids or covers. The instructor must clean up spills immediately.
8. Chemicals stored on the floor must be in approved shipping containers.
9. Only authorized personnel are allowed in chemical storage areas or cabinets. **Students are never allowed in these areas.**
10. Exposure to heat or direct sunlight in chemical storage areas must be avoided.
11. Quantities of flammable and combustible liquids in excess of ten gallons (total) must be stored in approved flammable liquid storage cabinets. Doors to the cabinets should be closed after the chemical has been obtained for use. Quantities less than ten gallons may be stored in approved safety cans or original containers.

12. The maximum quantity of flammable and combustible liquids in storage and use must not exceed 120 gallons or 240 gallons in sprinkled areas.
13. When transferring flammable liquids between metal containers, the containers must be properly bonded.
14. Flammable liquids must be stored away from all sources of ignition.

Section 12: Safety Equipment

Safety equipment must be in good operating condition and must be functional at all times. The minimum safety equipment and procedures are as follows:

1. Eye wash fountains and deluge showers, if present or required, must provide tempered water at 55 to 90 degrees Fahrenheit. Eye wash fountains must be flushed weekly. Flushing records are to be maintained at the flushing station.
2. At least one 2A-20BC or larger fire extinguisher must be available for each 3000 feet of shop area. Travel distance to reach the extinguisher must not exceed 50 feet from anywhere in the shop area. A minimum of 36 inches of open area must be maintained for access to all fire extinguishers and fire pull stations.
3. Fire blankets must be easily accessible in shop areas.
4. Neutralizing materials (floor dry) and spill clean-up kits must be available for flammable liquids.
5. A minimum of 18 inches of clearance must be maintained between storage materials and fire sprinkler heads.
6. Safety guards and devices are to be maintained in place and operable at all times. Removal or non-use of safety equipment is **not** allowed.
7. Floor areas around machines should have a non-slip surface.
8. A minimum of 36 inches of open area must be maintained for access to all electrical boxes, utility controls and shut off devices.
9. Hazard lines demark safety zones around machines.

Section 13: Emergency Procedures

It is the responsibility of the instructor to establish emergency procedures specific to the shop areas and activities under their control. The minimum emergency procedure guidelines are as follows:

1. Post emergency phone numbers in each shop area.
2. Post first aid procedures in each laboratory area.
3. Never block access to emergency exits, equipment, or utility controls.
4. Keep all aisles clear.
5. Know emergency evacuation and fire emergency procedures.
6. Know where and how to use master utility controls to shut off gas, electrical and water supplies.
7. Clean-up spills immediately and thoroughly. Technology Shop instructors following standard clean-up procedures should only clean-up spills.

Section 14: Employee Training

Safety training will be held once a year and are to include all Technology Shop instructors and assistants. This will be done through SafeSchools (Vector Solutions) online training. Training will include, but is not limited to, the following:

1. Contents and location of the Technology Shop Safety Management Plan.
2. Technology Shop instructor responsibilities under the safety plan.
3. Employee Right-to-Know information including chemical inventory, material safety data sheets, chemical labeling and storage.
4. Potential hazards involved in using chemicals.
5. Signs and symptoms associated with exposure to hazardous chemicals.
6. The proper use and location of safety equipment.
7. Emergency procedures.
8. Information on the storage and disposal of hazardous materials.

Section 15: Recordkeeping

The District Office and individual instructors share recordkeeping responsibilities for the Technology Shop Safety Management Plan. Records will be retained for a minimum of three years and will include: noise level monitoring results, inspection records, hazardous waste disposal records and employee training records. Recordkeeping by individual instructors should be maintained in the shop area as part of this management plan. **The minimum recordkeeping responsibilities to be performed by instructors include all completed Technology Shop Safety Checklists, safety tests and worksheets contained in files for each student, and keeping their chemical inventory up to date on MSDSonline.** Instructors shall keep a log of employee and student accidents and injuries so that shop improvements can be determined. Corrective action as needed based on accident reports and near misses shall be taken. In the event of instructor turn-over, all records for that shop area should be provided to the new instructor.

Section 16: Future Equipment

The Department of Education bid specification criteria shall be used for procurement of all future equipment. Instructors should not assume that the equipment they are ordering meets the criteria.

LOCKOUT/TAG-OUT ENERGY CONTROL

WRITTEN PLAN

Intermediate School District 917

July 2025

Purpose

This procedure establishes the minimum requirements for controlling hazardous energy whenever maintenance or repair is done on machinery at our sites. It is used to ensure that the machine or equipment is stopped, isolated from all potentially hazardous energy sources and locked out before employees perform any servicing or maintenance where the unexpected energization or start-up of the machine or equipment or release of stored energy could cause injury.

Authorized and Affected Employees

Authorized employees subject to the requirements of this program and to be trained on their duties within it include all staff from the following programs: Alliance Education Center, Construction Trades, Heavy Duty Truck Technology, Total Auto Care – Vehicle Service and Auto Body, Graphic Communications, Health and Safety.

Machinery and Equipment

The machinery and equipment in this facility that falls under the Control of Hazardous Energy Standard includes the following: Any equipment which is hard wired (not cord/plug operated) including: univents, exhaust and circulating fans at Alliance Education Center, garbage disposals, refrigerators, all lights at Alliance Education Center, and automatic garage doors.

Lockout is the preferred method of isolating machines or equipment from energy sources. Tag-out is to be performed instead of lockout only when there is no way to lockout a machine.

Lockout/Tag-out Procedures

Affected employees are notified verbally when their machine is to be locked out by the authorized employee who will be performing the lockout.

The machinery and equipment listed above follows these shutdown, isolation, blocking and securing procedures for lockout/tag-out:

- 1) The authorized employee shall determine the type and magnitude of the energy that the

machine or equipment utilizes, shall understand the hazards of the energy and shall know the methods to control the energy.

- 2) If the machine or equipment is operating, shut it down by the normal stopping procedure (depress the stop button, open switch, close valve, etc.)
- 3) Deactivate the energy isolating device(s) so that the machine or equipment is isolated from the energy source(s).
- 4) Lock out the energy isolating device(s) with assigned individual lock(s.)
- 5) Stored or residual energy (such as that in capacitor, springs, elevated machine members, rotating flywheels, hydraulic systems, and air, gas, steam, or water pressure, etc.) must be dissipated or restrained by methods such as grounding, repositioning, blocking, bleeding down, etc.
- 6) Ensure that equipment is disconnected from the energy source(s) by first checking that no personnel are exposed, then verify the isolation of the equipment by operating the push button or other normal operating control(s) or by testing to make certain the equipment will not operate. Then return the operating control(s) to neutral or "off" position after verifying the isolation of the equipment.

The machinery and equipment listed above follows these lockout removal and restart procedures:

Check the machine or equipment and the immediate area around the machine to ensure that non-essential items have been removed and that the machine or equipment components are operationally intact.

- 1) Check the work area to ensure that all employees have been safely positioned or removed from the area.
- 2) Verify the controls are neutral.
- 3) Remove the lockout devices and re-energize the machine or equipment.
- 4) Notify affected employees that the servicing or maintenance is completed and the machine or equipment is ready for use.

Written procedures for equipment with multiple energy sources, such as soil or gas space heaters, will be kept in the area where the equipment is located.

Lockout/Tag-out equipment will be the responsibility of Scott Zehnder, Lead Custodian, and individual instructors. Lockout/Tag-out equipment will be kept in a box in the Custodial office at Alliance Education Center and in the DCALS Office such that the equipment is accessible. Equipment including: tags, locks, chain and breaker locks will be ordered from the Health and Safety Coordinator in the District Administration Office.

Periodic Inspection

A periodic inspection is done, looking at the energy control procedures performed to ensure that the procedure and requirements of the standard are being followed. This inspection is performed by a consultant.

Administrative Duties

Amy Alexander has overall responsibility for coordinating safety and health programs in this district. She is the person having overall responsibility for the Lockout/Tag-out Program. Amy Alexander will review and update the program, as necessary. Copies of the written program may be found on the website at www.isd917.org.

Discipline

Employees who do not use Lockout/Tag-out to control energy will be considered insubordinate and disciplined according to their contract.

Training and Certification

Annual training will be provided by SafeSchools Online Training to authorized employees. Annual review to certify that building employees are able to perform lockout/tag-out will be done by Scott Zehnder and the secondary building principal.

Outside Contractors

Outside contractors who work on equipment or machinery in the buildings will be shown this plan, prior to doing any work where lockout/tag-out is required. Outside contractors shall use lockout/tag-out whenever the unexpected energization, start up, or release of stored energy could injure. The outside contractor will be responsible for informing affected employees when they plan to use lockout/tag-out. Outside contractors shall provide their own lockout/tag-out equipment.

PERSONAL PROTECTIVE EQUIPMENT

WRITTEN PLAN

Intermediate School District 917

July 2025

This written plan documents steps Intermediate School District 917 (ISD 917) has taken to minimize injury, resulting from various occupational hazards present at our sites, by protecting workers through the use of personal protective equipment (PPE) when the hazards cannot be eliminated.

Amy Alexander is the program coordinator, acting as the representative of the School Board, who has overall responsibility for the program. Annual training on employee's use of PPE will be conducted by a consultant, one-on-one, or viewing a video or computer-based training module. Procurement of PPE is done by contacting Linda Berg who will select the equipment and place the orders. This written plan is kept in the district office and will be reviewed annually.

ISD 917 believes its obligation is to provide a hazard-free environment to its employees. Any employee encountering hazardous conditions must be protected against the potential hazards. The purpose of protective clothing and equipment (PPE) is to shield or isolate individuals from chemical, physical, biological, or other hazards that may be present in the workplace. (See also separate written plans for the respiratory protection and hearing conservation programs.)

Establishing an overall written PPE program detailing how employees use PPE makes it easier to ensure that they use PPE properly in the workplace, and documents our PPE efforts in the event of an OSHA inspection. Our PPE program covers:

- Purpose
- Hazard assessment
- PPE selection
- Employee training
- Cleaning and maintenance of PPE
- PPE specific information

If after reading this program you find that improvements can be made, please contact Amy Alexander at 651-423-8229. We encourage all suggestions as we are committed to the success of our Personal Protective Equipment Program. We strive for clear understanding, safe behavior, and involvement in the program from every level of the school district.

Purpose of Program

The basic element of any PPE program is an in depth evaluation of the equipment needed to protect against the hazards at the workplace; this is the initial hazard assessment for which written documentation is required. Two basic objectives of any PPE program should be to protect the wearer from incorrect use and/or malfunction of PPE. The purpose of this Personal Protective Equipment (PPE) Program is to document the hazard assessment, protective measures in place, and PPE in use at this workplace. PPE devices are not to be relied on as the only means to provide protection against hazards, but are used in conjunction with guards, engineering controls, and sound work practices. If possible, hazards will be abated first through engineering controls, with PPE to provide protection against hazards, which cannot reasonably be abated otherwise.

Hazard Assessment

In order to assess the need for PPE the following steps are taken:

1. The Health and Safety Coordinator and the Assistant Directors and/or Directors will have identified the job classifications where exposures occur or could occur. The business office examines the First Reports of Injury.
2. The Health and Safety Coordinator and the Assistant Directors and/or Directors conduct on going walk through surveys of workplace areas where hazards exist or may exist to identify sources of hazards to employees. Employees are also asked to inform the Health and Safety Coordinator of any hazards in their work. The basic hazard categories are:
 - Impact
 - Heat
 - Penetration
 - Harmful dust
 - Compression (roll over)
 - Light (optical) radiation
 - Chemical
 - Noise
 - Body Fluids

During the walk-through surveys the Health and Safety Coordinator and the Assistant Directors and/or Directors observe and record the following hazards. Employees also provide information during training sessions.

- Sources of motion; i.e., machinery or processes where any movement of tools, machine elements, or particles could exist or movement of personnel that could result in collision

with stationary objects: Heavy Duty Truck Technology Careers-vehicles; Graphic Communications; Vehicle Services – moving vehicles and lifts; Custodial/Maintenance – HVAC units; Grounds – lawn mowers and snow blowers.

- Sources of high temperatures that could result in burns, eye injury or ignition: Heavy Duty Truck Technology Careers; Total Auto Care - welders, torches, plasma cutter; Custodial – boilers.
- Chemical exposures could occur in: Heavy Duty Truck Technology Careers and Total Auto Care – paint, parts washer, auto chemicals; Science; Custodial – cleaning chemicals, boiler chemicals.
- Exposures to harmful dusts are covered in the Respiratory Protection Program.
- Exposures to sources of light radiation, i.e., welding, brazing, cutting, high intensity lights, ultra-violet light etc. occur in: Heavy Duty Truck Technology Careers– welding; Total Auto Care – welding and torching.
- Sources of falling objects or potential for dropping objects occur in: Total Auto Care-vehicles on lifts; Construction; where hard hats are worn.
- Sources of sharp objects which might pierce the feet or cut the hands have been observed in: Graphic Communication; Total Auto Care-sheet metal; Science.
- Sources of rolling or pinching objects, which could crush the feet, have been observed in: Total Auto Care – vehicles moving.
- Sources of excess noise are covered in the Hearing Conservation Program written plan.
- Exposures to potentially infectious body fluids occur in all shop type programs where first aid could be needed.
- Electrical hazards can occur in: Graphic Communications; Total Auto Care; Heavy Duty Truck; Custodial; Construction.

An estimate of the potential for injuries has been made. Each of the basic hazards has been reviewed and a determination made as to the frequency, type, level of risk, and seriousness of potential injury from each of the hazards found. The existence of any situations where multiple exposures occur or could occur has been considered.

Selection Guidelines/Purchasing

Once any hazards have been identified and evaluated through hazard assessment, the general procedure for selecting protective equipment is to:

1. Become familiar with the potential hazards and the type of PPE that is available, and what they can do.
2. Compare types of equipment to the hazards associated with the environment.

3. Select the PPE, which ensures a level of protection greater than the minimum required to protect employees from the hazards.
4. Fit the user with proper, comfortable, well fitting protection and instruct employees on care and use of the PPE. It is very important that the users are aware of all warning labels for and limitations of their PPE.

Amy Alexander will do selection of PPE with the assistance of the Assistant Director and/or Director.

Never will PPE be denied, limited or said to be not available due to departmental budgets.

It is the responsibility of Amy Alexander (with the aid of a consultant) to reassess the workplace hazard situation as necessary, to identify and evaluate new equipment and processes, to review accident records, and reevaluate the suitability of previously selected PPE. This reassessment will be ongoing.

Elements, which should be considered in the reassessment, include:

- Adequacy of PPE program
- Accidents and illness experience
- Levels of exposure (this implies appropriate exposure monitoring if needed)
- Adequacy of equipment selection
- Number of person hours that workers wear various protective ensembles
- Adequacy of training/fitting of PPE
- Program costs
- Recommendation for program improvement and modification
- Coordination with overall safety and health program

Employee Training

Annual training is required to use personal protective equipment. Training will be accomplished using SafeSchools Online Learning. Training includes:

- When PPE is necessary
- What PPE is necessary
- How to wear assigned PPE
- Limitations of PPE
- The proper care, maintenance, useful life, and disposal of assigned PPE

Employees must demonstrate an understanding of the training and the ability to use the PPE properly before they are allowed to perform work requiring the use of the equipment.

Employees are prohibited from performing work without donning appropriate PPE to protect them from the hazards they will encounter in the course of that work. Supervisors are responsible to see that employees wear their PPE.

If the Assistant Director and/or Director has reason to believe an employee does not have the understanding or skill required, the employee must be retrained. Circumstances where retraining may be required include changes in the workplace, changes in the types of PPE to be used that would render previous training obsolete, and inadequacies in an affected employee's knowledge or use of the assigned PPE that indicates the employee has not retained the necessary understanding or skills.

The trainer certifies in writing that the employee has received and understands the PPE training. Annual training records will be kept on file in the Health and Safety Office, located in the District Office.

Because failure to comply with district guidelines concerning PPE can result in OSHA citations and fines as well as employee injury, an employee who does not comply with this program will be disciplined for insubordination according to their contract.

Cleaning and Maintenance

It is important that all PPE be kept clean and properly maintained by the employee to whom it is assigned. Cleaning is particularly important for eye and face protection where dirty or fogged lenses could impair vision. PPE is to be inspected, cleaned, and maintained by employees at regular intervals as part of their normal job duties so that the PPE provides the requisite protection. Instructors and the lead Custodian are responsible for ensuring compliance with cleaning responsibilities by employees. If a piece of PPE is in need of repair or replacement, it is the responsibility of the employee to bring it to the immediate attention of their supervisor. It is against work rules to use PPE that is in disrepair or not able to perform its intended function. Contaminated PPE, which cannot be decontaminated, is disposed of in a manner that protects employees from exposure to hazards.

PPE Specific Information

Body Protection - Aprons, Lab Coats, Chaps, Jackets, Smocks

It is the policy of the district as a condition of employment, all regular, full time, part time, and temporary employees working in a designated work area and/or job assignment are required to wear aprons, lab coats, chaps or jackets to help prevent injury to the body resulting from chemicals, light radiation, flying particles, for example. See the following list:

Heavy Duty Truck Technology Careers, Total Auto Care, - Shop coats and welding

Science, - lab coats, aprons

Eye Protection -Goggles, Face Shields and Safety Eyewear

All regular full time, part time, and temporary employees working in designated work area and/or job assignments are required to wear ANSI approved goggles/face shields to help prevent eye and face injuries, including those resulting from flying particles, molten metal, liquid chemicals, acids or caustic liquids, chemical gases or vapors, or light radiation. See the following list:

Goggles, Face Shields or Safety Eyewear -- Total Auto Care, Heavy Duty Truck Technology Careers, Graphic Communications, Computer Repair, Networking and Video Game Design; Construction Trades

Safety Eyewear -- Computer Repair, Networking, and Video Game Design, Construction Trades

Goggles - Science

Foot Protection-Safety Shoes

All regular full time, part time, and temporary employees working in designated work areas and/or job assignments are required to wear safety shoes to help prevent foot injuries, ankle injuries, slips, and falls. Employees in the following designated work areas are required to wear OSHA approved safety shoes:

Construction, Heavy Duty Truck, Total Auto Care, Maintenance- Safety Shoes

Hand Protection – Gloves

All regular full time, part time, and temporary employees working in designated work areas and/or job assignments are required to wear gloves to help prevent hand injuries, including cuts, burns, and chemical exposure. Employees in the following designated work areas are required to wear protective gloves:

Leather gloves, hot gloves, and chemical gloves – Total Auto Care; Heavy Duty Truck

Chemical gloves, leather gloves – Maintenance

Head protection -- Hard hats

All regular full time, part time, and temporary employees working in designated work areas and/or job assignments are required to wear ANSI approved hard hats to help prevent head injuries, including those resulting from falling objects, bumping the head against a fixed object, or electrical shock.

Employees in the following designated work areas are required to wear hard hats: None.

In Addition

Employees from temporary work agencies and contractors are required to wear PPE if assigned to work in the designated work areas.

All assistant supervisors are responsible for ensuring employees under their charge are in

compliance with this written plan.

All employees who work in designated work areas and/or job assignments are responsible for wearing district provided PPE to comply with this written plan. Failure to comply will result in disciplinary action.

All employees required to wear PPE must routinely inspect and properly care for their PPE.

Indoor Air Quality Management Plan

Intermediate School District 917

1300 145th Street East

Rosemount, Minnesota 55068

July, 2025

TABLE OF CONTENTS

I.	Indoor Air Quality Management Plan	4
	A. Purpose/Scope	4
	B. Description	4
	C. Acceptable Indoor Air Quality Goals	6
	D. Process Utilized	6
	E. District Policy	7
	F. IAQ Plan Review	7
II.	Indoor Air Quality Team	7
	A. District IAQ Coordinator	7
	B. District-Wide IAQ Team Members	7
III.	Building Surveys	8
	A. Walk-Through	8
	B. Ventilation Surveys	9
IV.	Maintaining and Operating Buildings for Optimum Indoor Air Quality	9
	A. HVAC Preventative Maintenance Program	9
	B. Temperature	12
	C. Water Intrusion	12
	D. Painting, Roofing and Flooring	12
V.	Indoor Air Quality Checklists	12
VI.	Integrated Pest Management (IMP)/Chemicals	12
	A. IPM	12
	B. Chemicals	13
VII.	Indoor Air Quality Cleaning Standards	13
	A. Entrances	14
	B. Hallways	14
	C. Food and Beverage Areas	14
	D. Kitchens	15
	E. Restrooms and Locker Rooms	15
	F. Classrooms	15
	G. Offices	15
	H. Carpet	15

VIII. Area IAQ Guidelines	15
A. Animals in the Classrooms	15
B. Food Service	16
C. Art and Craft Classrooms	17
IX. Indoor Air Quality Complaint Resolution System	17
A. Purpose/Scope	17
B. The Process	17
X. Communication/Information	17
A. Availability of Information	17
B. Annual Notification	18
XI. Training, Education, and Information	18
XII. Renovation, Remodeling, and Redecorating Activities	19
XIII. Budgeting	19
XIV. Appendices:	
A – Indoor Air Quality Complaint Form	
B – Indoor Air Quality Questionnaire	
C – Action Items List	
D – Health & Safety Coordinator’s Indoor Air Quality Investigation Form	
E – Teacher’s Indoor Air Quality Checklist	
F – Indoor Air Quality Flooring Checklist	
G – Indoor Air Quality Painting Checklist	
H – Indoor Air Quality Roofing Checklist	
I – Building and Grounds Maintenance Checklist	
J – HVAC Maintenance Schedule	
K – Ventilation Checklist and Log	

I. ISD 917 Indoor Air Quality Management Plan

A. Purpose and Scope

The purpose of this document is to provide minimum building operational standards to ensure acceptable indoor air quality within all Intermediate School District 917 facilities. This plan will impact all building occupants by proactively managing indoor air quality and provide a healthier and safer environment for students and staff members. This document is reviewed and revised annually, or more often if significant changes are made to building operations, cleaning, or maintenance.

B. Description

Indoor Air Quality (IAQ) files and all records relating to IAQ are located in the Superintendent's office at Dakota County Technical College, 1300 145th Street East, Rosemount, MN, 55068.

The following building locations (categorized) will be occupied by Intermediate School District 917 programs during the 2025-2026 school year:

DISTRICT OWNED SPACE

Alliance Education Center

14300 Biscayne Avenue
Rosemount, MN 55068
651-423-8100

DISTRICT LEASED SPACE

Cedar School (SUN)

2140 Diffley Road
Eagan, MN 55122
952-707-4050

Concord Education Center

9015 Broderick Blvd.
Inver Grove Heights, MN 55076

Dakota County Area Learning School North (DCALS-North)

150 E. Marie
West St. Paul, MN 55118
651-332-5570

Dakota County Technical College (TESA, Dakota County Area Learning School (DCALS), Administrative Offices)

1300 East 145th Street
Rosemount, MN 55068
651-423-8214

Lebanon Education Center (TEA)

5800 149th Street
Apple Valley, MN 55124
952-431-4062

SPACE OCCUPIED WITHIN ANOTHER PUBLIC SCHOOL DISTRICT

Bloomington Transition Center (DASH, SUN & TESA)

2575 W 88th Street, Door 10
Bloomington, MN 55431
Main Office: 952-681-6118
Fax: 952-681-6179
School Hours: 7:45-2:20

Hastings Senior High School (DASH)

200 General Sieben Drive
Hastings, MN 55033
651-480-7521

Inver Grove Heights Middle School (DHH)

8167 Cahill Avenue
Inver Grove Heights, MN 55076
Rm. 8208
Main Office: 651-306-7200
Fax: 651-306-7152
School Hours: 8:30-3:20

Lakeville North Senior High School (DASH)

19600 Ipava Avenue West
Lakeville, MN 55044
952-232-3600

Lincoln Center (DHH)

357 9th Avenue N.
South St. Paul, MN 55075
Rm. 135A
Main Office: 651-457-9426
Fax: 651-457-9423
School Hours: 8:20-2:55

Pine Bend Elementary (TEA)

9875 Inver Grove Trail
Inver Grove Heights, MN 55076

Pond Family Center (TEA)

9600 Pond Avenue South
Bloomington, MN 55420
Rm. XXX:
Main Office: 612-870-7422
Fax: 651-438-4985

Riverview Elementary (TEA)

4100 208th Street West
Farmington, MN 55024

Simley High School (DHH)

2920 80th Street East
Inver Grove Heights, MN 55076

Two Rivers High School (DASH)

1897 Delaware Avenue
Mendota Heights, MN 55118
651-403-7345

SPACE OCCUPIED WITHIN OTHER FACILITIES (Public or Private)

Juvenile Services Center (JSC)

1600 West Highway 55
Hastings, MN 55033
651-438-4980

C. Acceptable Indoor Air Quality Goals

Intermediate School District 917 has identified the following goals to assure acceptable indoor air quality within its facilities. Each goal is measurable to provide a quantitative assessment of what constitutes good indoor air quality:

Goals and Objectives

1. Provide a minimum of 15 cubic feet per minute (cfm) of outside air per person during regular school hours.
2. Reduce the number of complaints and reactive investigations by improving indoor air quality throughout the district and solving any problems/handling concerns proactively.
3. Implement a thorough preventative maintenance program involving heating, ventilation, and air conditioning systems and building envelope.
4. Improve the effectiveness of cleaning buildings with better procedures, supplies, and equipment.
5. Reduce chemical usage during times when buildings are occupied.
6. Improve the overall health and well being of building staff members and students.
7. Ensure well-maintained building envelop (walls, windows, roofs) to limit moisture infiltration into buildings.

D. Process Utilized

Intermediate School District 917 has followed a logical process as described in the “Tools for Schools” documents to develop this plan. The specific process included:

- Interviews with building custodians and program supervisors (Directors/Assistant Directors) to develop a database of the occupants’ present satisfaction with the quality of indoor air.
- A baseline assessment of the indoor air quality within each facility that included appropriate indoor air quality testing
- Problems identified and isolated were appropriately remedied or a plan was developed for remediation.

E. District Policy

District 917 understands the importance of providing acceptable indoor air quality to our customer base. The district is committed to ensuring that acceptable indoor air quality is provided and maintained in all buildings. This Management Plan provides the tools to help provide acceptable indoor air quality.

F. IAQ Plan Review

The Intermediate School District 917 Indoor Air Quality (IAQ) team will review this plan annually.

II. Indoor Air Quality Team

The following is a list of the District's Indoor Air Quality Team members and their roles and responsibilities:

A. District IAQ Coordinator

Name: Amy Alexander, ISD 917 Health and Safety Coordinator, Certificate

_____ (Amy is taking the course in September).

Telephone: 651-423-8229

Role and functions: The primary role of the IAQ Coordinator is team management, coordination, and record keeping.

- To manage the IAQ team and encourage a sense of shared responsibility and cooperative effort, and ensure the implementation of the Management Plan.
- To prepare for emergency response and consult with the superintendent to determine if and when outside consultation is needed.
- To maintain Minnesota Department of Education IAQ certification.
- To assure that baseline investigations are conducted and make recommendations to remediate identified IAQ problems.
- To disseminate IAQ information, register IAQ complaints, direct the response and communicate IAQ issues and status to school administration, staff, students, parents and media.

B. District IAQ Team Members

Name: Dr. Michael Favor, ISD 917 Superintendent, Chair

Telephone: 651-423-8226

Role and functions: Supervision and administration of the IAQ plan.

- To convene regular meetings of District 917 Health, Safety & Wellness Committee.
- To ensure that agendas include IAQ and health/safety issues, concerns, and action plans.
- To oversee building and facility operations.
- To provide assistance in remediating IAQ concerns as they are identified.
- To direct IAQ remediation activities as needed.
- To communicate IAQ issues and status to school administration, staff, students, parents and the media.

Name: Melissa Ho, Licensed School Nurse

Telephone: 651-423-8152

Role and functions:

- To provide overall assistance related to health concerns attributable to IAQ.
- To provide support in monitoring and recognizing trends in reported illnesses that may give warning signs of IAQ or other more serious health problems.

Name: Scott Zehnder, Alliance Education Center, Maintenance Engineer

Telephone: 651-423-8127

Role and functions:

- To ensure facility maintenance is appropriately planned and implemented.
- To provide assistance in remediating IAQ concerns as they are identified.

Name: Contracted Health & Safety Specialist

Role and functions:

- To arrange and/or conduct environmental testing, if warranted.
- To serve as the technical IAQ resource for ISD 917.

Name: ISD 917 Directors/Assistant Directors/DCALS Principal

Role and functions:

- To assist with reporting of IAQ issues and supporting IAQ training and implementation.

III. Building Surveys

A. Walk-Through

A walk-through of all District 917 buildings that house students and/or employees will be conducted annually. The walk-through is done by building custodians, directors/assistant directors, classroom teachers, and nurses, and will evaluate the following:

- Obvious water intrusion problems (interior and exterior)
- Obvious ventilation failures and/or problems
- Obvious building/structural failures and/or problems
- Overall cleanliness of buildings and classrooms
- Assess the need for program improvements and upgrades (e.g. ventilation, carpet, building compounds).

Teachers will evaluate classrooms annually using the checklist in Appendix E. Classrooms located in school buildings covered by another district IAQ plan will also be inspected and the district notified regarding any areas of concern.

Maintenance engineers will evaluate ventilation systems annually using the checklist in Appendix K.

Maintenance engineers will evaluate all building maintenance issues using the checklist in Appendix I at least annually.

B. Ventilation Surveys

Ventilation surveys of all buildings will be conducted annually, and as needed when condition changes occur and time elapses. Reports will be available in the Health and Safety Coordinator's Office.

IV. Maintaining and Operating Buildings for Optimum Indoor Air Quality

A. Heating, Ventilation, & Air Conditioning (HVAC) Preventative Maintenance Program

A proactive HVAC management program is key to providing good air quality in schools. To assure good quality of indoor air the following procedures will be implemented through the district's preventative maintenance program:

1. Outdoor Air Intake

- Inspect intake for blockage quarterly.
- Verify if intake damper works and is within design specifications quarterly.
- Verify damper does not close completely under occupied conditions quarterly.
- Check the calibration of all HVAC controls as needed.

Ideally, the minimum fresh air intake setting, while a building is occupied is 15 to 20 percent (15 to 20 percent of supply air to an occupied space is outdoor air) of the total mixed airstream (return air plus outdoor air). During building occupancy the fresh air intake will not be completely closed.

2. Exhaust Air Outlet – Maintenance Includes:

Annually, the belt tension on all fan motors will be checked for proper deflection (see manufacturer's service manual).

3. HVAC Ventilation Ductwork – Ductwork will be inspected on an as needed basis. Ductwork inspection should occur when the cleaning of the cooling coils occurs. Ductwork needs to have easy-to-open observation and clean-out doors installed at a minimum in the following locations:

- a. Clean-out door(s) (as large as possible) upstream and downstream of cooling coils to allow maintenance workers good access to clean the ductwork within five feet of the cooling coils, the cooling coils and drainage pans from the cooling coils.
- b. Inspections door(s) (minimum 10 inch size) 10 to 20 feet downstream of the cooling coils. If there are several supply air ductwork branches in this area, an inspection door needs to be installed in each branch.
- c. Clean-out door(s) (as large as possible) at the filtration system for the air handling unit to inspect the duct work surfaces five feet on each side of the filtration system.
- d. Inspection doors (minimum 10 inch x 10 inch size) 10 to 20 feet upstream of the filtration systems. If there are several return and/or mixed air ductwork branches in this area, an inspection door needs to be installed in each branch.

These observation doors (clean-out doors) are needed to allow inspection of the condition of the ductwork in these buildings. Things to look for are dust, mold (microbial) and water accumulations in the ductwork, which indicate potential problems with the air-handling unit.

Standard galvanized ductwork should be cleaned every 20 to 30 years. Cleaning ductwork lined with fibrous glass on the inside is very difficult and should always be approached with caution. Before any cleaning is conducted, an appropriate inspection should be conducted to determine the need for cleaning.

4. **Air Handling Unit (AHU)** – The components of the air-handling unit at Alliance Education Center are inspected on a regular basis by the maintenance engineer. This regular maintenance can vary greatly among the different types of air handling units. Service manuals for each air-handling unit are consulted for maintenance schedules. The discussion below outlines regular maintenance to components conducted to prevent indoor air quality concerns.

- a. *Air filtration system* – filters are primarily used to remove particles from the air.

Low efficiency filters (ASHRAE Dust Spot ratings of 10-20 percent or less) are often used to keep lint and dust from clogging the heating and cooling coils of a system. In order to maintain clean air in occupied spaces, filters must also remove bacteria, pollens, insects, soot, dust and dirt with efficiency suited to the use of the building. Using high quality filters is one of the best insurance policies for the good health and energy efficiency of an air handling system.

All dirt cannot be eliminated from the HVAC system; however, the amount of dirt present inside the HVAC system can be controlled by proper air filtration.

- b. *Heating Coils* – Heating coils are inspected annually for accumulation of debris on the upstream side of the coils. These coils normally are thoroughly cleaned as needed.
- c. *Cooling Coils* – These coils are thoroughly cleaned as needed.
- d. *Supply Fan or Air Blower* – Supply Fans or Air Blowers should be cleaned as a part of the duct cleaning process. Supply Fans should be thoroughly inspected as least annually for surface debris and general operation.

A copy of the following checklist is kept on file in the Health and Safety Office:

HVAC COMPONENT	MONTHLY	QUARTERLY	SEMI-ANNUALLY	ANNUALLY	AS REQUIRED
A. Outdoor air intake inspection (unit ventilators)				X	
B. Check belt tension				X	
C. HVAC duct work inspection					X
D. HVAC controls calibration					X
E. Filter changes				X	
F. Heating coils/cooling coils inspection				X	
G. Heating coils/cooling coils cleaning					X (unit ventilators)
H. Supply fan inspection				X	
I. Supply fan cleaning					X

The ASHRAE 62-1989 requirements are 20 cfm of outside air per expected occupant in office area, conference rooms, and 15 cfm per expected occupant in reception areas and classrooms. Buildings complying with these regulations should maintain the carbon dioxide concentrations in occupied spaces (where the source of the carbon dioxide is people’s exhaled breaths) under most operating conditions below 1000 ppm.

Minnesota Occupational Safety and Health Regulation (MOSHA) which were adopted from the Minnesota Industrial Commission in 1972, regulate the amount of fresh air that must be provided and distributed in all workrooms. This is covered under Minnesota Rules 5205.01109 “Workroom Ventilation and Temperature”. This regulation state’s the following:

Subpart 1. Air. Air shall be provided and distributed in all workrooms as required in this code, unless prohibited by process requirements. Outside air shall be provided, to all workrooms, at the rate of 15 cubic feet per minute per person.

Buildings complying with the MOSHA regulation should maintain the carbon dioxide concentration in occupied spaces (where the source of the carbon dioxide is people’s exhaled breath) below an average of 1000 ppm.

The legal ventilation standard, which applies to most buildings, is the MOSHA standard Minnesota Rules 5205.0110. The goal on ventilation for buildings should be the ASHRAE standard 62-1989.

Intermediate School District 917 uses the guidelines established by the Environmental Protection Agency in its “Tools For Schools” packet to calculate the amount of outside air being supplied to each individual.

The following provides the formulas used to calculate the amount of outside air per person and a layout of a typical HVAC system.

A Note About Carbon Dioxide As A Measurement of Ventilation:

In a fully occupied classroom, with doors and windows shut, and measured several hours of occupancy, above 1300 PPM will indicate the need for remediation.

In building areas, where there are sources of carbon dioxide besides peoples exhaled breaths; the above guidelines cannot be used. Other sources can include exhaust gas from kilns, internal combustion engines, and dry ice. Under these conditions, the OSHA standard on carbon dioxide needs to be used to determine whether adequate fresh air is being provided. The OSHA standard on carbon dioxide is an 8-hour time weighted average of 10,000 ppm with a short-term 15-minute average limit of 30,000 ppm.

RECORD KEEPING: Building custodians will develop a record keeping schedule for preventive maintenance of HVAC systems. This schedule will be based on the manufacturer's recommendations, and information contained in the IAQ Management Plan. See Appendix J.

B. Temperature

In Minnesota it is recommended that occupied space temperatures in the summer should be 72-78 degrees with a relative humidity of 20-50 percent. The fall, winter, and spring occupied space temperatures should be 70-74 degrees with a relative humidity of 20-50 percent.

C. Water Intrusion

Below is a protocol for dealing with building materials where there has been water intrusion:

1. Visually review all flooded areas to determine which building materials have gotten wet.
2. For **ceiling tile**, remove and dispose of all wet ceiling tiles within 24 hours of water contact.
3. For **sheet rock**, remove all drywall and insulation that had become wet up to 12 inches above the water line. This is because wicking can cause water to move up above the water line.
4. For **furniture** that is made of wood, particleboard, or laminates air dry. For upholstered furniture that is wet by drinking quality water, air dry and monitor. For upholstered furniture, wet by contaminated water, discard.
5. For **carpet**, extract excess water from carpet, disinfect, dry as rapidly as possible, and then monitor. Carpet that has been wet for over 24 hours will be evaluated on a case by case basis. A wet/dry vacuum, extractor, and floor fans will be available for use.
6. For **papers, books, and files**, dry essential items within 24 hours. If that is not possible, then freeze them until there is time to dry them. Unessential items should be discarded. Essential items could also be photocopied.

The drying time can be decreased with the use of fans, dehumidifiers, and air conditioning.

D. Painting, Roofing and Flooring

Other work that can impact IAQ in a building includes flooring, painting, and roofing. Refer to Appendices F, G, and H for proper procedures.

V. Indoor Air Quality Checklists

Indoor Air Quality information (IAQ complaint form, questionnaire, action items list and the investigative form) is available in the Superintendent's office for review by interested District 917 staff members. In the event that a building custodian, teacher, or health & safety personnel would like to review a particular area with regard to IAQ, a comprehensive checklist is available for use in Appendices A, B, C, & D.

VI. Integrated Pest Management (IPM)/Chemicals

A. IPM

Pending state regulations, Integrated Pest Management (IPM) is a coordinated approach to pest control intended to prevent unacceptable levels of pests, while causing the least possible hazard to people, property, and the environment and using the most cost-effective means. IPM uses a combination of methods, which include:

- Improved sanitation removing food from desks, cleaning.
- Inspection and monitoring of pest population sites.
- Managing waste (keeping refuse in tight containers and locating waste containers away from buildings, if possible).
- Maintaining structures (fixing leaking pipes promptly, sealing cracks).
- Adding physical barriers to pest entry and movement (screens for chimneys, doors, and windows; air curtains).
- Modifying habitats (removing clutter, relocating outside light fixtures away from doors).
- Using traps (light traps, snap traps, and glue boards).
- Using pesticides judiciously.

An efficient IPM program will integrate pest management planning with preventive maintenance, housekeeping practices, landscaping, occupant education, and staff training.

Pest control activities that depend upon the use of pesticides involve the storage, handling, and application of materials that can have serious health effects. The district will only use pesticides after providing appropriate notice to staff, students and parents. Caulking or plastering cracks, crevices, and/or holes to prevent harborage behind walls will be used as the preferred strategy for dealing with pests.

Intermediate School District 917 will use an outside contractor for pest control when needed. Terms of the contract will be renewed annually and include the principles discussed below:

1. **Pest Control Schedule**

Whenever possible, pesticide applications are scheduled during unoccupied periods so that affected areas can be flushed with ventilation air before occupants return. Pesticides are applied in targeted locations, with minimum treatment of exposed surfaces. They are used in strict conformance with manufacturers' instructions and EPA labels. General periodic spraying may not be necessary. If occupants are present they will be notified prior to the pesticide application.

2. **Materials Selection, Handling and Storage**

Pesticides are selected that are species-specific and attempt to minimize toxicity for humans and non-target species. Contractors or vendors are asked to provide EPA labels and material safety data sheets. Pesticides are stored and handled properly consistent with their EPA labels. Pesticides and other chemicals used will be recorded on a "Chemical Inventory" form.

If only limited areas of the building are being treated, the heating ventilation and air conditioning (HVAC) system will be adjusted so that it does not distribute contaminated air throughout the rest of the building. Temporary exhaust systems may be used to remove contaminants during the work day. HVAC system operation will be modified when necessary during and after pest control activities (e.g., running air handling units on 100 percent outdoor air for some period of time or running the system for several complete air exchanges before occupants re-enter the treated space).

Information on pesticide selection, use, and storage is available from several local and national sources. These include Minnesota Department of Agriculture at <http://www.mda.state.mn.us> and the Federal EPA at <http://www.epa.gov>, and 800/858-7378 or email npic@ace.orst.edu.

Notification of parents and employees, as required in MN Statute, Section 121A.30, is addressed in the Student/Parent Handbooks distributed to all students in September of each year and to new students as they enroll in the district. Notice of unscheduled applications is available to parents and employees. Relevant documentation is available in the Superintendent's office.

B. Chemicals

District employees who purchase chemicals will insure that the least hazardous chemical available is selected for every application. The District 917 Buyer requests all available health and safety information for product review and distribution.

VII. Indoor Air Quality Cleaning Standards

After establishing guidelines that focus on prevention and containment, the final procedure for the effective reduction of contaminants that affect air quality is the implementation of Indoor Air Quality Cleaning Standards.

Keep in mind that whether an item is clean or not, does not necessarily affect IAQ, (e.g. a drinking fountain or wash basin). It may affect sanitation, but not IAQ. "Clean air," however, cannot be foul smelling. Items that have a potential of becoming foul smelling must also have IAQ Cleaning Standards (e.g., a urinal or a wastebasket).

IAQ Cleaning Standards deal with *Items* (anything, object, or surface) to be cleaned, the *Tasks* required, *Task Frequencies*, and *When*. Since contaminated dirt by and large gets tracked into buildings onto floors, much emphasis is placed on clean floors. Since contaminated dirt gets into buildings through lower entrance levels, those levels are impacted far greater by contaminated dirt than upper levels. Task frequencies for floor maintenance tasks should therefore be lowered accordingly for upper levels. Recommended IAQ Cleaning Standards are for high impact areas on first and lower floors: Entrances, Hallways, Food and Beverage Areas, Kitchens, Restrooms and Locker rooms, Classrooms, and Offices.

A. Entrances

The purpose of entry mats is to stop and trap dirt and moisture. It's necessary, therefore, to have two types of mats in place: a dirt mat and a moisture mat.

Dirt Mat: A dirt mat should have a coarse surface that affects removing contaminated dirt more easily from shoes. It should be porous to allow dirt to fall through to the backing of the mat, or into a dirt well into which the mat is placed. It should be thick enough to trap and hold at least 1/8 of an inch of dirt before emptying; and, it should be big enough for a person to step on it at least four times. Of course, the more traffic, the more mat.

Moisture Mats: A moisture mat should be capable of absorbing at least 4 ounces of water per square foot. It should have a backing to prevent moisture from passing through to the floor on which it is placed. And it should be big enough for a person to step on it at least four times.

Waste Receptacles (plastic lined): Fifteen-inch, double lined waste receptacles are located at each entrance of Alliance Education Center to easily accommodate a day's trash. The location of these waste receptacles encourages use and greatly reduces the amount of contaminants that would otherwise be brought into building.

B. Hallways

It is a goal of District 917 to keep the hallways clean at Alliance Education Center (dusted, damp mopped, or cleaned with the automatic equipment regularly and stripped and refinished annually).

C. Food and Beverage Areas

Food and Beverages (F&B areas) should be designated and should be provided with appropriate facilities:

Facilities:

Food and beverages storage
Clean-up
Eating
Food and beverage purchases
Food disposal
Recyclable Disposal

Examples:

Refrigerator
Wash basin, hand soap, hand towels
Tables and chairs
Vending machines
Lined wastebaskets or refuse containers
Aluminum cans containers

At Alliance Education Center food and beverage areas are thoroughly cleaned by staff daily.

D. Kitchens

The kitchen staff is responsible for cleaning and sanitizing the surfaces, tools, and utensils they use for food preparation, but the custodial staff is responsible for the remainder of the cleaning. Cleaning is completed at the end of the cooking staff shift.

When sweeping and wet mopping the floor, special precautions are taken to reach under stoves and tables to remove all residues. Kitchen floors are swept or mopped daily.

E. Restrooms and Locker Rooms.

Fixtures, floors, and spots on the walls are cleaned daily. Entry surfaces are cleaned annually.

Weekly damp dusting horizontal surfaces and vent covers are a priority IAQ Cleaning Standard.

F. Classrooms

Clean floors, chalkboards, and chalk trays are priorities in classrooms. Clean floors because the tracked in contaminated dirt is a major carrier and source of contaminants. Also, clean chalkboards and chalk trays because of the chalk dust, an air contaminant and irritant.

G. Offices

Office parallel classrooms, the emphasis being on floor care and dusting.

H. Carpet

Weekly routine Carpet Maintenance:

Vacuuming Carpet: A top-fill upright vacuum with brush agitation or a canister vacuum with a power head incorporating brush agitation is to be used with frequency. Equally important, soil that is loosened and vacuumed from carpet must be collected in the vacuum recovery system and not allowed to re-enter the air within the structure to contribute to indoor air pollution. For this reason a high efficiency filtering system and vacuum cleaner bags with a minimum rating of 90 percent efficient for 1 micron size particles need to be used in any vacuum equipment employed. A goal is to purchase and install micron bags for all the vacuum cleaners.

Immediate Spotting: Immediate attention is given to any spotting at Alliance Education Center as soon as the need is reported by a student or staff member.

Carpet Dry Chemical/Foam/Shampoo/Steam (Hot Water) Cleaning:

Cleaning Frequency: Specialized maintenance and cleaning programs (e.g. weekly, monthly, quarterly, and semi-annually) will be implemented based on individual needs.

Frequent cleaning of exterior entrances and high traffic areas reduces the contaminants and soil particles from outside the structure that accumulate in these areas.

Carpet Treatment for Fungi/Bacteria:

Carpets which have tested higher than normal will be cleaned or removed depending on the location, age of carpet and microbiological levels.

VIII. Area Indoor Air Quality Guidelines

A. Animals in Classrooms

Certain individuals, in particular those with asthma, may be sensitive to animal fur, dander, body fluids, or feces, and may experience reactions to these allergens. Furthermore, individuals can become sensitized (made allergic) by repeated exposure to allergens. District 917 has developed the following guidelines to address this area:

1. Use alternatives to animals, if possible.
2. If the teacher's intent is to have animals, then it is the site administrators responsibility to:
 - a. Prior to having animals consult the school nurse/health aide about student allergies or sensitivities (data privacy laws will need to be adhered to).
 - b. Ask parents about potential allergies, or seek to obtain information through a note that students take home or during parent-teacher conference. Remember to check for allergies when new students enter the class.
 - c. Locate sensitive students away from animals and habitats.
 - d. Have the teacher clean cages regularly (daily if possible).
 - e. Have the teacher locate animals away from ventilation system vents to avoid circulating allergens.
 - f. Use gloves to handle feces and dispose of in double bags and immediately place in the outside dumpster, not in building trash containers.
 - g. Keep animals caged. An exception is made for instructional activities in the Animal Science program.
 - h. Bottom of cage should have an impermeable liner on the bottom to prevent liquid or solid leakage from the cage.
 - i. Ensure trash bag is removed from classroom after cage cleaning.
 - j. Animals will be kept in the classroom as needed for curriculum activities and not for extended time periods.

For any health issues related to these guidelines please contact Intermediate School District 917 licensed school nurses: Melissa Ho (Licensed School Nurse) 651-423-8152.

B. Food Service

Cooking activities generate odors, heat, moisture, food waste, and other trash which, if not managed carefully, can lead to indoor air quality problems. Intermediate School District 917 has delineated the following responsibilities involved in the preparation and/or serving of food to ensure IAQ management:

Cooking Areas:

1. Make sure that the exhaust fans are working properly. If problems are noted, contact the building custodian.
2. Exhaust fans should be operational whenever cooking, dishwashing, and cleaning.
3. Any leaks or odors of combustion gas should be reported immediately to the building engineer.
4. Clean kitchen after each use as required by district and Department of Health policy.
5. Report any signs of mold, mildew, or algae to building custodian.
6. Report any plumbing water leaks to building custodian.
7. Report any pest problems to building custodian.

Food Handling and Storage:

1. Regularly check food service areas for signs of insects or vermin.

2. Follow food handling and storage practices as recommended by district and Department of Health.
3. Maintain general cleanliness.

Waste Management:

1. Follow district guidelines concerning the recycling of waste.
2. Store waste in appropriate sealed containers.
3. Make sure dumpsters are located away from air intake vents, operable windows, etc.

C. Art and Crafts Classrooms

Classrooms used for arts and crafts activities shall comply with items detailed in the Teacher's Checklist in Appendix E. Materials emitting toxic fumes are not used in classroom spaces when students and staff members are present.

IX. Indoor Air Quality Complaint Resolution System

A. Purpose/Scope

The purpose of the IAQ Complaint Resolution system is to investigate and attempt to resolve IAQ issues within Intermediate School District 917 buildings in a prompt, responsive manner.

B. Process

The following describes the process to be implemented if a building occupant is concerned about IAQ:

1. The person(s) concerned about indoor air quality should contact the Health and Safety Coordinator using an IAQ complaint form (Appendix A)
2. The Health and Safety Coordinator and/or building custodians will conduct an investigation, using Appendix B, to try to resolve the problem internally.
3. The Health and Safety Coordinator will review the IAQ complaint form and may request relevant medical documents from occupants with symptoms.
4. The Health and Safety Coordinator will investigate the problem using Appendix D. The Health and Safety Coordinator will provide a written report to the Superintendent, the Director/Assistant Director of the program involved, and the building custodian. The Superintendent and Health and Safety Coordinator contact an outside vendor if additional testing is required.
5. District employees will perform remediation when feasible and appropriate. If an outside contractor is necessary the Superintendent will define the scope of services and assist in procuring those services in accordance with district policies.
6. If a problem is not solved after appropriate testing, investigation and remediation, the person may need to be moved to a different space based on availability.

X. Communication/Information

A. Availability of Information

Intermediate School District 917 is committed to open communication regarding IAQ and will make available any and all information regarding IAQ in district facilities. Parents and employees can obtain information about IAQ by contacting the Superintendent's office, or checking the District 917 website: <http://www.isd917.org>. Information available includes:

- Checklists or self-help information so they can properly evaluate their child's home or other out of school situations.

- Information about school facility construction, maintenance, and housekeeping practices, chemicals used, mold and HVAC related information, chemical producing academic subjects, pesticides and herbicides and the like to determine the extent to which school activities contribute to a child's symptoms.
- Information on what a parent can do (how they can effect change) upon discovering questionable activities occurring within schools.

B. Annual Notification

Annual notification of parents will occur each September (or when a new student is enrolled in District 917) through the Parent/Guardian and Student Handbook. Notification of employees will be included in employee orientation materials, policy handbooks, and the annual IAQ Walk-through Inspection process.

XI. Training, Education, and Information

Employee Annual Training Plan:

EMPLOYEE	TRAINING 1	TRAINING 2	TRAINING 3
Superintendent	X	X	
Directors/Assistant Directors	X		(As Needed)
IAQ / Health and Safety Committee Members	(IAQ Coordinator)	X	
Maintenance/Custodial Staff		X	X
School Nurses/Health Assistants		X	(As Needed)
Teachers			(As Needed)

Training 1 – Executive IAQ Briefing

This briefing opportunity, provided annually at a meeting of the District 917 Administrative Team, will provide a broad overview of IAQ and its impact on occupant’s health. The presentation will also review/discuss Intermediate School District 917 plan to manage IAQ in the proactive manner.

Training 2– IAQ Plan Implementation

This training will take place at a meeting of the Health, Safety, and Wellness Committee, and will specifically review the IAQ management plan, the impact of the plan on building occupants, and the process and individual responsibilities for its implementation.

Training 3– IAQ in Classrooms

This training for District 917 custodians will address the operation of ventilation equipment, carpet care, animals, food, and the district IAQ plan.

XII. Renovation, Remodeling, and Redecorating Activities

Renovation, remodeling, and redecorating activities have the potential for causing indoor air quality problems. Proper planning is important to minimize potential problems. Building occupants will be informed of the nature of these activities.

District remodeling specifications require cleanliness, dust control, protection of building and building materials from water and clean HVAC parts:

- All mechanical ventilation improvements will result in demonstrated current performance criteria as found in state law, statute or rule, to include proper amount of ventilation rate over a specified outside temperature range, proper filtration, and ability to measure ventilation rate.
- Proper commissioning of all mechanical ventilation improvements will be done and validated by a designated professional who has adequate errors and omissions insurance.
- Mechanical ventilation improvement work will remain under warranty by the outside party until a full range of seasons has occurred, allowing any deficiencies to surface and be corrected.

A common concern which can occur during these activities is the release of volatile organic compounds from paint, stain, adhesives, sealants, new carpeting, and furniture. When feasible these types of activities will be scheduled to occur when the building is not occupied. Many times, for a variety of reasons, these activities need to occur while the building is occupied. During these activities the maintenance engineer will increase the fresh intake air as feasible. This increased ventilation will occur during these activities and for a short time after the work has been completed. A representative from the Indoor Air Quality Management team will advise on the selection and purchase of paint products.

If only limited areas of the building are being remodeled, the HVAC system will be adjusted and/or containment systems utilized as applicable so that it does not distribute contaminated air throughout the rest of the building. Temporary exhaust systems to remove contaminants during the work day will be considered. It may be necessary to modify HVAC system operation during and after these activities (e.g., running air handling units on 100 percent outdoor air for a period of time or running the system for several complete air exchanges before occupants return to the building).

When feasible, activities where solvents will be released will be scheduled to occur late in the day or on Friday so the building can air out overnight or during the weekend. Whenever possible, carpeting will be installed on a Friday so the solvents in the carpet and its adhesive have the weekend to air out before the tenants return to work.

Prior to modifications to the building system that could impact asbestos-containing materials, the AHERA inspection manual will be reviewed. If asbestos-containing materials will be affected by work, asbestos abatement contractors will generally remove asbestos-containing materials and document the removal work.

The documents in Appendices F and G will be provided by the purchasing department to contractors who do painting and roofing repairs.

XIII. Budgeting

The district health and safety budget is available for use in remedying IAQ problems. This budget is submitted annually for approval. Annual needs, project upgrades, etc., are prioritized and included in the health and safety budget. Routine maintenance items are planned and budgeted for in order to prevent water intrusion, maintain airflow, and improve cleanliness in district buildings as a part of annual budgeting.

APPENDIX A-IAQ Complaint Form
Intermediate School District 917

Indoor Air Quality Complaint Form

(This form is to be filled out by the building occupant or a staff member)

Date: _____ Building Name: _____ Room Number: _____

Occupant's Name: _____ Phone Number: _____

Please describe the problem in detail. Include specific symptoms you have experienced, time of day, weather conditions, number of occupants and any additional observations you would like to make.

Someone may need to contact you to discuss the complaint. What is the best time to reach you? _____

So that we can respond promptly, please return this form to Linda Berg, Health and Safety Coordinator, District Office, 1300 145th Street East, Rosemount, MN 55068 or fax to 651-423-8781.

Indoor Air Quality Questionnaire

The purpose of this form is to gather the information required for solving the indoor air quality concerns.

Name: _____

Date: _____

Program/Site: _____

Background Information

Question	Response
1. How long have you been in the building?	
2. How long have you been your present location in the building?	
3. Have you experienced any physical discomfort or symptoms related to indoor air quality?	
4. What type of symptoms are you experiencing?	
5. When did the symptoms start?	
6. How long do the symptoms last?	
7. Are symptoms experienced apart from the work area? If yes, when and where?	
8. Is an odor coinciding with our symptoms? If yes, describe the odor.	
9. Have these symptoms ever been experienced at another work area? If yes, please describe.	

Additional comments:

APPENDIX D-IAQ Investigation Form
Intermediate School District 917
Health & Safety Coordinator Indoor Air Quality Investigation Form

1. INVESTIGATOR INFORMATION

Name: _____	Date: _____	Time: _____
Room #/Area _____	# of Occupants in Room or Area _____	

2. COMPLAINT DATA

Name: _____	Date of complaint _____	Time: _____
Room #/Area _____	Building Name: _____	
Health Symptoms Associated With Complaint:		

Other Concerns, i.e. odor, moisture, airflow, cleaning, etc.:		

3. INVESTIGATION CHECKLIST

Air Handling Unit	Comments/Action Taken
Air Handling Unit On: <input type="checkbox"/> Yes <input type="checkbox"/> No	_____
Air flowing from Vents: <input type="checkbox"/> Yes <input type="checkbox"/> No	_____
Exhaust Operations: <input type="checkbox"/> Yes <input type="checkbox"/> No	_____
Thermostat Properly Set: <input type="checkbox"/> Yes <input type="checkbox"/> No	_____
Other Problems Noted:	

Moisture	
Any Present Signs of Moisture: <input type="checkbox"/> Yes <input type="checkbox"/> No	_____
Any Previous Moisture Concerns: <input type="checkbox"/> Yes <input type="checkbox"/> No	_____
Any signs of Biological Growth: <input type="checkbox"/> Yes <input type="checkbox"/> No	_____
Any Odors: <input type="checkbox"/> Yes <input type="checkbox"/> No	_____

Other Sources

Any Recent Renovation in Area:	<input type="checkbox"/> Yes <input type="checkbox"/> No	_____
Is it Overly Dusty/Unclean:	<input type="checkbox"/> Yes <input type="checkbox"/> No	_____
Are Chemicals Stored in Room:	<input type="checkbox"/> Yes <input type="checkbox"/> No	_____
Any Pesticides Recently Applied:	<input type="checkbox"/> Yes <input type="checkbox"/> No	_____
Any Tunnel System:	<input type="checkbox"/> Yes <input type="checkbox"/> No	_____
Any Unused Drains:	<input type="checkbox"/> Yes <input type="checkbox"/> No	_____

4. TEST DATA

AHU # _____	VAV/Zone # _____
Room Temp. (°F) _____	
Room Relative Humidity (%) _____	
T'stat Setting (°F) _____	
Room CO (ppm) _____	Room CO ₂ (ppm) _____
Particulates _____	
Outside Air Temp (°F) _____	
Outside CO (ppm) _____	Outside CO ₂ (ppm) _____

5. WATER INTRUSION

6. OTHER DATA

7. IMMEDIATE CORRECTIVE ACTIONS TAKEN

8. ADDITIONAL CORRECTIVE ACTION REQUIRED

9. ADDITIONAL COMMENTS

APPENDIX F-Renovation/Repairs Checklist

RENOVATION AND REPAIRS CHECKLIST- FLOORING

Pre-Installation

- Determine whether resilient tile flooring scheduled for removal contains asbestos fibers.
- Renovation may/will disturb asbestos- containing flooring.**
- Select low-emitting adhesive when installing glue-down flooring.
- Obtain information about product constituents and emissions that may adversely impact IAQ from manufacturers.
- Select low-emitting adhesive.
- Select low-emitting flooring materials.
- Need additional information for selecting low-emitting adhesive and flooring materials.**
- Do not install carpet near water sources.
- When possible, schedule installation for time when school is unoccupied.

During Installation

- Use low-emitting adhesives.
- Use low-emitting flooring materials.
- Air new products before installation.
- Need help arranging the airing out of flooring products.**
- Follow manufacturers' recommendations for ventilating the work area during and after flooring installation.
- Install carpet, vinyl, and related flooring materials only when the school building is not in use or maintain the room under negative pressure relative to the surrounding rooms and hallways.
- Avoid re-circulating air from the installation area, through the heating, ventilation, and air conditioning system, and into occupied areas. Seal return air grilles, open door ways, stairways, and use exhaust fans to remove airborne contaminants.
- Need help arranging the airing out of space during and after installation.**
- Vacuum old carpet that is to be removed and subfloor surfaces (once carpet is removed).
- Seal joints of hard surfaces and/or entire surface of porous flooring installed near water sources.

Post-Installation

- Vacuum new flooring after installation to remove loose matter and particles generated by the installation process and general construction in the area.
- Follow manufacturers' recommendations for ventilating the work area space during and after flooring installation. (Typical recommendation is maximum outdoor air for 72 hours after installation.)

No Problems to Report.

I have completed the activities on the Renovation and Repairs Checklist, and I do not need help in any areas.

Name:
School:
Room or Area:
Date Completed:
Signature:

APPENDIX G-Painting Checklist
Intermediate School District 917
Painting Checklist

Name	Room	School
Date Completed		Signature

Instructions:

- 1. Check off each box as you complete the activity.**
- 2. Check the triangle as appropriate or check the circle if you need additional help with this activity.**
- 3. File this checklist for future reference.**

There are many factors to consider before beginning a painting project. Special care should be taken when sanding a surface to prepare for painting, due to the dust released into the air. This dust may contain lead particles. Exposure to excessive levels of lead could affect a child's mental growth, and interfere with nervous system development, which could cause learning disabilities and impaired hearing. In adults, lead can increase the blood pressure.

The type of paint is an important decision. For instance, both solvent-based and water-based paints give off volatile organic compounds (VOCs) that could lead to IAQ problems. Water-based paints produce less VOCs than solvent-based paints, but produce them over a longer period of time.

Durability is important – a relatively low-emitting paint might create more IAQ problems in the long run than a higher emitting paint, if the lower-emitting paint requires repainting more often. In addition, many water-based (even interior paints) have, until recently, used mercury as a fungicide. Any paint that contains mercury should not be used indoors.

Confirm that the painted surface is lead-free before preparing a surface for painting

- Check painting records or old paint cans to determine whether the paint contains lead
- Do an initial screen using a trained lead paint inspector
- If there is lead paint in the existing paint, contact a trained lead-based paint contractor
- Δ No lead in existing paint
- Paint contains lead or testing is needed to determine if lead is in existing paint

Select a low-VOC emitting paint that is free of lead and mercury

- Evaluate existing stock of paint (properly dispose of paints containing lead or mercury or having higher VOC emissions than new paints)
- Evaluate new paint before you purchase it. Express your indoor air quality concerns to paint suppliers and use their technical personnel as a resource. Not all paint suppliers have information on pollutant emissions; consult other sources (e.g., manufacturers) if your paint supplier cannot provide adequate information
- Δ Have selected an appropriate paint
- Need to discuss which paint to use with an IAQ specialist

During exterior painting, minimize occupant exposure to odors and pollutants

- Schedule exterior painting to occur when the building is unoccupied (for example, on weekends or during vacation periods), and allow time for paint odors to dissipate before occupants return to the area. If the area being

Painted areas have a heating, cooling, and ventilation system which is shared with other areas, those areas should also be unoccupied

- ❑ Use supply and exhaust fans to sweep paint fumes out of the building. Operate supply fans continuously (24-7) at the highest possible outdoor air supply setting, from the beginning of the painting work until several days after the painting has been completed
- ❑ Block return openings to prevent circulating air from the work area to occupied areas
- Δ Occupant exposure is minimized
- Need help to minimize occupant exposure

Use appropriate storage and disposal practices for paints, solvents, clean-up materials, and asbestos containing materials

- ❑ Seal containers carefully after use
- ❑ Keep paint containers in designated storage areas equipped with exhaust ventilation, but not in heating, ventilation, and air conditioning equipment
- ❑ Use an appropriate waste disposal method to dispose of any paints containing lead or mercury
Follow EPA National Emission Standards for Hazardous Air Pollutant rules for disposal of asbestos-containing materials
- Δ No problem with storage and disposal
- Need help with storage and disposal

APPENDIX H-Roofing Checklist
Intermediate School District 917
Roofing Checklist

Name

Date Completed

School Building

Signature

Instructions:

1. Check off each box as you complete the activity.
2. Check the triangle as appropriate or check the circle if you need additional help with this activity.
3. File this checklist for future reference.

Roofing work often involves the use of tar or other pollutant-producing chemicals that may cause indoor air problems if fumes enter the building. School officials and roofers can cooperate to prevent these problems and complaints from occupants.

Schedule pollutant-producing activities for unoccupied periods (e.g., weekends or vacation periods):

- Check to ensure that pollutant-producing activities occur during unoccupied periods
- Work is scheduled for an unoccupied period
- Work is scheduled for an occupied period; need help to minimize occupant exposure
- Locate “hot-spots” of tar and other pollutant-producing materials away from outdoor air intakes:
- Consider wind patterns at the work site, and arrange equipment so that prevailing winds carry odors away from the building
- Pollutant-producing materials are away from and downwind from outdoor air intakes
- No good location for pollutant-producing materials

Modify ventilation to avoid introducing odors and contaminants:

- Advise staff and students to keep doors and windows closed until the roofing work is finished
- It may be advisable to temporarily close the outdoor air intakes of air handlers; particularly rooftop units in the vicinity of (and downwind from) the work area. (NOTE: To avoid creating IAQ problems from underventilation, provide a temporary means (fans and/or ducts) to supply unaffected outdoor air.)

Δ Ventilation is arranged to avoid entry of pollutants

- Need help to modify ventilation

Building and Grounds – Maintenance Checklist

Name: _____	
School: _____	
Room or Area: _____	Date Completed: _____
Signature: _____	

Instructions

1. Read the *IAQ Backgrounder* and the Background Information for this checklist.
2. Keep the Background Information and make a copy of the checklist for future reference.
3. Complete the Checklist.
 - Check the “yes,” “no,” or “not applicable” box beside each item. (A “no” response requires further attention.)
 - Make comments in the “Notes” section as necessary.
4. Return the checklist portion of this document to the IAQ Coordinator.

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 1c. Ensured that air from chemical and trash storage areas vents to the outdoors | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1d. Stored chemical products and supplies in sealed, clearly labeled containers..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1e. Researched and selected the safest products available | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1f. Ensured that supplies are being used according to manufacturers’ instructions..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1g. Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers’ instructions..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1h. Substituted less- or non-hazardous materials (where possible) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1i. Scheduled work involving odorous or hazardous chemicals for periods when the school is unoccupied | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1j. Ventilated affected areas during and after the use of odorous or hazardous chemicals | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

2. GROUNDS MAINTENANCE SUPPLIES

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 2a. Stored grounds maintenance supplies in appropriate area(s)..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2b. Ensured that supplies are used and stored according to manufacturers’ instructions..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2c. Established and followed procedures to minimize exposure to fumes from supplies | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2d. Reviewed and followed manufacturers’ guidelines for maintenance | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2e. Replaced portable gas cans with low-emission cans..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2f. Stored chemical products and supplies in sealed, clearly-labeled containers..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2g. Ensured that chemicals, chemical-containing wastes, and containers are disposed of according to manufacturers’ instructions..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

3. DUST CONTROL

- | | | | |
|---|--------------------------|--------------------------|--------------------------|
| 3a. Installed and maintained barrier mats for entrances | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3b. Used high efficiency vacuum bags | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3c. Used proper dusting techniques | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3d. Wrapped feather dusters with a dust cloth..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3e. Cleaned air return grilles and air supply vents..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

1. BUILDING MAINTENANCE SUPPLIES

- | | | | |
|---|--------------------------|--------------------------|--------------------------|
| | Yes | No | N/A |
| 1a. Developed appropriate procedures and stocked supplies for spill control | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1b. Reviewed supply labels | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

4. FLOOR CLEANING


- 4a. Established and followed schedule for vacuuming and mopping floors.....
- 4b. Cleaned spills on floors promptly (as necessary).....
- 4c. Performed restorative maintenance (as necessary)

5. DRAIN TRAPS

- 5a. Poured water down floor drains once per week (about 1 quart of water)
- 5b. Ran water in sinks at least once per week (about 2 cups of water).....
- 5c. Flushed toilets once each week (if not used regularly)

6. MOISTURE, LEAKS, AND SPILLS

- 6a. Checked for moldy odors.....
- 6b. Inspected ceiling tiles, floors, and walls for leaks or discoloration (may indicate periodic leaks)
- 6c. Checked areas where moisture is commonly generated (e.g., kitchens, locker rooms, and bathrooms)
- 6d. Checked that windows, windowsills, and window frames are free of condensate
- 6e. Checked that indoor surfaces of exterior walls and cold water pipes are free of condensate
- 6f. Ensured the following areas are free from signs of leaks and water damage:
 - Indoor areas near known roof or wall leaks.....
 - Walls around leaky or broken windows.....
 - Floors and ceilings under plumbing.....
 - Duct interiors near humidifiers, cooling coils, and outdoor air intakes



7. COMBUSTION APPLIANCES

- 7a. Checked for odors from combustion appliances.....
- 7b. Checked appliances for backdrafting (using chemical smoke).....
- 7c. Inspected exhaust components for leaks, disconnections, or deterioration.....
- 7d. Inspected flue components for corrosion and soot.....

8. PEST CONTROL

- 8a. Completed the *Integrated Pest Management Checklist*

NOTES

Appendix J-HVAC Maintenance Schedule

HVAC Maintenance Schedule

HVAC COMPONENT	MONTHLY	QUARTERLY	SEMI-ANNUALLY	ANNUALLY	AS REQUIRED
A. Outdoor air intake inspection (unit ventilators)				X	
B. Check belt tension				X	
C. HVAC duct work inspection					X
D. HVAC controls calibration					X
E. Filter changes				X	
F. Heating coils/cooling coils inspection				X	
G. Heating coils/cooling coils cleaning					X (unit ventilators)
H. Supply fan inspection				X	
I. Supply fan cleaning					X

TO: Scott Zehnder, Maintenance Engineer

Signature

Date

When this page is filled with "DATES" please sign, date and return to Linda Berg, Health and Safety Coordinator, DCTC, District Administration, for the Health, Wellness and Safety files.

Appendix K-Ventilation Checklist

Ventilation Checklist



Name: _____

School: _____

Unit Ventilator/AHU No: _____

Room or Area: _____ Date Completed: _____

Signature: _____

Instructions

- Read the *IAQ Backgrounder* and the Background Information for this checklist.
- Keep the Background Information and make a copy of the checklist for **each** ventilation unit in your school, as well as a copy for future reference.
- Complete the Checklist.
 - Check the “yes,” “no,” or “not applicable” box beside each item. (A “no” response requires further attention.)
 - Make comments in the “Notes” section as necessary.
- Return the checklist portion of this document to the IAQ Coordinator.

1. OUTDOOR AIR INTAKES

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 1a. Marked locations of all outdoor air intakes on a small floor plan (for example, a fire escape floor plan)..... | Yes | No | N/A |
| | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1b. Ensured that the ventilation system was on and operating in “occupied” mode | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

ACTIVITY 1: OBSTRUCTIONS

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 1c. Ensured that outdoor air intakes are clear of obstructions, debris, clogs, or covers | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1d. Installed corrective devices as necessary (e.g., if snowdrifts or leaves frequently block an intake) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

ACTIVITY 2: POLLUTANT SOURCES

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 1e. Checked ground-level intakes for pollutant sources (dumpsters, loading docks, and bus-idling areas)..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1f. Checked rooftop intakes for pollutant sources (plumbing vents; kitchen, toilet, or laboratory exhaust fans; puddles; and mist from air-conditioning cooling towers)..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1g. Resolved any problems with pollutant sources located near outdoor air intakes (e.g., relocated dumpster or extended exhaust pipe)..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

ACTIVITY 3: AIRFLOW

- | | | | |
|---|--------------------------|--------------------------|--------------------------|
| 1h. Obtained chemical smoke (or a small piece of tissue paper or light plastic) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 1i. Confirmed that outdoor air is entering the intake appropriately | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

2. SYSTEM CLEANLINESS

ACTIVITY 4: AIR FILTERS

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 2a. Replaced filters per maintenance schedule | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2b. Shut off ventilation system fans while replacing filters (prevents dirt from blowing downstream) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2c. Vacuumed filter areas before installing new filters | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2d. Confirmed proper fit of filters to prevent air from bypassing (flowing around) the air filter | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2e. Confirmed proper installation of filters (correct direction for airflow)..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

2. SYSTEM CLEANLINESS (continued)

ACTIVITY 5: DRAIN PANS

- | | Yes | No | N/A |
|---|--------------------------|--------------------------|--------------------------|
| 2f. Ensured that drain pans slant toward the drain (to prevent water from accumulating) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2g. Cleaned drain pans..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2h. Checked drain pans for mold and mildew | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

ACTIVITY 6: COILS

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 2i. Ensured that heating and cooling coils are clean | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|--|--------------------------|--------------------------|--------------------------|

ACTIVITY 7: AIR-HANDLING UNITS, UNIT VENTILATORS

- | | | | |
|---|--------------------------|--------------------------|--------------------------|
| 2j. Ensured that the interior of air-handling unit(s) or unit ventilator (air-mixing chamber and fan blades) is clean | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2k. Ensured that ducts are clean..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

ACTIVITY 8: MECHANICAL ROOMS

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 2l. Checked mechanical room for unsanitary conditions, leaks, and spills..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2m. Ensured that mechanical rooms and air-mixing chambers are free of trash, chemical products, and supplies | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

3. CONTROLS FOR OUTDOOR AIR SUPPLY

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 3a. Ensured that air dampers are at least partially open (minimum position)..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3b. Ensured that minimum position provides adequate outdoor air for occupants..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

ACTIVITY 9: CONTROLS INFORMATION

- | | | | |
|---|--------------------------|--------------------------|--------------------------|
| 3c. Obtained and reviewed all design inside/outside temperature and humidity requirements, controls specifications, as-built mechanical drawings, and controls operations manuals (often uniquely designed) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|---|--------------------------|--------------------------|--------------------------|

ACTIVITY 10: CLOCKS, TIMERS, SWITCHES

- | | | | |
|---|--------------------------|--------------------------|--------------------------|
| 3d. Turned summer-winter switches to the correct position | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3e. Set time clocks appropriately..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3f. Ensured that settings fit the actual schedule of building use (including night/weekend use) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

ACTIVITY 11: CONTROL COMPONENTS

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 3g. Ensured appropriate system pressure by testing line pressure at both the occupied (day) setting and the unoccupied (night) setting..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3h. Checked that the line dryer prevents moisture buildup..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3i. Replaced control system filters at the compressor inlet based on the compressor manufacturer’s recommendation (for example, when you blow down the tank) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3j. Set the line pressure at each thermostat and damper actuator at the proper level (no leakage or obstructions)..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

ACTIVITY 12: OUTDOOR AIR DAMPERS

- | | | | |
|---|--------------------------|--------------------------|--------------------------|
| 3k. Ensured that the outdoor air damper is visible for inspection..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3l. Ensured that the recirculating relief and/or exhaust dampers are visible for inspection | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3m. Ensured that air temperature in the indoor area(s) served by each | | | |



3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued)

- | | Yes | No | N/A |
|---|--------------------------|--------------------------|--------------------------|
| 3n. Checked that the outdoor air damper fully closes within a few minutes of shutting off appropriate air handler | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3o. Checked that the outdoor air damper opens (at least partially with no delay) when the air handler is turned on | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3p. If in heating mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 85°F..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3q. If in cooling mode, checked that the outdoor air damper goes to its minimum position (without completely closing) when the room thermostat is set to 60°F and mixed air thermostat is set to 45°F | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3r. If the outdoor air damper does not move, confirmed the following items: | | | |
| • The damper actuator links to the damper shaft, and any linkage set screws or bolts are tight..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| • Moving parts are free of impediments (e.g., rust, corrosion) | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| • Electrical wire or pneumatic tubing connects to the damper actuator | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| • The outside air thermostat(s) is functioning properly (e.g., in the right location, calibrated correctly)..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

Proceed to Activities 13–16 if the damper seems to be operating properly.

ACTIVITY 13: FREEZE STATS

- | | | | |
|---|--------------------------|--------------------------|--------------------------|
| 3s. Disconnected power to controls (for automatic reset only) to test continuity across terminals..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| OR | | | |
| 3t. Confirmed (if applicable) that depressing the manual reset button (usually red) trips the freeze stat (clicking sound indicates freeze stat was tripped)..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3u. Assessed the feasibility of replacing all manual reset freeze-stats with automatic reset freeze-stats | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

NOTE: HVAC systems with water coils need protection from the cold. The freeze-stat may close the outdoor air damper and disconnect the supply air when tripped. The typical trip range is 35°F to 42°F.

ACTIVITY 14: MIXED AIR THERMOSTATS

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 3v. Ensured that the mixed air stat for heating mode is set no higher than 65°F..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3w. Ensured that the mixed air stat for cooling mode is set no lower than the room thermostat setting..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

ACTIVITY 15: ECONOMIZERS

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 3x. Confirmed proper economizer settings based on design specifications or local practices | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|--|--------------------------|--------------------------|--------------------------|

NOTE: The dry-bulb is typically set at 65°F or lower.

- | | | | |
|--|--------------------------|--------------------------|--------------------------|
| 3y. Checked that sensor on the economizer is shielded from direct sunlight..... | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3z. Ensured that dampers operate properly (for outside air, return air, exhaust/relief air, and recirculated air), per the design specifications | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |


NOTE: Economizers use varying amounts of cool outdoor air to assist with the cooling load of the room or rooms. There are two types of economizers, dry-bulb and enthalpy. Dry-bulb economizers vary the amount of outdoor air based on outdoor temperature, and enthalpy economizers vary the amount of outdoor air based on outdoor temperature and humidity level.

3. CONTROLS FOR OUTDOOR AIR SUPPLY (continued)

ACTIVITY 16: FANS

- 3aa. Ensured that all fans (supply fans and associated return or relief fans) that move outside air indoors continuously operate during occupied hours (even when room thermostat is satisfied) **Yes** **No** **N/A**

NOTE: If fan shuts off when the thermostat is satisfied, adjust control cycle as necessary to ensure sufficient outdoor air supply.



4. AIR DISTRIBUTION

ACTIVITY 17: AIR DISTRIBUTION

- 4a. Ensured that supply and return air pathways in the existing ventilation system perform as required.....
- 4b. Ensured that passive gravity relief ventilation systems and transfer grilles between rooms and corridors are functioning

NOTE: If ventilation system is closed or blocked to meet current fire codes, consult with a professional engineer for remedies.

- 4c. Made sure every occupied space has supply of outdoor air (mechanical system or operable windows)
- 4d. Ensured that supply and return vents are open and unblocked

NOTE: If outlets have been blocked intentionally to correct drafts or discomfort, investigate and correct the cause of the discomfort and reopen the vents.

- 4e. Modified the HVAC system to supply outside air to areas without an outdoor air supply
- 4f. Modified existing HVAC systems to incorporate any room or zone layout and population changes.....
- 4g. Moved all barriers (for example, room dividers, large free-standing blackboards or displays, bookshelves) that could block movement of air in the room, especially those blocking air vents
- 4h. Ensured that unit ventilators are quiet enough to accommodate classroom activities.....
- 4i. Ensured that classrooms are free of uncomfortable drafts produced by air from supply terminals

ACTIVITY 18: PRESSURIZATION IN BUILDINGS

NOTE: To prevent infiltration of outdoor pollutants, the ventilation system is designed to maintain positive pressurization in the building. Therefore, ensure that the system, including any exhaust fans, is operating on the “occupied” cycle when doing this activity.

- 4j. Ensured that air flows out of the building (using chemical smoke) through windows, doors, or other cracks and holes in exterior wall (for example, floor joints, pipe openings)

5. EXHAUST SYSTEMS

ACTIVITY 19: EXHAUST FAN OPERATION

- 5a. Checked (using chemical smoke) that air flows into exhaust fan grille(s)

If fans are running but air is not flowing toward the exhaust intake, check for the following:

- Inoperable dampers
- Obstructed, leaky, or disconnected ductwork
- Undersized or improperly installed fan
- Broken fan belt

5. EXHAUST SYSTEMS (continued)

ACTIVITY 20: EXHAUST AIRFLOW



door contaminants from areas such as bathrooms, kitchens, and labs by keeping them under negative surrounding spaces).

(smoke) that air is drawn into the room **Yes No N/A**

the door slightly open while checking airflow high and low in the door opening (see "How to Measure

toward the exhaust intake.....

DUCTWORK

5d. Checked that the exhaust ductwork downstream of the exhaust fan (which is under positive pressure) is sealed and in good condition.....

6. QUANTITY OF OUTDOOR AIR

ACTIVITY 22: OUTDOOR AIR MEASUREMENTS AND CALCULATIONS

NOTE: Refer to "How to Measure Airflow" for techniques.

6a. Measured the quantity of outdoor air supplied (22a) to each ventilation unit.....

6b. Calculated the number of occupants served (22b) by the ventilation unit under consideration.....

6c. Divided outdoor air supply (22a) by the number of occupants (22b) to determine the existing quantity of outdoor air supply per person (22c)

ACTIVITY 23: ACCEPTABLE LEVELS OF OUTDOOR AIR QUANTITIES

6d. Compared the existing outdoor air per person (22c) to the recommended levels in Table 1.....

6e. Corrected problems with ventilation units that supplied inadequate quantities of outdoor air to ensure that outdoor air quantities (22c) meet the recommended levels in Table 1.....

NOTES:

EMPLOYEE RIGHT TO KNOW

WRITTEN PLAN

Intermediate School District 917

July 2025

Intermediate School District 917 is complying with the requirements of OSHA's Employee Right to Know Standard 5205.0100 to 5202.1200 by ensuring that employees are aware of the dangers associated with hazardous substances, harmful physical agents or infectious agents they may be exposed to in their workplaces.

Written Plan

This plan applies to all work activities in our district where employees may be exposed to hazardous substances or harmful physical agents under normal working conditions or during an emergency situation.

Amy Alexander is responsible for this plan. Amy Alexander will review and update the plan annually. Copies of the written plan may be obtained from Amy Alexander in District Administration.

All employees can obtain further information on this written plan, the Employee Right to Know standard, applicable SDS, and chemical information lists from Amy Alexander in the District Administration Office. Under this plan, our employees will be informed of the contents of the Employee Right to Know Standard, the hazardous properties of chemicals with which they work, safe handling procedures, and measures to take to protect themselves from these chemicals. They will also be informed about any exposure to harmful physical hazards: heat, noise or radiation.

If after reading this plan you find that improvements can be made, please contact Amy Alexander at 651-423-8229. We encourage all suggestions because we are committed to the success of our written Employee Right to Know plan. We strive for clear understanding, safe behavior, and involvement in the program from every level of the district.

Hazard Evaluation Procedures

Our chemical inventory is a list of hazardous chemicals known to be present in our work place. Anyone who comes into contact with the hazardous chemicals on the list needs to know what those chemicals are and how to protect themselves. That is why it is so important that hazardous chemicals are identified, whether they are found in a container or generated in work operations (for example, welding fumes, dusts, and exhaust fumes). The hazardous chemicals on the list can cover a variety of physical forms including liquids, solids, gases, vapors, fumes, and mists.

Barb Schmitz, Buyer, will request an SDS sheet be sent with every chemical order. Barb will then give the SDS sheet to Amy and the person ordering the chemical. Amy Alexander will maintain an inventory of hazardous chemicals and SDS sheets. **All staff who order or purchase chemicals or use a blanket purchase order are responsible to request an SDS sheet and furnish a copy to Amy Alexander, Health and Safety Coordinator or forward chemical information so Amy Alexander can input into MSDSOnline. This MSDS icon is on every staff computer for easy chemical access.**

No chemicals may be brought in from home.

Harmful physical agents and where they are present in this work place include:

- Excess Noise – See the Hearing Conservation Plan.
- Excess Heat – Heavy duty truck, TESA kitchen, TESA shop, construction.
- Radiation – no known radiation source.
- Infectious Agents – Nurses’ office. See policy 407.

Safety Data Sheet (SDS)

The SDS is a fact sheet for chemicals that pose a physical or health hazard in the workplace. SDS provides our employees with specific information on the chemicals they use.

ISD 917 uses MSDSonline for their chemical inventory. All employee computers have this available on their computers desktop for quick lookups. No hard copies are available.

Here is the website to look up chemicals: <https://msdsmanagement.msdsdsonline.com/6144367c-5b59-4df8-b787-4fa89f0d907a/ebinder/?nas=True>

Contractors working on-site will provide SDS for products being used to the building custodial department before work begins. This will be required of all contractors by the contract or purchase order.

Labels and Other Forms of Warning

All chemicals in the district must be labeled. If chemicals are purchased through normal channels, the chemicals will come with a label. If a chemical is not labeled by the manufacturer or vendor, then the user will put a label on the product. If chemicals are taken out of the shipping container and placed in other containers (such as wood glue being put into small plastic bottles) then the secondary use containers must be labeled.

Labels list at least the chemical identity and the appropriate hazard warnings. The chemical identity is found on the label, the SDS, and the chemical inventory. The chemical identity used by the supplier may be a common or trade name, or a chemical name. The hazard warning is a brief statement of the hazardous effects of the chemical (i.e., "flammable," or "causes lung damage"). Labels frequently contain other information, such as precautionary measures (i.e., "do not use near open flame"), but this information is provided voluntarily by the

district and is not required by the law. Our labels are legible and prominently displayed, though their sizes and colors can vary.

The user of the chemical is responsible for ensuring that all hazardous chemicals are properly labeled.

If employees transfer chemicals from a labeled container to a portable container that is intended only for their IMMEDIATE use, no labels are required on the portable container.

A poster is displayed to inform employees about the hazard communication standard. It is located on the bulletin board near shops, labs and classrooms where hazards may exist.

Warning labels will be posted where harmful physical agents are at a level which may be expected to exceed the action level.

Training

Everyone who works with or is potentially "exposed" to hazardous chemicals will receive initial training and annual retraining on the Employee Right to Know Standard, the safe use of hazardous chemicals, and the hazards of physical agents. This training will be completed annually through the online Hazardous Communications course in SafeSchools Online Learning. "Exposure" means that "an employee is subjected to a hazardous chemical in the course of employment through any route of entry (inhalation, ingestion, skin contact or absorption, etc.) and includes potential (e.g., accidental or possible) exposure."

Information and training is a critical part of the Employee Right to Know program. We train our employees to read and understand the information on labels and SDS, understand the risks of exposure to the chemicals and physical hazards in their work areas and the ways to protect themselves. The employees who receive training include those from the following programs: Alliance Education Center, Construction Trades; Heavy Duty Truck Technology; Total Automotive Care; and Health and Safety.

This training is done through SafeSchools, an online course, and is shown to all employees before they begin to work. Records of this training are kept in the Health and Safety electronic files in the District Administration Office.

The Assistant Directors, designated instructors or outside consultants will provide annual training. Records of annual training are kept on file in the District's Health and Safety files in the District Administration Office.

Our goal is to ensure employee comprehension and understanding, including their being aware that they are exposed to hazardous chemicals and physical agents, knowing how to read and use labels and SDS, and appropriately following the protective measures we have established. We instruct our employees to ask their supervisors any questions regarding hazardous material or any other safety issue. As part of the assessment of the training program, we seek input from employees regarding the training they have received, and their suggestions for improving it.

Training Content

Training content is organized according to the hazards to which the employees are exposed. The format of the training program used is either group training, hands-on training or one-on-one training.

The training plan emphasizes these elements:

- Summary of the standard and this written program, including what hazardous chemicals are present, the labeling system used, and access to SDS information and what it means.
- Chemical and physical properties of hazardous materials (e.g., flash point, reactivity) and methods that can be used to detect the presence of chemicals.
- Physical hazards of chemicals (e.g., potential for fire, explosion, etc.).
- Health hazards, including signs and symptoms of exposure, associated with exposure to chemicals and any medical condition known to be aggravated by exposure to the chemical.
- Harmful physical agents, the level of exposure, effects, symptoms and emergency treatment.
- Procedures to protect against hazards (e.g., engineering controls; work practices or methods to assure proper use and handling of chemicals; personal protective equipment required, and its proper use, and maintenance; and procedures for reporting chemical emergencies).

Contractors

When contractors or any other employers' workers (i.e., painters, electricians, or plumbers) will be working at this work place, the contractor will:

- Provide the custodial department with SDS for any of the chemicals brought onto our site
- Relay verbally to the Assistant Director any information relating to possible emergencies that may arise or possible exposures to district employees

At Alliance Education Center, contractors must contact Scott Zehnder and also Jackie Pauley, Assistant Director (651-423-8100).

At Dakota County Technical College, contractors must contact Paul DeMuth, Director of Operations (651-423-8370).

Additional Information

All employees, or their designated representatives, can obtain further information on this written program, the Right to Know Law, applicable SDS, harmful physical agents and chemical

information lists by contacting Amy Alexander at 651-423-8229..

AGREEMENT

Independent School District #271 ("ISD 271") and
Intermediate School District #917 ("ISD 917")

THIS AGREEMENT ("Agreement") entered into this 1st day of July, 2025, by and between Independent School District #271 ("ISD 271"), and Intermediate School District #917 ("ISD 917").

WHEREAS, ISD 917 is an intermediate school district organized according to Minnesota Statutes, Chapter 136D, and its mission includes providing special education and related services to students; and

WHEREAS, ISD 917 provides an early childhood mental health program to eligible students of its member districts; and

WHEREAS, ISD 271 agrees to provide for purchase by ISD 917 an appropriately licensed early childhood special education teacher for the early childhood mental health program;

NOW THEREFORE IT IS AGREED:

1. EMPLOYMENT

Jessica Taldone, an early childhood special education teacher for ISD 271, has been hired to provide services to students receiving early childhood special education services in the mental health program provided by ISD 917 for the 2024-2025 school year.

Jessica Taldone, will be a full-time teacher of ISD 271 entitled to all salary and benefits as described in the master agreement between ISD 271 and the Bloomington Federation of Teachers representing teachers and is subject to the policies, regulations, benefits, and laws applicable to School Board employees.

2. REIMBURSEMENT OF SALARY AND BENEFITS

The parties agree that, during the term of this Agreement, ISD 917 will reimburse ISD 271 the full cost of salary and benefits. ISD 917 agrees to remit payment in one installments payable prior to June 15 based on billing from ISD 271.

Additional compensation for professional development paid hourly at the employee's hourly rate will be billed by ISD 271 to ISD 917 separately. In addition, mileage paid at the federal mileage rate incurred by the employee will be billed by ISD 271 to ISD 917 separately.

Costs for substitutes for the early childhood special education teacher will be incurred by and paid for by ISD 917 directly.

3. LIABILITY AND INSURANCE

ISD 917 assumes liability for the acts and omissions of its employees, but does not assume any liability for the acts or omissions of the employees, agents and assigns of ISD 271. ISD 917 and ISD 271 agree that they will at all times during the term of the Agreement, have and keep in force a liability policy that names the other as an additional insured. Limits will include one million dollars (\$1,000,000.00) for each occurrence with two million dollars (\$2,000,000.00) aggregate. Certificate of Insurance is required by each agency, listing ISD #271 as additional insured on the general liability policy. Certificate holder is: ISD#271, 1350W 106th St., Bloomington, MN 55431

4. PERSONNEL

ISD 917 and ISD 271 hereby acknowledge and agree that ISD 271's employees are not employees of ISD 917, and that ISD 271's employees or its agents will have no authority to bind ISD 917 or otherwise incur liability on behalf of ISD 917 without the express written delegation of authority by ISD 917. ISD 917 shall have no obligation to provide any ISD 271 employee with benefits or privileges of any kind or nature including, without limitation, insurance benefits, pension benefits, worker's compensation benefits or any other benefits ISD 917 provides to its employees. ISD 271 has exclusive control and the right to hire and discharge any of its employees rendering services under this Agreement. ISD 271 will be solely responsible for the payment of wages, taxes, and other related charges for services rendered under this Agreement by its employees.

5. CONFIDENTIALITY AND DATA PRACTICES

Minn. Stat. § 13.05, Subd. 11 applies to this Agreement. The Parties believe that data generated and maintained in the early childhood mental health program are government data and are therefore subject to the Minnesota Government Data Practices Act or the federal Family Educational Rights and Privacy Act ("FERPA").

6. TERM, TERMINATION, OR MODIFICATION

The term of this Agreement shall be from July 1, 2024, through June 30, 2025. If the parties mutually agree in writing, this Agreement may be terminated on the terms and the date stipulated in such a separate written document. This Agreement may not be modified without the written and mutual consent of both parties.

7. CONTRACT ADMINISTRATION

The Agreement shall be administered on behalf of ISD 271 by the Superintendent or designee and shall be administered on behalf of ISD 917 by the Superintendent or designee.

8. NOTICE

All notices or other communications required or permitted to be given under this Agreement must be in writing and will be deemed to have been given properly if delivered personally by hand or mailed certified mail, return receipt requested, postage prepaid on the date posted, and addressed to the appropriate party at the following address or any other address that may be given in writing to the parties:

ISD 271: Jennifer McIntyre
Name of Executive Director of Student Services
1350 West 106th Street
Address
Bloomington, MN 55431
City, State, Zip
952-681-6503
Phone

ISD 917: Melissa Schaller
Name of Executive Director of Student Services
14300 145th Street East
Address
Rosemount, MN 55068
City, State, Zip
651-423-8204
Phone
651-423-8776
Fax

9. GENERAL

This Agreement cannot be assigned by either party, except with the prior written consent of the other party. This Agreement shall be governed by and construed under the laws of the State of Minnesota. If any provision of this Agreement is invalid, illegal, or unenforceable under any applicable statute or rule of law, it is to that extent deemed omitted and the remainder of the Agreement shall be valid and enforceable to the maximum extent possible.

IN WITNESS WHEREOF, the duly authorized officers or representatives of the parties have set their hands hereto on the dates indicated by their signatures.

Independent School District #271 Bloomington Public Schools

By: 
It's Chairperson

By: Nelly Korman
It's Clerk

Dated: June 23, 2025 School Board's Tax Identification Number: 41-6001463

Intermediate School District 917

By: _____
It's Chairperson

By: _____
It's Clerk

Dated: _____, 20__ School Board's Tax Identification Number: _____

AGREEMENT TO PROVIDE EDUCATIONAL SERVICES

This Agreement to Provide Educational Services (“Agreement”) is made between Independent School District 271 (ISD 271) and Intermediate School District 917 (“ISD 917”). The purpose of this Agreement is to set forth the respective responsibilities of the parties in the provision of educational services to students who are placed in the Transition Education Service Alternative (TESA) program located at 2575 W. 88th St., Bloomington, MN.

WHEREAS, ISD 917 is authorized to provide special education and other educational services to students pursuant to Minn. Stat. chapter 136D at the request of a participating district; and

WHEREAS, ISD 917 has a history of providing appropriate special education services to children; and

WHEREAS, ISD 271 finds it is financially and educationally appropriate to contract with ISD 917 to provide special education services to its residents who are placed in the TESA program located at 2575 W. 88th St., Bloomington.

WHEREAS, the Parties believe it is appropriate to recognize their respective responsibilities and further define the relationship of the Parties in this Agreement;

NOW, THEREFORE, IT IS AGREED:

1. EMPLOYMENT

_____ A clerical position for ISD 271, will provide services to the TESA program provided by ISD 917 for the 2025-2026, 2026-2027, and 2027-2028 school years.

_____ The clerk is entitled to all salary and benefits as described in the master agreement between ISD 271 and The Association of Bloomington Clerical and is subject to the policies, regulations, benefits, and laws applicable to School Board employees.

_____ A health associate position for ISD 271, will provide services to the TESA program provided by ISD 917 for the 2025-2026, 2026-2027, and 2027-2028 school years.

_____ The health associate is entitled to all salary and benefits as described in the master agreement between ISD 271 and Health Services-Bloomington Federation of Teachers and is subject to the policies, regulations, benefits, and laws applicable to School Board employees.

_____ In the event that ISD 917 has not secured employment with an appropriately licensed special education teacher by July 30th prior to the start of the upcoming school year, ISD 271 will provide a special education teacher the TESA program In the event that ISD 271 employs a licensed special education teacher the individual will be employed for one

school year and the position will be reopened for ISD 917 to employ a licensed special education teacher for the following school year.

The special education teacher, if hired by ISD 271, is entitled to all salary and benefits as described in the master agreement between ISD 271 and the Bloomington Federation of Teachers and is subject to the policies, regulations, benefits, and laws applicable to School Board employees.

2. REIMBURSEMENT OF SALARY AND BENEFITS

The parties agree that, during the term of this Agreement, ISD 917 will reimburse ISD 271 costs of salary and benefits on a prorated basis given student enrollment in each districts' respective transition program for the clerical position, and health associate position. ISD 917 agrees to remit payment in two equal installments payable on or about January 15, and June 15 based on billing from ISD 271.

In the event that ISD 271 employs a special education teacher for the TESA program the parties agree that, during the term of the school year in which the teacher is hired, ISD 917 will reimburse ISD 271 the full cost of salary and benefits. ISD 271 agrees to remit payment in two equal installments payable mid-year and prior to June 15 based on billing from ISD 271.

Additional compensation for professional development paid hourly at the employee's hourly rate will be billed by ISD 271 to ISD 917 separately. In addition, mileage paid at the federal mileage rate incurred by the employee will be billed by ISD 271 to ISD 917 separately.

Cost for substitutes for the special education teacher will be incurred by and paid for by ISD 917 directly.

3. INSTRUCTIONAL SPACE, FURNITURE, EQUIPMENT, SUPPLIES:

ISD 917 will provide instructional services to students in mutually agreeable, designated instructional space at ISD 271's leased premises. ISD 271 will be responsible for cleaning and maintaining the instructional space. ISD 917 will be responsible for payment of CAM costs will be prorated based on square footage occupied by the TESA program. CAM costs average \$3.15 per sq. The total square footage that ISD 917 occupies is approximately 8,516 sq. feet. CAM charges for this area will be determined annually and charged back to ISD 917 by June 15 each year.

ISD 271 will allow ISD 917s employees to access its premises, furnishings, equipment and supplies as reasonably necessary for instructional purposes.

ISD 917 employees will be issued keys/passcards to access the premises. Issued keys and/or passcards will be returned immediately if a staff member resigns or is terminated from their position. ISD 917 employees will receive U.S postal and in-district mail at the ISD 271 site.

ISD 917's employees may bring equipment and supplies into ISD 271's premises, and ISD 271 will provide reasonable access to storage space on-site as may be needed for storage of equipment and supplies. ISD 917 will have access to the school vans and wheelchair van associated with the ISD 271 transition program. ISD 917 will follow the pre/post maintenance procedure checks as outlined by ISD 271. ISD 917 will be responsible for payment of costs for van usage determined by total miles logged using the daily log sheets, on an annual basis, not later than June 15. In the event ISD 271 faces eviction or other removal from its premises, ISD 271 will give the ISD 917's employees immediate access to the premises to allow ISD 917 to retrieve its equipment and supplies.

4. LIABILITY AND INSURANCE

ISD 917 assumes liability for the acts and omissions of its employees, but does not assume any liability for the acts or omissions of the employees, agents and assigns of ISD 271. ISD 917 and ISD 271 agree that they will at all times during the term of the Agreement, have and keep in force a liability policy that names the other as an additional insured. Limits will include one million dollars (\$1,000,000.00) for each occurrence with two million dollars (\$2,000,000.00) aggregate. Each agrees to provide a Certificate of Insurance to the other upon request. Both parties also need to show proof of workers compensation insurance, Umbrella coverage and School Leaders Legal Liability for their employees. Each district will carry Commercial Auto coverage, ISD 917, will carry Hired/Non-Owned Auto Liability for any exposures not associated with the vehicles borrowed from ISD 271.

ISD 271 will be responsible for insuring vehicles used both transporting students to school and to programming during the school day.

5. PERSONNEL

ISD 917 and ISD 271 hereby acknowledge and agree that ISD 271's employees are not employees of ISD 917, and that ISD 271's employees or its agents will have no authority to bind ISD 917 or otherwise incur liability on behalf of ISD 917 without the express written delegation of authority by ISD 917. ISD 917 shall have no obligation to provide any ISD 271 employee with benefits or privileges of any kind or nature including, without limitation, insurance benefits, pension benefits, worker's compensation benefits or any other benefits ISD 917 provides to its employees. ISD 271 has exclusive control

and the right to hire and discharge any of its employees rendering services under this Agreement. ISD 271 will be solely responsible for the payment of wages, taxes, and other related charges for services rendered under this Agreement by its employees.

6. CONFIDENTIALITY AND DATA PRACTICES

Minn. Stat. § 13.05, Subd. 11 applies to this Agreement. The Parties believe that data generated and maintained in the Transition Program are government data and are therefore subject to the Minnesota Government Data Practices Act or the federal Family Educational Rights and Privacy Act (“FERPA”).

7. TERM, TERMINATION, OR MODIFICATION

The term of this Agreement shall be in full force and effect from July 1, 2025 until June 30, 2028. The School Board may extend this agreement on a year to year basis after June 30, 2025 with confirmation by December 31 of the prior year. If either School Board wishes to terminate the Agreement before June 30, 2028 it must be in writing and be received by December 31 of prior year. Either School Board can terminate this Agreement for any reason prior to June 30, 2028 by giving Notice to the other party on or before December 31 of any year. The termination will be effective as of June 30 of the following year and neither School Board will have any continuing obligations under this Agreement after the effective date of the termination. This Agreement may not be modified without the written and mutual consent of both School Boards.

8. CONTRACT ADMINISTRATION

The Agreement shall be administered on behalf of ISD 271 by the Superintendent or designee and shall be administered on behalf of ISD 917 by the superintendent or designee.

9. NOTICE

All notices or other communications required or permitted to be given under this Agreement must be in writing and will be deemed to have been given properly if delivered personally by hand or mailed certified mail, return receipt requested, postage prepaid on the date posted, and addressed to the appropriate party at the following address or any other address that may be given in writing to the parties:

ISD 271: Jennifer McIntyre
Name of Executive Director of Student Services

1350 West 106th St
Address

Bloomington, MN, 55431
City, State, Zip

952-681-6503
Phone

952-681-6519
Fax

ISD 917: Melissa Schaller
Name of Executive Director of Student Services

14300 145th Street East
Address

Rosemount, MN 55068
City, State, Zip

651-423-8204
Phone

651-423-8776
Fax

10. GENERAL

This Agreement cannot be assigned by either party, except with the prior written consent of the other party. This Agreement shall be governed by and construed under the laws of the State of Minnesota. If any provision of this Agreement is invalid, illegal, or unenforceable under any applicable statute or rule of law, it is to that extent deemed omitted and the remainder of the Agreement shall be valid and enforceable to the maximum extent possible.

IN WITNESS WHEREOF, the duly authorized officers or representatives of the parties have set their hands hereto on the dates indicated by their signatures.

Independent School District #271 Bloomington Public Schools

By: 
It's Chairperson

By: *Nelly Korman*
It's Clerk

Dated: June 23, 2025 School Board's Tax Identification Number: 41-6001463

Intermediate School District 917

By: _____
It's Chairperson

By: _____
It's Clerk

Dated: _____, 20____ School Board's Tax Identification Number: 41-0961008
