

Public Property, Safety, and Works Committee
Monday, August 14, 2023 4:00 PM
Columbus Community Building/Community Room
2500 14 Street
Columbus, NE 68601

The Mayor and City Council reserve the right to go into closed session as per Section 84-1410 of the Nebraska Revised Statutes. A current agenda is on file at City Hall, 2500 14 Street, Columbus, Nebraska. For more information, call 402-562-4224 or visit our website at www.columbusne.us.

{{Name: Agenda Item Name}}

1. Statement of compliance with Open Meetings Act and roll call.

NEBRASKA OPEN MEETINGS ACT

84-1407. Act, how cited.

Sections 84-1407 to 84-1414 shall be known and may be cited as the Open Meetings Act.

Source: Laws 2004, LB 821, § 34.

84-1408. Declaration of intent; meetings open to public.

It is hereby declared to be the policy of this state that the formation of public policy is public business and may not be conducted in secret.

Every meeting of a public body shall be open to the public in order that citizens may exercise their democratic privilege of attending and speaking at meetings of public bodies, except as otherwise provided by the Constitution of Nebraska, federal statutes, and the Open Meetings Act.

Source: Laws 1975, LB 325, § 1; Laws 1996, LB 900, § 1071; Laws 2004, LB 821, § 35.

Annotations

- Nebraska's public meetings laws do not apply to school board deliberations pertaining solely to disputed adjudicative facts. *McQuinn v. Douglas Cty. Sch. Dist. No. 66*, 259 Neb. 720, 612 N.W.2d 198 (2000).
- The primary purpose of the public meetings law is to ensure that public policy is formulated at open meetings. *Marks v. Judicial Nominating Comm.*, 236 Neb. 429, 461 N.W.2d 551 (1990).
- The public meetings law is broadly interpreted and liberally construed to obtain the objective of openness in favor of the public, and provisions permitting closed sessions must be narrowly and strictly construed. *Grein v. Board of Education of Fremont*, 216 Neb. 158, 343 N.W.2d 718 (1984).
- Although a committee was a subcommittee of a natural resources district board, it was not subject to the Open Meetings Act because there was never a quorum of board members in attendance and the committee did not hold hearings, make policy, or take formal action on behalf of the board. *Koch v. Lower Loup NRD*, 27 Neb. App. 301, 931 N.W.2d 160 (2019).
- A county board of equalization is a public body whose meetings shall be open to the public. *Wolf v. Grubbs*, 17 Neb. App. 292, 759 N.W.2d 499 (2009).

84-1409. Terms, defined.

For purposes of the Open Meetings Act, unless the context otherwise requires:

(1)(a) Public body means (i) governing bodies of all political subdivisions of the State of Nebraska, (ii) governing bodies of all agencies, created by the Constitution of Nebraska, statute, or otherwise pursuant to law, of the executive department of the State of Nebraska, (iii) all independent boards, commissions, bureaus, committees, councils, subunits, or any other bodies created by the Constitution of Nebraska, statute, or otherwise pursuant to law, (iv) all study or advisory committees of the executive department of the State of Nebraska whether having continuing existence or appointed as special committees with limited existence, (v) advisory committees of the bodies referred to in subdivisions (i), (ii), and (iii) of this subdivision, and (vi) instrumentalities exercising essentially public functions; and

(b) Public body does not include (i) subcommittees of such bodies unless a quorum of the public body attends a subcommittee meeting or unless such subcommittees are holding hearings, making policy, or taking formal action on behalf of their parent body, except that all meetings of any subcommittee established under section 81-15,175 are subject to the Open Meetings Act, (ii) entities conducting judicial proceedings unless a court or other judicial body is exercising rulemaking authority, deliberating, or deciding upon the issuance of administrative orders, and (iii) the Judicial Resources Commission or subcommittees or subgroups of the commission;

(2) Meeting means all regular, special, or called meetings, formal or informal, of any public body for the purposes of briefing, discussion of public business, formation of tentative policy, or the taking of any action of the public body; and

(3) Virtual conferencing means conducting or participating in a meeting electronically or telephonically with interaction among the participants subject to subsection (2) of section 84-1412.

Source: Laws 1975, LB 325, § 2; Laws 1983, LB 43, § 1; Laws 1989, LB 429, § 42; Laws 1989, LB 311, § 14; Laws 1992, LB 1019, § 124; Laws 1993, LB 635, § 1; Laws 1996, LB 1044, § 978; Laws 1997, LB 798, § 37; Laws 2004, LB 821, § 36; Laws 2007, LB296, § 810; Laws 2011, LB366, § 2; Laws 2021, LB83, § 11; Laws 2022, LB922, § 12.

Operative Date: July 21, 2022

Annotations

- A township is a political subdivision, and as such, a township board is subject to the provisions of the public meetings laws. *Steenblock v. Elkhorn Township Bd.*, 245 Neb. 722, 515 N.W.2d 128 (1994).
- A county agricultural society is a public body to which the provisions of the Nebraska public meetings law are applicable. *Nixon v. Madison Co. Ag. Soc'y*, 217 Neb. 37, 348 N.W.2d 119 (1984).
- Failure by a public governing body, as defined under section 84-1409, R.R.S.1943, to take and record a roll call vote on an action, as required by section 84-1413(2), R.S.Supp.,1980, grants any citizen the right to sue for the purpose of

having the action declared void. In this case such failure could not be later corrected by a nunc pro tunc order because there was no showing that a roll call vote on the disputed action was actually taken, and even if it was the record showed it was not recorded until over a year later. Sections 23-1301, R.R.S.1943, and 23-1302, R.R.S.1943, make it the duty of the county clerk to record proceedings of the board of county commissioners. *State ex rel. Schuler v. Dunbar*, 208 Neb. 69, 302 N.W.2d 674 (1981).

- Although a committee was a subcommittee of a natural resources district board, it was not subject to the Open Meetings Act because there was never a quorum of board members in attendance and the committee did not hold hearings, make policy, or take formal action on behalf of the board. *Koch v. Lower Loup NRD*, 27 Neb. App. 301, 931 N.W.2d 160 (2019).
- Although the Open Meetings Act does not define "subcommittee," a subcommittee is generally defined as a group within a committee to which the committee may refer business. *Koch v. Lower Loup NRD*, 27 Neb. App. 301, 931 N.W.2d 160 (2019).
- The Open Meetings Act does not require policymakers to remain ignorant of the issues they must decide until the moment the public is invited to comment on a proposed policy. By excluding nonquorum subgroups from the definition of a public body, the Legislature has balanced the public's need to be heard on matters of public policy with a practical accommodation for a public body's need for information to conduct business. *Koch v. Lower Loup NRD*, 27 Neb. App. 301, 931 N.W.2d 160 (2019).
- As an administrative agency of the county, a county board of equalization is a public body. *Wolf v. Grubbs*, 17 Neb. App. 292, 759 N.W.2d 499 (2009).
- The electors of a township at their annual meeting are a public body under the Open Meetings Act. *State ex rel. Newman v. Columbus Township Bd.*, 15 Neb. App. 656, 735 N.W.2d 399 (2007).
- The meeting at issue in this case was a "meeting" within the parameters of subsection (2) of this section because it involved the discussion of public business, the formation of tentative policy, or the taking of any action of the public power district. *Hansmeyer v. Nebraska Pub. Power Dist.*, 6 Neb. App. 889, 578 N.W.2d 476 (1998).
- Informational sessions in which the governmental body hears reports are briefings. *Johnson v. Nebraska Environmental Control Council*, 2 Neb. App. 263, 509 N.W.2d 21 (1993).

84-1410. Closed session; when; purpose; reasons listed; procedure; right to challenge; prohibited acts; chance meetings, conventions, or workshops.

(1) Any public body may hold a closed session by the affirmative vote of a majority of its voting members if a closed session is clearly necessary for the protection of the public interest or for the prevention of needless injury to the reputation of an individual and if such individual has not requested a public meeting. The subject matter and the reason necessitating the closed session shall be identified in the motion to close. Closed sessions may be held for, but shall not be limited to, such reasons as:

(a) Strategy sessions with respect to collective bargaining, real estate purchases, pending litigation, or litigation which is imminent as evidenced by communication of a claim or threat of litigation to or by the public body;

(b) Discussion regarding deployment of security personnel or devices;

(c) Investigative proceedings regarding allegations of criminal misconduct;

(d) Evaluation of the job performance of a person when necessary to prevent needless injury to the reputation of a person and if such person has not requested a public meeting;

(e) For the Community Trust created under section 81-1801.02, discussion regarding the amounts to be paid to individuals who have suffered from a tragedy of violence or natural disaster; or

(f) For public hospitals, governing board peer review activities, professional review activities, review and discussion of medical staff investigations or disciplinary actions, and any strategy session concerning transactional negotiations with any referral source that is required by federal law to be conducted at arms length.

Nothing in this section shall permit a closed meeting for discussion of the appointment or election of a new member to any public body.

(2) The vote to hold a closed session shall be taken in open session. The entire motion, the vote of each member on the question of holding a closed session, and the time when the closed session commenced and concluded shall be recorded in the minutes. If the motion to close passes, then the presiding officer immediately prior to the closed session shall restate on the record the limitation of the subject matter of the closed session. The public body holding such a closed session shall restrict its consideration of matters during the closed portions to only those purposes set forth in the motion to close as the reason for the closed session. The meeting shall be reconvened in open session before any formal action may be taken. For purposes of this section, formal action shall mean a collective decision or a collective commitment or promise to make a decision on any question, motion, proposal, resolution, order, or ordinance or formation of a position or policy but shall not include negotiating guidance given by members of the public body to legal counsel or other negotiators in closed sessions authorized under subdivision (1)(a) of this section.

(3) Any member of any public body shall have the right to challenge the continuation of a closed session if the member determines that the session has exceeded the reason stated in the original motion to hold a closed session or if the member contends that the closed session is neither clearly necessary for (a) the protection of the public interest or (b) the prevention of needless injury to the reputation of an individual. Such challenge shall be overruled only by a majority vote of the members of the public body. Such challenge and its disposition shall be recorded in the minutes.

(4) Nothing in this section shall be construed to require that any meeting be closed to the public. No person or public body shall fail to invite a portion of its members to a meeting, and no public body shall designate itself a subcommittee of the whole body for the purpose of circumventing the Open Meetings Act. No closed session, informal meeting, chance meeting, social gathering, email, fax, or other electronic communication shall be used for the purpose of circumventing the requirements of the act.

(5) The act does not apply to chance meetings or to attendance at or travel to conventions or workshops of members of a public body at which there is no meeting of the body then intentionally convened, if there is no vote or other action taken regarding any matter over which the public body has supervision, control, jurisdiction, or advisory power.

Source: Laws 1975, LB 325, § 3; Laws 1983, LB 43, § 2; Laws 1985, LB 117, § 1; Laws 1992, LB 1019, § 125; Laws 1994, LB 621, § 1; Laws 1996, LB 900, § 1072; Laws 2004, LB 821, § 37; Laws 2004, LB 1179, § 1; Laws 2006, LB 898, § 1; Laws 2011, LB390, § 29; Laws 2012, LB995, § 17.

Annotations

- There is no absolute discovery privilege for communications that occur during a closed session. *State ex rel. Upper Republican NRD v. District Judges*, 273 Neb. 148, 728 N.W.2d 275 (2007).
- If a person present at a meeting observes a public meetings law violation in the form of an improper closed session and fails to object, that person waives his or her right to object at a later date. *Wasikowski v. Nebraska Quality Jobs Bd.*, 264 Neb. 403, 648 N.W.2d 756 (2002).
- The public interest mentioned in this section is that shared by citizens in general and by the community at large concerning pecuniary or legal rights and liabilities. *Grein v. Board of Education*, 216 Neb. 158, 343 N.W.2d 718 (1984).
- Hearing in closed executive session was contrary to this section since there was no showing of necessity or reason under subdivision (1)(a), (b), or (c), but did not result in reversal of board decision. *Simonds v. Board of Examiners*, 213 Neb. 259, 329 N.W.2d 92 (1983).
- Negotiations for the purchase of land need not be conducted at an open meeting but the deliberations of a city council as to whether an offer to purchase real estate

should be made should take place in an open meeting. *Pokorny v. City of Schuyler*, 202 Neb. 334, 275 N.W.2d 281 (1979).

- Public meeting law was not violated where the Board of Regents of the University of Nebraska voted to hold a closed session to consider the university president's resignation, and also discussed the appointment of an interim president during such session. *Meyer v. Board of Regents*, 1 Neb. App. 893, 510 N.W.2d 450 (1993).

84-1411. Meetings of public body; notice; method; contents; when available; right to modify; duties concerning notice; virtual conferencing authorized; requirements; emergency meeting without notice; appearance before public body.

(1)(a) Each public body shall give reasonable advance publicized notice of the time and place of each meeting as provided in this subsection. Such notice shall be transmitted to all members of the public body and to the public.

(b)(i) Except as provided in subdivision (1)(b)(ii) of this section, in the case of a public body described in subdivision (1)(a)(i) of section 84-1409 or such body's advisory committee, such notice shall be published in a newspaper of general circulation within the public body's jurisdiction and, if available, on such newspaper's website.

(ii) In the case of the governing body of a city of the second class or village or such body's advisory committee, such notice shall be published by:

(A) Publication in a newspaper of general circulation within the public body's jurisdiction and, if available, on such newspaper's website; or

(B) Posting written notice in three conspicuous public places in such city or village. Such notice shall be posted in the same three places for each meeting.

(iii) In the case of a public body not described in subdivision (1)(b)(i) or (ii) of this section, such notice shall be given by a method designated by the public body.

(c) In addition to a method of notice required by subdivision (1)(b)(i) or (ii) of this section, such notice may also be provided by any other appropriate method designated by such public body or such advisory committee.

(d) Each public body shall record the methods and dates of such notice in its minutes.

(e) Such notice shall contain an agenda of subjects known at the time of the publicized notice or a statement that the agenda, which shall be kept continually current, shall be readily available for public inspection at the principal office of the public body during normal business hours. Agenda items shall be sufficiently descriptive to give the public reasonable notice of the matters to be considered at the meeting. Except for items of an emergency nature, the agenda shall not be altered later than (i) twenty-four hours before the scheduled commencement of the meeting or

(ii) forty-eight hours before the scheduled commencement of a meeting of a city council or village board scheduled outside the corporate limits of the municipality. The public body shall have the right to modify the agenda to include items of an emergency nature only at such public meeting.

(2)(a) The following entities may hold a meeting by means of virtual conferencing if the requirements of subdivision (2)(b) of this section are met:

(i) A state agency, state board, state commission, state council, or state committee, or an advisory committee of any such state entity;

(ii) An organization, including the governing body, created under the Interlocal Cooperation Act, the Joint Public Agency Act, or the Municipal Cooperative Financing Act;

(iii) The governing body of a public power district having a chartered territory of more than one county in this state;

(iv) The governing body of a public power and irrigation district having a chartered territory of more than one county in this state;

(v) An educational service unit;

(vi) The Educational Service Unit Coordinating Council;

(vii) An organization, including the governing body, of a risk management pool or its advisory committees organized in accordance with the Intergovernmental Risk Management Act;

(viii) A community college board of governors;

(ix) The Nebraska Brand Committee;

(x) A local public health department;

(xi) A metropolitan utilities district;

(xii) A regional metropolitan transit authority; and

(xiii) A natural resources district.

(b) The requirements for holding a meeting by means of virtual conferencing are as follows:

(i) Reasonable advance publicized notice is given as provided in subsection (1) of this section, including providing access to a dial-in number or link to the virtual conference;

(ii) In addition to the public's right to participate by virtual conferencing, reasonable arrangements are made to accommodate the public's right to attend at a physical site and participate as provided in section 84-1412, including reasonable seating, in at least one designated site in a building open to the public and identified in the notice, with: At least one member of the entity holding such meeting, or his or her designee, present at each site; a

recording of the hearing by audio or visual recording devices; and a reasonable opportunity for input, such as public comment or questions, is provided to at least the same extent as would be provided if virtual conferencing was not used;

(iii) At least one copy of all documents being considered at the meeting is available at any physical site open to the public where individuals may attend the virtual conference. The public body shall also provide links to an electronic copy of the agenda, all documents being considered at the meeting, and the current version of the Open Meetings Act; and

(iv) Except as otherwise provided in this subdivision or subsection (4) of section 79-2204, no more than one-half of the meetings of the state entities, advisory committees, boards, councils, organizations, or governing bodies are held by virtual conferencing in a calendar year. In the case of an organization created under the Interlocal Cooperation Act that sells electricity or natural gas at wholesale on a multistate basis or an organization created under the Municipal Cooperative Financing Act, the organization may hold more than one-half of its meetings by virtual conferencing if such organization holds at least one meeting each calendar year that is not by virtual conferencing. The governing body of a risk management pool that meets at least quarterly and the advisory committees of the governing body may each hold more than one-half of its meetings by virtual conferencing if the governing body's quarterly meetings are not held by virtual conferencing.

(3) Virtual conferencing, emails, faxes, or other electronic communication shall not be used to circumvent any of the public government purposes established in the Open Meetings Act.

(4) The secretary or other designee of each public body shall maintain a list of the news media requesting notification of meetings and shall make reasonable efforts to provide advance notification to them of the time and place of each meeting and the subjects to be discussed at that meeting.

(5) When it is necessary to hold an emergency meeting without reasonable advance public notice, the nature of the emergency shall be stated in the minutes and any formal action taken in such meeting shall pertain only to the emergency. Such emergency meetings may be held by virtual conferencing. The provisions of subsection (4) of this section shall be complied with in conducting emergency meetings. Complete minutes of such emergency meetings specifying the nature of the emergency and any formal action taken at the meeting shall be made available to the public by no later than the end of the next regular business day.

(6) A public body may allow a member of the public or any other witness to appear before the public body by means of virtual conferencing.

(7)(a) Notwithstanding subsections (2) and (5) of this section, if an emergency is declared by the Governor pursuant to the Emergency Management Act as defined in section 81-829.39, a public body the territorial jurisdiction of which is included in the emergency declaration, in whole or in part, may hold a meeting by virtual conferencing during such emergency if the

public body gives reasonable advance publicized notice as described in subsection (1) of this section. The notice shall include information regarding access for the public and news media. In addition to any formal action taken pertaining to the emergency, the public body may hold such meeting for the purpose of briefing, discussion of public business, formation of tentative policy, or the taking of any action by the public body.

(b) The public body shall provide access by providing a dial-in number or a link to the virtual conference. The public body shall also provide links to an electronic copy of the agenda, all documents being considered at the meeting, and the current version of the Open Meetings Act. Reasonable arrangements shall be made to accommodate the public's right to hear and speak at the meeting and record the meeting. Subsection (4) of this section shall be complied with in conducting such meetings.

(c) The nature of the emergency shall be stated in the minutes. Complete minutes of such meeting specifying the nature of the emergency and any formal action taken at the meeting shall be made available for inspection as provided in subsection (5) of section 84-1413.

(8) In addition to any other statutory authorization for virtual conferencing, any public body not listed in subdivision (2)(a) of this section may hold a meeting by virtual conferencing if:

(a) The purpose of the virtual meeting is to discuss items that are scheduled to be discussed or acted upon at a subsequent non-virtual open meeting of the public body;

(b) No action is taken by the public body at the virtual meeting; and

(c) The public body complies with subdivisions (2)(b)(i) and (2)(b)(ii) of this section.

Source: Laws 1975, LB 325, § 4; Laws 1983, LB 43, § 3; Laws 1987, LB 663, § 25; Laws 1993, LB 635, § 2; Laws 1996, LB 469, § 6; Laws 1996, LB 1161, § 1; Laws 1999, LB 47, § 2; Laws 1999, LB 87, § 100; Laws 1999, LB 461, § 1; Laws 2000, LB 968, § 85; Laws 2004, LB 821, § 38; Laws 2004, LB 1179, § 2; Laws 2006, LB 898, § 2; Laws 2007, LB199, § 9; Laws 2009, LB361, § 2; Laws 2012, LB735, § 1; Laws 2013, LB510, § 1; Laws 2017, LB318, § 1; Laws 2019, LB212, § 5; Laws 2020, LB148, § 3; Laws 2021, LB83, § 12; Laws 2022, LB742, § 1; Laws 2022, LB908, § 1; Laws 2022, LB922, § 13.

Note: The Revisor of Statutes has pursuant to section 49-769 correlated LB742, section 1, with LB908, section 1, and LB922, section 13, to reflect all amendments.

Note: Changes made by LB742 and LB908 became effective July 21, 2022. Changes made by LB922 became operative July 21, 2022.

Cross References

- **Intergovernmental Risk Management Act**, see section 44-4301.
- **Interlocal Cooperation Act**, see section 13-801.
- **Joint Public Agency Act**, see section 13-2501.

- **Municipal Cooperative Financing Act**, see section 18-2401.

Annotations

- Under subsection (1) of this section, the Legislature has imposed only two conditions on the public body's notification method of a public meeting: (1) It must give reasonable advance publicized notice of the time and place of each meeting and (2) it must be recorded in the public body's minutes. *City of Elkhorn v. City of Omaha*, 272 Neb. 867, 725 N.W.2d 792 (2007).
- An emergency is "(a)ny event or occasional combination of circumstances which calls for immediate action or remedy; pressing necessity; exigency; a sudden or unexpected happening; an unforeseen occurrence or condition." *Steenblock v. Elkhorn Township Bd.*, 245 Neb. 722, 515 N.W.2d 128 (1994).
- An agenda which gives reasonable notice of the matters to be considered at a meeting of a city council complies with the requirements of this section. *Pokorny v. City of Schuyler*, 202 Neb. 334, 275 N.W.2d 281 (1979).
- When notice is required, a notice of a special meeting of a city council posted in three public places at 10:00 p.m. on the day preceding the meeting is not reasonable advance publicized notice of a meeting as is required by this section. *Pokorny v. City of Schuyler*, 202 Neb. 334, 275 N.W.2d 281 (1979).
- Teacher waived right to object to lack of public notice in board of education employment hearing by voluntary participation in the hearing without objection. *Alexander v. School Dist. No. 17*, 197 Neb. 251, 248 N.W.2d 335 (1976).
- A county board of commissioners and a county board of equalization are not required to give separate notices when the notice states only the time and place that the boards meet and directs a citizen to where the agendas for each board can be found. *Wolf v. Grubbs*, 17 Neb. App. 292, 759 N.W.2d 499 (2009).
- A county board of equalization is a public body which is required to give advanced publicized notice of its meetings. *Wolf v. Grubbs*, 17 Neb. App. 292, 759 N.W.2d 499 (2009).
- Notice of recessed and reconvened meetings must be given in the same fashion as the original meeting. *Wolf v. Grubbs*, 17 Neb. App. 292, 759 N.W.2d 499 (2009).
- True notice of a meeting is not given by burying such in the minutes of a prior board proceeding. *Wolf v. Grubbs*, 17 Neb. App. 292, 759 N.W.2d 499 (2009).
- An agenda notice which merely stated "work order reports" was an inadequate notice under this section because it did not give interested persons knowledge that plans for a 345 kv transmission line through the district was going to be discussed and voted upon at the meeting. Inadequate agenda notice under this section meant there was a substantial violation of the public meeting laws; however, later actions by the board of directors cured the defects in notice, and such actions were in substantial compliance with the statute. *Hansmeyer v. Nebraska Pub. Power Dist.*, 6 Neb. App. 889, 578 N.W.2d 476 (1998).

84-1412. Meetings of public body; rights of public; public body; powers and duties.

(1) Subject to the Open Meetings Act, the public has the right to attend and the right to speak at meetings of public bodies, and all or any part of a meeting of a public body, except for closed sessions called pursuant to section 84-1410, may be videotaped, televised, photographed, broadcast, or recorded by any person in attendance by means of a tape recorder, a camera, video equipment, or any other means of pictorial or sonic reproduction or in writing.

(2) It shall not be a violation of subsection (1) of this section for any public body to make and enforce reasonable rules and regulations regarding the conduct of persons attending, speaking at, videotaping, televising, photographing, broadcasting, or recording its meetings, including meetings held by virtual conferencing. A body may not be required to allow citizens to speak at each meeting, but it may not forbid public participation at all meetings.

(3) No public body shall require members of the public to identify themselves as a condition for admission to the meeting nor shall such body require that the name of any member of the public be placed on the agenda prior to such meeting in order to speak about items on the agenda. The body shall require any member of the public desiring to address the body to identify himself or herself, including an address and the name of any organization represented by such person unless the address requirement is waived to protect the security of the individual.

(4) No public body shall, for the purpose of circumventing the Open Meetings Act, hold a meeting in a place known by the body to be too small to accommodate the anticipated audience.

(5) No public body shall be deemed in violation of this section if it holds its meeting in its traditional meeting place which is located in this state.

(6) No public body shall be deemed in violation of this section if it holds a meeting outside of this state if, but only if:

(a) A member entity of the public body is located outside of this state and the meeting is in that member's jurisdiction;

(b) All out-of-state locations identified in the notice are located within public buildings used by members of the entity or at a place which will accommodate the anticipated audience;

(c) Reasonable arrangements are made to accommodate the public's right to attend, hear, and speak at the meeting, including making virtual conferencing available at an in-state location to members, the public, or the press, if requested twenty-four hours in advance;

(d) No more than twenty-five percent of the public body's meetings in a calendar year are held out-of-state;

(e) Out-of-state meetings are not used to circumvent any of the public government purposes established in the Open Meetings Act; and

(f) The public body publishes notice of the out-of-state meeting at least twenty-one days before the date of the meeting in a legal newspaper of statewide circulation.

(7) Each public body shall, upon request, make a reasonable effort to accommodate the public's right to hear the discussion and testimony presented at a meeting.

(8) Public bodies shall make available at the meeting or the instate location for virtual conferencing as required by subdivision (6)(c) of this section, for examination and copying by members of the public, at least one copy of all reproducible written material to be discussed at an open meeting, either in paper or electronic form. Public bodies shall make available at least one current copy of the Open Meetings Act posted in the meeting room at a location accessible to members of the public. At the beginning of the meeting, the public shall be informed about the location of the posted information.

Source: Laws 1975, LB 325, § 5; Laws 1983, LB 43, § 4; Laws 1985, LB 117, § 2; Laws 1987, LB 324, § 5; Laws 1996, LB 900, § 1073; Laws 2001, LB 250, § 2; Laws 2004, LB 821, § 39; Laws 2006, LB 898, § 3; Laws 2008, LB962, § 1; Laws 2021, LB83, § 13.

Annotations

- To preserve an objection that a public body failed to make documents available at a public meeting as required by subsection (8) of this section, a person who attends a public meeting must not only object to the violation, but must make that objection to the public body or to a member of the public body. *Stoetzel & Sons v. City of Hastings*, 265 Neb. 637, 658 N.W.2d 636 (2003).

84-1413. Meetings; minutes; roll call vote; secret ballot; when; agenda and minutes; required on website; when.

(1) Each public body shall keep minutes of all meetings showing the time, place, members present and absent, and the substance of all matters discussed.

(2) Any action taken on any question or motion duly moved and seconded shall be by roll call vote of the public body in open session, and the record shall state how each member voted or if the member was absent or not voting. The requirements of a roll call or viva voce vote shall be satisfied by a public body which utilizes an electronic voting device which allows the yeas and nays of each member of such public body to be readily seen by the public.

(3) The vote to elect leadership within a public body may be taken by secret ballot, but the total number of votes for each candidate shall be recorded in the minutes.

(4) The minutes of all meetings and evidence and documentation received or disclosed in open session shall be public records and open to public inspection during normal business hours.

(5) Minutes shall be written or kept as an electronic record and shall be available for inspection within ten working days or prior to the next convened meeting, whichever occurs

earlier, except that cities of the second class and villages may have an additional ten working days if the employee responsible for writing or keeping the minutes is absent due to a serious illness or emergency.

(6) Beginning July 31, 2022, the governing body of a natural resources district, the city council of a city of the metropolitan class, the city council of a city of the primary class, the city council of a city of the first class, the county board of a county with a population greater than twenty-five thousand inhabitants, and the school board of a school district shall make available on such entity's public website the agenda and minutes of any meeting of the governing body. The agenda shall be placed on the website at least twenty-four hours before the meeting of the governing body. Minutes shall be placed on the website at such time as the minutes are available for inspection as provided in subsection (5) of this section. This information shall be available on the public website for at least six months.

Source: Laws 1975, LB 325, § 6; Laws 1978, LB 609, § 3; Laws 1979, LB 86, § 9; Laws 1987, LB 663, § 26; Laws 2005, LB 501, § 1; Laws 2009, LB361, § 3; Laws 2015, LB365, § 2; Laws 2016, LB876, § 1; Laws 2021, LB83, § 14; Laws 2022, LB742, § 2.

Effective Date: July 21, 2022

Annotations

- If a person present at a meeting observes and fails to object to an alleged public meetings laws violation in the form of a failure to conduct rollcall votes before taking actions on questions or motions pending, that person waives his or her right to object at a later date. *Hauser v. Nebraska Police Stds. Adv. Council*, 264 Neb. 944, 653 N.W.2d 240 (2002).
- Subsection (2) of this section does not require the record to state that the vote was by roll call, but requires only that the record show if and how each member voted. Neither does the statute set a time limit for recording the results of a vote, after which no corrections of the record can be made. If no intervening rights of third persons have arisen, a board of county commissioners has power to correct the record of the proceedings had at a previous meeting so as to make them speak the truth, particularly where the correction supplies some omitted fact or action and is done not to contradict or change the original record but to have the record show that a certain action was taken or thing done, which the original record fails to show. *State ex rel. Schuler v. Dunbar*, 214 Neb. 85, 333 N.W.2d 652 (1983).
- Failure by a public governing body, as defined under section 84-1409, R.R.S.1943, to take and record a roll call vote on an action, as required by section 84-1413(2), R.S.Supp.,1980, grants any citizen the right to sue for the purpose of having the action declared void. In this case such failure could not be later corrected by a nunc pro tunc order because there was no showing that a roll call vote on the disputed action was actually taken, and even if it was the record showed it was not recorded until over a year later. Sections 23-1301, R.R.S.1943,

and 23-1302, R.R.S.1943, make it the duty of the county clerk to record proceedings of the board of county commissioners. *State ex rel. Schuler v. Dunbar*, 208 Neb. 69, 302 N.W.2d 674 (1981).

- There is no requirement that a public body make a record of where notice was published or posted. *Wolf v. Grubbs*, 17 Neb. App. 292, 759 N.W.2d 499 (2009).

84-1414. Unlawful action by public body; declared void or voidable by district court; when; duty to enforce open meeting laws; citizen's suit; procedure; violations; penalties.

(1) Any motion, resolution, rule, regulation, ordinance, or formal action of a public body made or taken in violation of the Open Meetings Act shall be declared void by the district court if the suit is commenced within one hundred twenty days of the meeting of the public body at which the alleged violation occurred. Any motion, resolution, rule, regulation, ordinance, or formal action of a public body made or taken in substantial violation of the Open Meetings Act shall be voidable by the district court if the suit is commenced more than one hundred twenty days after but within one year of the meeting of the public body in which the alleged violation occurred. A suit to void any final action shall be commenced within one year of the action.

(2) The Attorney General and the county attorney of the county in which the public body ordinarily meets shall enforce the Open Meetings Act.

(3) Any citizen of this state may commence a suit in the district court of the county in which the public body ordinarily meets or in which the plaintiff resides for the purpose of requiring compliance with or preventing violations of the Open Meetings Act, for the purpose of declaring an action of a public body void, or for the purpose of determining the applicability of the act to discussions or decisions of the public body. It shall not be a defense that the citizen attended the meeting and failed to object at such time. The court may order payment of reasonable attorney's fees and court costs to a successful plaintiff in a suit brought under this section.

(4) Any member of a public body who knowingly violates or conspires to violate or who attends or remains at a meeting knowing that the public body is in violation of any provision of the Open Meetings Act shall be guilty of a Class IV misdemeanor for a first offense and a Class III misdemeanor for a second or subsequent offense.

Source: Laws 1975, LB 325, § 9; Laws 1977, LB 39, § 318; Laws 1983, LB 43, § 5; Laws 1992, LB 1019, § 126; Laws 1994, LB 621, § 2; Laws 1996, LB 900, § 1074; Laws 2004, LB 821, § 40; Laws 2006, LB 898, § 4.

Annotations

- The Legislature has granted standing to a broad scope of its citizens for the very limited purpose of challenging meetings allegedly in violation of the Open Meetings Act, so that they may help police the public policy embodied by the act. *Schauer v. Grooms*, 280 Neb. 426, 786 N.W.2d 909 (2010).

- Any citizen of the state may commence an action to declare a public body's action void. *City of Elkhorn v. City of Omaha*, 272 Neb. 867, 725 N.W.2d 792 (2007).
- The reading of ordinances constitutes a formal action under subsection (1) of this section. *City of Elkhorn v. City of Omaha*, 272 Neb. 867, 725 N.W.2d 792 (2007).
- If a person present at a meeting observes a public meetings law violation in the form of an improper closed session and fails to object, that person waives his or her right to object at a later date. *Wasikowski v. Nebraska Quality Jobs Bd.*, 264 Neb. 403, 648 N.W.2d 756 (2002).
- Under the Public Meetings Act, a county lacks capacity to maintain an action to declare its official conduct "void" for noncompliance with the act. *County of York v. Johnson*, 230 Neb. 403, 432 N.W.2d 215 (1988).
- When a petitioner under this section is successful in the district court, that court may allow attorney fees. *Tracy Corp. II v. Nebraska Pub. Serv. Comm.*, 218 Neb. 900, 360 N.W.2d 485 (1984).
- Informal discussions between the Tax Commissioner and the State Board of Equalization in which instructions were clarified, with such clarification leading to the amendment of hearing notices, did not constitute a public meeting subject to the provisions of this section. *Box Butte County v. State Board of Equalization and Assessment*, 206 Neb. 696, 295 N.W.2d 670 (1980).
- The right to collaterally attack an order made in contravention of the Public Meeting Act must occur within a period of one year as is specifically provided by this section. *Witt v. School District No. 70*, 202 Neb. 63, 273 N.W.2d 669 (1979).
- Statutory change, requiring "publicized notice" for board of education employment hearings, occurring between dates meeting scheduled and conducted, held not to void proceedings. *Alexander v. School Dist. No. 17*, 197 Neb. 251, 248 N.W.2d 335 (1976).
- Voiding an entire meeting is a proper remedy for violations of the Open Meetings Act. Once a meeting has been declared void pursuant to Nebraska's public meetings law, board members are prohibited from considering any information obtained at the illegal meeting. *Wolf v. Grubbs*, 17 Neb. App. 292, 759 N.W.2d 499 (2009).
- Actions by the board of directors were merely voidable under this section, and not void. Pursuant to subsection (3) of this section, the plaintiffs were awarded partial attorney fees because they were successful in having the court declare that the board of directors was in substantial violation of the statute, even though the plaintiffs did not get the relief requested of having the board's actions declared void. *Hansmeyer v. Nebraska Pub. Power Dist.*, 6 Neb. App. 889, 578 N.W.2d 476 (1998).

--

Source: http://nebraskalegislature.gov/laws/display_html.php?begin_section=84-1407&end_section=84-1414

Date: July 2022

2. Request of St. Isidore Church to vacate portion of 20 Street and cul-de-sac located west of Gruenther Drive.

The City of **Columbus**

MEMORANDUM

DATE: August 10, 2023
FROM : Richard J. Bogus, City Engineer
TO: Tara Vasicek, City Administrator
RE: 20th Street Vacation Request within a Portion of West Park First Addition and Saint Isidore Church Addition abutting West Park First Addition, Block "C" Lots 19-21; West Park First Addition Block "E" Lot 3; and Saint Isidore Church Addition, Lot 1.

RECOMMENDATION:

I recommend the approval of the Ordinance for the street vacation request of a portion of 20th Street as previously platted within West Park First Addition and Saint Isidore Church Addition, all to the City of Columbus, Platte County, Nebraska, being described as follows:

Beginning at the Southwest Corner of Lot 3, Block E, of said West Park First Addition; thence Easterly on the South Line of said Lot 3, this also being the North Line of said 20th Street, for 65.0 feet, more or less, to the Southeast Corner of said Lot 3; thence Southerly perpendicular to the South Line of said Lot 3 for 50.0 feet, more or less, to a point on the North Line of Block C, of said West Park First Addition, this also being the South Line of said 20th Street; thence Westerly on the North Line of said Block C and the South Line of said 20th Street for 55.1 feet, more or less, to a point of curvature; thence on a 43.0 foot radius curve to the right on said 20th Street Right-of-Way Line for 215.46 feet (arc distance), more or less, to the Southwest Corner of said Lot 3 and the point of beginning.

DISCUSSION:

See attached 20th Street Vacation exhibits for reference. An application and petition was received from the property owner, St Isidore Church of Columbus, who owns 100 percent of the abutting property which includes around the cul-de-sac. Upon the vacation and proper filing in the Platte County courthouse, one half of the street right-of-way will be become owned by the adjacent property owner per State Statute, which is the petitioner.

Water, sanitary sewer, and storm sewer easements will be maintained for public utilities through portions of the vacated area. The City reserves the right for stormwater runoff from outside of this vacated area to flow into and through this vacated area.

FISCAL IMPACT:

The applicant will be responsible for all publications expenses, preparing of the above reference items, recording, and any other costs.

ALTERNATIVE:

Do not approve.

SIGNATURE:

By: Richard J. Bogus

Approved By: [Signature]

CITY OF COLUMBUS

VACATION OF STREET OR ALLEY REQUEST FORM

- 1. List the people principally interested in the vacation. Be sure to include:
 - a. Majority abutting land owner or a representative for the group; and
 - b. The person requesting the vacation, if not the same as the owner (i.e., renter or prospective buyer).

Dr. Troy Loeffelholz

Name (a)

Name (b)

Saint Isidore Church of Columbus

Business (if applicable)

Business (if applicable)

3921 20th Street, Columbus, NE 68601

Mailing Address

Mailing Address

(402) 564-8993

Daytime Phone Number

Daytime Phone Number

isidore@sti.esu7.org

Email Address

Email Address

- 2. Legal address and physical property address of vacation of street/alley request
3820 & 3921 20th Street, Columbus, NE 68601

- 3. Brief explanation of why this vacation is being requested. A separate sheet may be attached if necessary.

This request to vacate of a portion of the 20th Street Right-of-Way is to allow for a
proposed addition and improvements to the Saint Isidore Church facility.
See attached exhibit.

PETITION

Honorable Mayor and Members of the City Council
City of Columbus

We, the undersigned, owners of property representing more than 75 percent of the street or alley adjacent property, hereby ask and petition that the necessary action be taken to vacate the following street or alley:

Part of 20th Street as previously platted within West Park First Addition and Saint Isidore Church Addition, all to the City of Columbus, Platte County, Nebraska – being described by the attached exhibit.

and we hereby respectively waive any and all damages or claims for damages by reason of said vacating.

Property Owner(s)	Date	Mailing Address	Abutting No. of Feet
Print: Saint Isidore Church of Columbus Sign:		3921 20 th Street Columbus, NE 68601	137 lineal feet +/-
Print: Sign:			

CORPORATION

The acknowledgement of the signature of a corporation must have attached a copy of the By-Law or Resolution, duly certified by corporation officers, under and by virtue of which such signature was affixed to said petition.

Acknowledgement of signature to petition for vacating and narrowing of the following easement – to wit: Part of 20th Street as previously platted within West Park First

Addition and Saint Isidore Church Addition, being described by the attached exhibit.

within Columbus, Nebraska.

Corporation: Saint Isidore Church of Columbus, Inc.

Dr. Troy Loeffelholz, Building Committee Chair
Print Name / Title

isidore@sti.esu7.org
Email Address

Signature

Date

Print Name / Title

Email Address

Signature

Date

State of Nebraska

Platte _____ County

On this _____ day of _____, 20____, before me, a Notary Public in and for said County, personally appeared Troy Loeffelholz who is personally known to me to be the identical person whose name is affixed to the annexed petition of owners of lots and lands abutting upon said part of easement in the city of Columbus, Nebraska, for vacation or narrowing of said part of said easement and who is personally known to me to be the Building Committee Chair of said Corporation and has acknowledged the signing of said petition to be a voluntary act and deed, and the voluntary act and deed of said Corporation.

Witness my hand and notarial seal on the day and date above written.

(SEAL)

Notary Public

My Notarial Commission expires the _____ day of _____, 20____.

20TH STREET VACATION EXHIBIT

20TH STREET VACATION DESCRIPTION

THAT PART OF 20TH STREET AS PREVIOUSLY PLATTED WITHIN WEST PARK FIRST ADDITION AND SAINT ISIDORE CHURCH ADDITION, ALL TO THE CITY OF COLUMBUS, PLATTE COUNTY, NEBRASKA, BEING DESCRIBED AS FOLLOWS;


BEGINNING AT THE SOUTHWEST CORNER OF LOT 3, BLOCK E, OF SAID WEST PARK FIRST ADDITION;

THENCE EASTERLY ON THE SOUTH LINE OF SAID LOT 3, THIS ALSO BEING THE NORTH LINE OF SAID 20TH STREET, FOR 65.0 FEET, MORE OR LESS, TO THE SOUTHEAST CORNER OF SAID LOT 3;

THENCE SOUTHERLY PERPENDICULAR TO THE SOUTH LINE OF SAID LOT 3 FOR 50.0 FEET, MORE OR LESS, TO A POINT ON THE NORTH LINE OF BLOCK C, OF SAID WEST PARK FIRST ADDITION, THIS ALSO BEING THE SOUTH LINE OF SAID 20TH STREET;


THENCE WESTERLY ON THE NORTH LINE OF SAID BLOCK C AND THE SOUTH LINE OF SAID 20TH STREET FOR 55.1 FEET, MORE OR LESS, TO A POINT OF CURVATURE;

THENCE ON A 43.0 FOOT RADIUS CURVE TO THE RIGHT ON SAID 20TH STREET RIGHT-OF-WAY LINE FOR 215.46 FEET (ARC DISTANCE), MORE OR LESS, TO THE SOUTHWEST CORNER OF SAID LOT 3 AND THE POINT OF BEGINNING.



LEGEND

- STREET VACATION LINE
- LOT LINE



L:\Engineering\0120003 St. Isidore Parish New Parish Hall BCDM\SURVEY\DRAWINGS\EXHIBITS\0120003-STREET VAC.dwg, 8/10/2023 1:38:04 PM, BRYSON KELLER, LAMP RYNEARSON

LAMP RYNEARSON
LAMPRYNEARSON.COM

OMAHA, NEBRASKA
14710 W. DODGE RD., STE. 100 (402) 496.2498
NE AUTH. NO.: CA0130
FORT COLLINS, COLORADO
4715 INNOVATION DR., STE. 100 (970) 226.0342
KANSAS CITY, MISSOURI
9001 STATE LINE RD., STE. 200 (816) 361.0440
MO AUTH. NO.: E-2013011903 | LS-2019043127

DESIGNER / DRAFTER
BRYSON T. KELLER

REVIEWER
DAN MARTINEZ

PROJECT NUMBER
0120003

DATE
08/10/2023

SURFACE LOCATION

BOOK AND PAGE

20TH STREET VACATION
EXHIBIT

20TH STREET VACATION - SANITARY SEWER EASEMENT RETENTION EXHIBIT

RETAINED SANITARY SEWER EASEMENT DESCRIPTION

THAT PART OF 20TH STREET AS PREVIOUSLY PLATTED WITHIN WEST PARK FIRST ADDITION AND SAINT ISIDORE CHURCH ADDITION, ALL TO THE CITY OF COLUMBUS, PLATTE COUNTY, NEBRASKA, BEING DESCRIBED AS FOLLOWS;

COMMENCING AT THE SOUTHEAST CORNER OF LOT 3, BLOCK E, OF SAID WEST PARK FIRST ADDITION;

THENCE SOUTHERLY PERPENDICULAR TO THE SOUTH LINE OF SAID LOT 3 FOR 45.0 FEET, MORE OR LESS, TO A POINT BEING 5.00 FEET NORTH OF THE NORTH LINE OF BLOCK C, OF SAID WEST PARK FIRST ADDITION, AND THE SOUTH LINE OF SAID 20TH STREET, THIS BEING THE POINT OF BEGINNING;

THENCE CONTINUING SOUTHERLY PERPENDICULAR TO THE SOUTH LINE OF SAID LOT 3 FOR 5.00 FEET TO A POINT ON THE NORTH LINE OF SAID BLOCK C AND THE SOUTH LINE OF SAID 20TH STREET;

THENCE WESTERLY ON THE NORTH LINE OF SAID BLOCK C AND THE SOUTH LINE OF SAID 20TH STREET FOR 55.1 FEET, MORE OR LESS, TO A POINT OF CURVATURE;

THENCE SOUTHWESTERLY ON A 43.0 FOOT RADIUS CURVE TO THE RIGHT ON SAID 20TH STREET RIGHT-OF-WAY LINE FOR 5.7 FEET (ARC DISTANCE), MORE OR LESS, TO A POINT BEING 5.00 FEET SOUTH OF THE NORTH LINE OF LOT 21 OF SAID BLOCK C, WHEN MEASURED AT RIGHT ANGLES;

THENCE WESTERLY PARALLEL WITH THE NORTH LINE OF SAID LOT 21 FOR 72.5 FEET, MORE OR LESS, TO A POINT ON SAID 20TH STREET RIGHT-OF-WAY LINE;

THENCE NORTHWESTERLY ON A 43.0 FOOT RADIUS CURVE TO THE RIGHT ON SAID 20TH STREET RIGHT-OF-WAY LINE FOR 11.1 FEET (ARC DISTANCE), MORE OR LESS, TO A POINT BEING 5.00 FEET NORTH OF THE NORTH LINE OF SAID LOT 21, WHEN MEASURED AT RIGHT ANGLES;

THENCE EASTERLY PARALLEL WITH THE NORTH LINE OF SAID LOT 21 FOR 135.0 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.



SCALE: 1" = 40'

LEGEND



STREET VACATION




SANITARY EASEMENT



LOT LINE

BLOCK "E"
**WEST PARK FIRST
ADDITION**

LOT 1
**SAINT ISIDORE
CHURCH ADDITION**



BLOCK "C"
WEST PARK FIRST ADDITION

**LAMP
RYNEARSON**

LAMPRYNEARSON.COM

OMAHA, NEBRASKA
14710 W. DODGE RD., STE. 100 (402) 496.2498
NE AUTH. NO.: CA0130

FORT COLLINS, COLORADO
4715 INNOVATION DR., STE. 100 (970) 226.0342

KANSAS CITY, MISSOURI
9001 STATE LINE RD., STE. 200 (816) 361.0440
MO AUTH. NO.: E-2013011903 | LS-2019043127

DESIGNER / DRAFTER

BRYSON T. KELLER

REVIEWER

DAN MARTINEZ

PROJECT NUMBER

0120003

DATE

08/10/2023

SURFACE LOCATION

BOOK AND PAGE

RETAINED SANITARY SEWER
EASEMENT EXHIBIT

L:\Engineering\0120003 - St. Isidore Parish New Parish Hall BCDM\SURVEY\DRAWINGS\EXHIBITS\0120003 - SANITARY.dwg, 8/10/2023 1:36:38 PM, BRYSON T. KELLER, LAMP RYNEARSON

20TH STREET VACATION - STORM SEWER EASEMENT RETENTION EXHIBIT

RETAINED STORM SEWER EASEMENT DESCRIPTION

THAT PART OF 20TH STREET AS PREVIOUSLY PLATTED WITHIN WEST PARK FIRST ADDITION, TO THE CITY OF COLUMBUS, PLATTE COUNTY, NEBRASKA, BEING DESCRIBED AS FOLLOWS;

COMMENCING AT THE SOUTHEAST CORNER OF LOT 3, BLOCK E, OF SAID WEST PARK FIRST ADDITION;


THENCE SOUTHERLY PERPENDICULAR TO THE SOUTH LINE OF SAID LOT 3 FOR 40.0 FEET, MORE OR LESS, TO A POINT BEING 10.0 FEET NORTH OF THE NORTH LINE OF BLOCK C, OF SAID WEST PARK FIRST ADDITION, AND THE SOUTH LINE OF SAID 20TH STREET, THIS BEING THE POINT OF BEGINNING;

THENCE CONTINUING SOUTHERLY PERPENDICULAR TO THE SOUTH LINE OF SAID LOT 3 FOR 10.0 FEET TO A POINT ON THE NORTH LINE OF SAID BLOCK C AND THE SOUTH LINE OF SAID 20TH STREET;

THENCE WESTERLY ON THE NORTH LINE OF SAID BLOCK C AND THE SOUTH LINE OF SAID 20TH STREET FOR 52.0 FEET;

THENCE NORTHERLY PERPENDICULAR TO THE NORTH LINE OF SAID BLOCK C FOR 10.0 FEET;

THENCE EASTERLY PARALLEL WITH THE NORTH LINE OF SAID BLOCK C FOR 52.0 FEET, MORE OR LESS, TO THE POINT OF BEGINNING.




SCALE: 1" = 40'

LEGEND

-  STREET VACATION
-  STORM SEWER EASEMENT
-  LOT LINE

LOT 1
**SAINT ISIDORE
CHURCH ADDITION**

BLOCK "E"
**WEST PARK FIRST
ADDITION**



PROPOSED
STREET VACATION
CONTAINS 8,529 SQ. FT.

POINT OF COMMENCEMENT

20TH STREET
50' PUBLIC RIGHT OF WAY

POINT OF BEGINNING

CONTAINS 520 SQ. FT.

BLOCK "C"
WEST PARK FIRST ADDITION

**LAMP
RYNEARSON**

LAMPRYNEARSON.COM

OMAHA, NEBRASKA
14710 W. DODGE RD., STE. 100 (402) 496.2498
NE AUTH. NO.: CA0130

FORT COLLINS, COLORADO
4715 INNOVATION DR., STE. 100 (970) 226.0342

KANSAS CITY, MISSOURI
9001 STATE LINE RD., STE. 200 (816) 361.0440
MO AUTH. NO.: E-2013011903 | LS-2019043127

DESIGNER / DRAFTER

BRYSON T. KELLER

REVIEWER

DAN MARTINEZ

PROJECT NUMBER

0120003

DATE

08/10/2023

SURFACE LOCATION

BOOK AND PAGE



RETAINED STORM SEWER
EASEMENT EXHIBIT

20TH STREET VACATION - WATER EASEMENT RETENTION EXHIBIT

RETAINED WATER EASEMENT DESCRIPTION


THAT PART OF 20TH STREET AS PREVIOUSLY PLATTED WITHIN WEST PARK FIRST ADDITION, TO THE CITY OF COLUMBUS, PLATTE COUNTY, NEBRASKA, BEING DESCRIBED AS FOLLOWS;

BEGINNING AT THE SOUTHEAST CORNER OF LOT 3, BLOCK E, OF SAID WEST PARK FIRST ADDITION;
 THENCE SOUTHERLY PERPENDICULAR TO THE SOUTH LINE OF SAID LOT 3 FOR 10.0 FEET;
 THENCE WESTERLY PARALLEL WITH SAID SOUTH LINE FOR 10.0 FEET;
 THENCE NORTHERLY PERPENDICULAR TO SAID SOUTH LINE FOR 10.0 FEET, TO A POINT ON SAID SOUTH LINE;
 THENCE EASTERLY ON SAID SOUTH LINE FOR 10.0 FEET TO THE POINT OF BEGINNING.



LEGEND

- STREET VACATION
- WATER EASEMENT
- LOT LINE
- EASEMENT



**LAMP
RYNEARSON**

LAMPRYNEARSON.COM

OMAHA, NEBRASKA
 14710 W. DODGE RD., STE. 100 (402) 496.2498
 NE AUTH. NO.: CA0130
 FORT COLLINS, COLORADO
 4715 INNOVATION DR., STE. 100 (970) 226.0342
 KANSAS CITY, MISSOURI
 9001 STATE LINE RD., STE. 200 (816) 361.0440
 MO AUTH. NO.: E-2013011903 | LS-2019043127

DESIGNER / DRAFTER
 BRYSON T. KELLER

REVIEWER
 DAN MARTINEZ

PROJECT NUMBER
 0120003

DATE
 08/10/2023

SURFACE LOCATION

BOOK AND PAGE

RETAINED WATER
 EASEMENT EXHIBIT

3. Request of Harold Henry to amend Unified Land Development Ordinance relating to number of garage sales allowed at any one location per year.

FILED

JUL 20 2023

TOPIC FOR CONSIDERATION
OR CITY COUNCIL AGENDA

CITY CLERK
COLUMBUS, NEBR

If you have a specific topic that you would like the City Council to consider at a future meeting, please list your name, address and the specific topic. The item will be reviewed and forwarded to city staff for appropriate action or scheduled for a future meeting of the City Council as may be necessary. You will be notified of the staff recommendation or action taken on your request or when the item will be presented to the City Council for consideration.

Name: Harold Henry

Address: 3252 Mimick Lane

Telephone Number: 402-910-7341

Date of Request: _____

Description of Requested Topic: (Please be as specific as possible)

Garage Sales - The frequency of such sales at any one location shall not exceed one during a continuous one month period or 4 sales during any 12 month period.

This change, because of the 4 seasons in Nebraska. January, February, March October, November, December are usually too COLD, for this type sales.

You may want to charge, \$1.00 - \$2.00 for each permit that must be on display, with dates of each Garage Sale.
Permit would spell out regulations.

CHAPTER 1, ARTICLE 6: SUPPLEMENTAL USE REGULATIONS

2. If more than one home-based business is operated from the same residential property, the maximum number of employees applies to all businesses taken together, not to each business separately.

f. Signage

Signage designating a home-based business shall be limited to one non-illuminated and non-reflective sign.

1. Signage may include at most the name of the home-based business, a logo symbol, contact information, address, and indication of the appropriate public entrance. The sign may contain less information. The sign may not exceed four square feet and must be attached to the building.
2. The presence or design of the sign shall not detract from the property or the surrounding residential area; neither shall its size constitute a visual hazard. Signage must be contained entirely on the property and must maintain appropriate distances from the boundaries of neighboring properties.

6-8 Supplemental Use Regulations: Accessory Uses

a. Permitted Accessory Uses: Residential Uses

Residential uses may include the following accessory uses, activities, and structures on the same lot.

1. Private garages and accessory buildings for the residential use shall not be allowed on more than 50% of the allowable lot coverage and no single detached accessory building shall exceed 35% of the allowable lot coverage
2. Recreational activities and uses by residents.
3. Home occupations, subject to Section 6-7 of these regulations.
4. Residential convenience services for multi-family uses and Non Traditional Residential.
5. Garage sales, provided that the frequency of such sales at any one location shall not exceed one during a continuous two month period or four sales during any twelve month period.
6. Automobile sales are prohibited except those automobiles which are for sale by the owner of the residence on a temporary basis not to exceed two (2) months in any calendar year.
7. Within the RR Rural Residential District only, any lot of two acres and over may maintain one horse, llama, other hooved animal, or large bipedal bird. Such a lot may have one additional animal for each additional full acre of lot area over two acres, up to

The City of **Columbus**

MEMORANDUM

DATE: August 9, 2023
FROM: Andy Woehrer, Chief Building and Code Official
TO: Tara Vasicek, City Administrator 
RE: Supplemental Use Regulations: Accessory Uses (Garage Sales)

I reviewed Mr. Harold Henry's application and took a look into other comparable cities and I feel Columbus is equivalent with these following City Codes:


Columbus: Garage sales, provided that the frequency of such sales at any one location shall not exceed one during a continuous two-month period or four sales during any twelve-month period

Norfolk: It shall be unlawful for the occupant or owner of any property being utilized for residential purposes within the city to hold or allow to be held upon said property more than three garage sales, rummage sales, yard sales or any other periodic sales per calendar year

Beatrice: Crafts and garage sales, provided that such sales on any single property occur no more than once every 60 days; and have a maximum duration of three days

Kearney: Garage sales, provided the frequency of such sales at any (1) location shall not exceed one (1) during a continuous, two (2) month period or four (4) sales during any twelve (12) month period

Omaha: Garage sales shall occur no more than two days in any two-month period



Andy Woehrer
Chief Building and Code Official

4. 2024 Pavement Management Program and Priority List.

The City of **Columbus**

MEMORANDUM

DATE: August 10, 2023
FROM: Richard J. Bogus, P.E., City Engineer
TO: Tara Vasicek, City Administrator
RE: Pavement Management Program 2024

RECOMMENDATION:

I recommend approval of the 2024 Pavement Management Program and Priority List for use by the Engineering and Public Works Departments for design and scheduling of roadway rehabilitation services.

DISCUSSION:

The Engineering Department and Public Works Department have worked together for several years on the locations and priorities of street concrete or asphalt rehabilitation. The City has over 500 lane miles of streets.

The departments conduct pavement condition surveys which includes a visual analysis and testing if needed, to determine paving defects, extent of roughness or rutting, and if storm water is entering the subgrade. The locations are then field data collected with global position satellite coordinates. The projects are then determined if the work can be done by the Street Department or should be included in the Engineering design, bid, and contractor build project. Annual projects are then determined based on priority and amount of funding available in the fiscal year budget.

The attached list contains those locations in the current fiscal year for inclusion in the Concrete and Asphalt Rehabilitation Plans and Specifications for construction in 2024 along with the remaining list. The roadway conditions are constantly being evaluated, thus the need to revise the priorities and add to the list.

FISCAL IMPACT:

City Council sets the annual street rehabilitation budget amount each fiscal year.

ALTERNATIVE:

Revise the priority order and/or include additional locations

SIGNATURE:

By: Richard J. Bogus

Approved By: [Signature]

2024 Pavement Management Program

Engineering Design and Bid Projects	
FY 2023-2024	Cost Estimate
33rd Avenue Asphalt Overlay from 47th to 53rd Avenues (subject to interlocal agreement)	\$ 125,000.00
28th Street from 25th Avenue to Pershing Road	\$ 1,100,000.00
Parking Lots, Pedestrian Nodes or Crossings, Ramps, Walks, Alleys and Misc. Concrete Projects	\$ 565,000.00
Total FY 2023-2024	\$ 1,790,000.00
Projected Future FY Projects (subject to annual evaluation and budgeting)	
17th Street, 26th Avenue to 33rd Avenue and 10th Avenue to 26th Avenue - Asphalt Overlay	\$ 900,000.00
17th Street, 26th Avenue to 33rd Avenue and 10th Avenue to 26th Avenue - Concrete and ADA Ramps	\$ 900,000.00
Wagner's Lake Phase 1 - Concrete Patching	\$ 600,000.00
19th Street, Howard Boulevard to 48th Avenue - Concrete Paving and ADA Ramps	\$ 750,000.00
Downtown Street and Avenues Phase 1 - Asphalt Overlay	\$ 800,000.00
Downtown Street and Avenues Phase 1 - Concrete and ADA Ramps	\$ 850,000.00
Christopher Cove Phase 1 - Concrete Patching	\$ 400,000.00
33rd Avenue 27th Street to 38th Street	\$ 750,000.00
Country Club Shores - Concrete Patching	\$ 350,000.00
Downtown Avenue Phase 2 + Asphalt Overlay	\$ 1,100,000.00
Downtown Phase 2 + Concrete and ADA	\$ 900,000.00
3rd Avenue, 23rd Street to Air Vista Drive - Concrete Paving and ADA Ramps	\$ 500,000.00
Wagner's Lake Phase 2 - Concrete Patching	\$ 400,000.00
2nd Street, 7th Avenue to 10th Avenue / 9th Street, 2nd Street to Lovers Lane - Concrete Paving	\$ 400,000.00
18th Avenue, 23rd Street to 38th Street - Concrete Paving	\$ 475,000.00
38th Street, 18th Avenue to 48th Avenue	\$ 750,000.00
19th Street, 3rd Avenue to 10th Avenue	\$ 450,000.00
Gruenther Drive - 19th Street to 20th Street - Concrete Paving	\$ 325,000.00
Cul-De-Sac 16th Street and 12th Avenue	\$ 150,000.00
Wagner Lakes Phase 3 +	\$ 1,800,000.00
Christoper Cove Phase 2 +	\$ 900,000.00

5. 2024 One and Six Year Road Plan.

The City of **Columbus**

MEMORANDUM

DATE: August 10, 2023
FROM: Richard J. Bogus, P.E., City Engineer
TO: Tara Vasicek, City Administrator
RE: Nebraska Board of Public Roads Classifications and Standards
2023-2024 Fiscal Year One and Six Year Road Plan

RECOMMENDATION:

I recommend approval of the 2023-2024 fiscal year One and Six Year Road Plan and related forms.

DISCUSSION:

The 2024 One Year Plan (Form 8) consists of the following. Refer to the One and Six Year Road Plan map and Form 7s for locations and details.

Total number of projects: 10
City projects: 7
Private development projects: 3
Projects completed: 7
Projects continued: 9

Total One Year Plan estimated cost: \$39.7 million
Public projects: \$38.9 million
Private projects: \$0.7 million

The 2024 Six Year Plan (Form 9) consists of the following. Refer to the One and Six Year Road Plan map and Form 7s for locations and details.

Total number of additional projects from the One Year Plan: 23
Total estimated additional project costs from the One Year Plan: \$27.4 million

The 2023 One & Six Year Road Plan was amended with one project (Form 10)

Maintenance defined projects are not included by rule in the One and Six Year Road Plans.

FISCAL IMPACT:

The City has included its portion of the costs in the 2022-2023 and/or 2023-2024 budgets



ALTERNATIVE:

Annual 1&6 Year Road Plan certification is required to obtain Highway-user revenue.

SIGNATURE:

By: Richard J. Bogus

Approved By: [Signature]



— ONE-YEAR PLAN
— SIX-YEAR PLAN

DOWNTOWN UPRR EVALUATION
SEPERATION STUDY M211(355)

7-7-2022	UPDATED PROJECT LIST
DATE	REVISIONS
YEAR 2024 PLAN	
COVER SHEET COLUMBUS, NEBRASKA ONE AND SIX YEAR ROAD PLAN	
DRAWN BY BLI	DATE 8-10-2023
CHECKED BY	APPROVED BY
SCALE: NO SCALE	DRAWING NO. CITY

Board of Public Roads Classifications and Standards
Form 8 Summary of One-Year Plan

Year Ending: December 31, 2024

Sheet 1 of 1

County: PLATTE		City: COLUMBUS		Village:	
PRIORITY NUMBER	PROJECT NUMBER	LENGTH (Nearest Tenth)	UNIT OF MEASURE	ESTIMATED COST (Thousands)	REMARKS
1	M211(325)	2.7	Miles	32,000	23 St. 32 Ave. to E 11 Ave
2	M211(355)	-	-	275	Downtown Eval IPRR Sep Study
3	M211 (357)	0.5	Miles	2,500	63 Ave, Howard Blvd. to Lost Creek Pkwy
4	M211 (358)	0.2	Miles	350	Storm Sewer Const. 17 St 16-18 Ave
5	M211 (359)	-	-	100	27 St & 33 Ave Light Signal Upgrade
6	M211 (360)	-	-	200	LCP & Wilderness Rd Signal Upgrades
7	M211 (352)	0.4	Miles	3,450	23/Shady Lake, 54 Ave to W Corn Limits
8	M211(366)	0.2	Miles	225	Park Place 10 th Addition
9	M211 (362)	0.4	Miles	350	Centennial Park 8th Add
10	M211 (346)	0.1	Miles	125	Riverside 3 rd Addition
Signature: <i>Richard J. Boyer</i>		Title: City Engineer		Date: August 14, 2023	


Board of Public Roads Classifications and Standards
Form 9 Summary of Six-Year Plan

Six-Year Period Ending: December 31, 2029


Sheet 1 of 2

County: PLATTE		City: COLUMBUS		Village:	
PRIORITY NUMBER	PROJECT NUMBER	LENGTH (Nearest Tenth)	UNIT OF MEASURE	ESTIMATED COST (Thousands)	REMARKS
1	M211 (325)	2.7	Miles	32,000	23 St. 32 Ave. to E 11 Ave Habitat Drive
2	M211(355)			275	Downtown Eval. UPRR Sen Study
3	M211 (357)	0.5	Miles	2,500	63 Ave howard Blvd to Lost Creek Pkwy
4	M211 (358)	0.2	Miles	350	East Park/17 St. from 16-18 Ave S
5	M211 (359)	-	-	100	Signal UG 27 St - 33 Ave
6	M211 (360)	-	-	200	Signal UG Wilderness & I CP
7	M211 (352)	0.4	Miles	2,000	23 Ave/Shady Lake 54 Ave/WCI
8	M211 (366)	0.2	Miles	225	Park Place 10 th Addition
9	M211 (362)	0.4	Miles	350	Centennial Pak 8th Addition
10	M211(346)	0.1	Miles	125	Riverside 3 rd Addition
11	M211(290)	-	-	1,000	Ag Park Drainage
12	M211(272)	1.0	Miles	2,700	Howard Blvd. 33 Ave to 23 St
13	M211(220)	1.6	Miles	2,500	10 Ave Lovers Lane to 5 St
14	M211(289)	0.5	Miles	180	Deerfield Park 2nd Addition
15	M211(44)	-	-	10,300	Storm Sewer East Park/11 St
16	M211(288)	0.3	Miles	2,000	48 Ave. Park to 11 St 11 St 41-48 Ave
17	M211(39)	0.3	Miles	110	Curb & Gutter 6 St 24-26 Ave
18	M211(36)	0.3	Miles	290	14, 15, & 20 Ave between 11 & 12 St
19	M211(264)	0.3	Miles	820	26 Ave from 27-32 St
20	M211(112)	0.3	Miles	260	Crumley Subdivision
21	M211(114)	0.8	Miles	1,100	Sand Subdivision
22	M211(57)			110	Storm Sewer Impr 30 Ave 22-23 St
23	M211(190)	1.4	Miles	2,500	Johannes Addition
24	M211(64)	0.2	Miles	250	Oida Addition
25	M211 (111)	0.3	Miles	360	Gates 1&2 Subdivisions
Signature: 			Title: City Engineer		Date: August 14, 2023

Board Of Public Roads Classifications And Standards
FORM 10 Notification of Revision of One-Year Plan

County PLATTE	City: COLUMBUS	Village:
REASON FOR REVISION: <p style="text-align: center;">Private developer subdivision</p>		
LOCATION DESCRIPTION <p style="text-align: center;">Park Place 9th Addition, private developer subdivision</p>		
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">Undeveloped Land</p>		
Average Daily Traffic: 2023 = <u>0</u> , 2043 = <u>150</u>	Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Local</p>	
Proposed Improvement		
Design Standard Number: Municipal	Surfacing	Thickness 6" Width 33'
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Lighting
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Utility Adjustments
<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Fencing
	<input checked="" type="checkbox"/> Sidewalks	
Bridge To Remain In Place:	Roadway Width	Length Type
New Bridge:	Roadway Width	Length Type
Box Culvert:	Span	Rise Length Type
Culvert:	Diameter	Length Type
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending	
OTHER CONSTRUCTION FEATURES: <p style="text-align: center;">Private development. Roads turned over to city.</p>		
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY
		*STATE
		*FEDERAL
		*OTHER
		200
		TOTAL
		200
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.1 Miles	Project No.: M211 (365)	
Signature: 	Title: City Engineer	Date: August 14, 2023

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <div style="text-align: center;">12th Street from 12th Avenue to 16th Avenue</div> <hr/> <div style="text-align: center;">12th Street from 18th Avenue to 19th Avenue</div> <hr/>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <div style="text-align: center;">Gravel</div> <hr/>						
Average Daily Traffic: 2023 = <u>200</u> , 2043 = <u>400</u>	Classification Type: (As Shown On Functional Classification Map) Local					
Proposed Improvement						
Design Standard Number: Municipal	Surfacing Concrete	Thickness 6" Width 33'				
<input checked="" type="checkbox"/> Grading <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input checked="" type="checkbox"/> Curb & Gutter <input checked="" type="checkbox"/> Utility Adjustments <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> Asphalt <input checked="" type="checkbox"/> Erosion Control <input checked="" type="checkbox"/> Sidewalks						
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: <div style="text-align: center;">Paving over existing Gravel Roadway w/Misc. grading</div> <hr/>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		290				290
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.3 Miles				Project No.: M211(35)		
Signature: 				Title: City Engineer		Date: August 14, 2023


BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: 14th, 15th, and 20th Avenues between 11th Street & 12th Street						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) Gravel						
Average Daily Traffic: 2023 = <u>200</u> , 2043 = <u>300</u>		Classification Type: (As Shown On Functional Classification Map) Local				
Proposed Improvement						
Design Standard Number: Municipal		Surfacing Concrete	Thickness 6"	Width 33'		
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way	<input type="checkbox"/> Lighting			
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments			
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing			
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input checked="" type="checkbox"/> Sidewalks			
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: Paving over existing Gravel Roadway w/Misc. grading						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		290				290
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.3 Miles			Project No.: M211(36)			
Signature: 			Title: City Engineer		Date: August 14, 2023	


BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: Curb & Gutter (6th Street) 24th Avenue to 26th Avenue, north side of 6th Street, 26th Avenue to 27th Avenue <p style="text-align: center;">The above is what remains of this project</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">20' - 6" Concrete Paving (no curb and gutter)</p>						
Average Daily Traffic: 2023 = <u>300</u> , 2043 = <u>500</u>	Classification Type: (As Shown On Functional Classification Map) Local					
Proposed Improvement						
Design Standard Number: Municipal	Surfacing Concrete	Thickness 6"				
		Width 33'				
<input checked="" type="checkbox"/> Grading <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input checked="" type="checkbox"/> Curb & Gutter <input checked="" type="checkbox"/> Utility Adjustments <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> Asphalt <input checked="" type="checkbox"/> Erosion Control <input type="checkbox"/> Sidewalks						
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: Curb & Gutter 5 1/2 ' extension on present 22' paving on both sides makes a 33' paving.						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		110				110
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.3 Miles				Project No.: M211(39)		
Signature: 				Title: City Engineer		Date: August 14, 2023

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: Storm Sewer East Park Addition and 17 Street to Agricultural Park						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) Asphalt and Concrete Street Crossings						
Average Daily Traffic: 2023 = <u>NA</u> , 2043 = <u>NA</u>		Classification Type: (As Shown On Functional Classification Map) N/A				
Proposed Improvement						
Design Standard Number: Municipal		Surfacing	Thickness	Width		
<input type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way	<input type="checkbox"/> Lighting			
<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments			
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing			
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks			
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter 48" to 54"	Length	Type RCP			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: Assist drainage East Park by enlarging storm sewer system.						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		2,000				2,000
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.5 Miles			Project No.: M211(44)			
Signature: 			Title: City Engineer		Date: August 14, 2023	

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <p style="text-align: center;">Storm Sewer Improvement: 30th Avenue from 22nd to 23rd Streets</p> <p style="text-align: center;">20th Street from 30th Avenue to 33rd Avenue</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">Concrete</p>						
Average Daily Traffic: 2023 = <u>400</u> , 2043 = <u>500</u>	Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Local</p>					
Proposed Improvement						
Design Standard Number:	Surfacing	Thickness				
<input type="checkbox"/> Grading <input type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input checked="" type="checkbox"/> Curb & Gutter <input type="checkbox"/> Utility Adjustments <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> Asphalt <input checked="" type="checkbox"/> Erosion Control <input type="checkbox"/> Sidewalks						
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter 18"	Length	Type RCP			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: <p style="text-align: center;">Improve storm sewer drainage in this area.</p>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		110				110
PROJECT LENGTH (Nearest Tenth, State Unit of Measure)				Project No.:		
				M211(57)		
Signature: 				Title: City Engineer		Date: August 14, 2023

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <p style="text-align: center;">Air Vista Drive southwest from 30th Street to point 211' north of 27th Street</p> <p style="text-align: center;">Where it joins 33' concrete paving.</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">Gravel</p>						
Average Daily Traffic: 2023 = <u>100</u> , 2043 = <u>200</u>		Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Local</p>				
Proposed Improvement						
Design Standard Number: Municipal		Surfacing Concrete	Thickness 6"	Width 33'		
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way	<input checked="" type="checkbox"/> Lighting			
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments			
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing			
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input checked="" type="checkbox"/> Sidewalks			
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length		Type		
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: <p style="text-align: center;">Paving over existing Gravel Roadway w/Misc. grading</p>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		350				350
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.3 Miles			Project No.: M211(62)			
Signature: 			Title: City Engineer		Date: August 14, 2023	


BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: 12th Street, 37th Avenue to 38 1/2 Avenue - 40 1/2 Avenue to 41st Avenue 13th Street, 40 1/2 Avenue to 41st Avenue, 37th Avenue, 13th Street 1/2 block South 38th Avenue, 12th Street to 13th Street, 1/2 block North, Oida Addition						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) Gravel						
Average Daily Traffic: 2023 = <u>100</u> , 2043 = <u>200</u>	Classification Type: (As Shown On Functional Classification Map) Local					
Proposed Improvement						
Design Standard Number: Municipal	Surfacing Concrete	Thickness 6" Width 33'				
<input checked="" type="checkbox"/> Grading <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input checked="" type="checkbox"/> Curb & Gutter <input checked="" type="checkbox"/> Utility Adjustments <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> Asphalt <input checked="" type="checkbox"/> Erosion Control <input type="checkbox"/> Sidewalks						
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: 33' Concrete, Curb & Gutter and Storm Sewer						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		260				260
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.2 Miles				Project No.: M211(64)		
Signature: 				Title: City Engineer		Date: August 14, 2023


BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <div style="text-align: center;">22nd Avenue between 6th Street to 7th Street</div> <hr/> <div style="text-align: center;">25th Avenue between 6th Street to 7th Street</div>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <div style="text-align: center;">Gravel</div>						
Average Daily Traffic: 2023 = <u>100</u> , 2043 = <u>200</u>		Classification Type: (As Shown On Functional Classification Map) Local				
Proposed Improvement						
Design Standard Number: Municipal		Surfacing Concrete	Thickness 6"	Width 33'		
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way	<input checked="" type="checkbox"/> Lighting			
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments			
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing			
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input checked="" type="checkbox"/> Sidewalks			
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: <div style="text-align: center;">33' Concrete, Curb & Gutter and Storm Sewer</div>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		115				115
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.1 Miles			Project No.: M211(71)			
Signature: 			Title: City Engineer		Date: August 14, 2023	

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: Gates 1 st Subdivision – 2 nd Avenue, 8 th Street to 10 th Street, 10 th Street, 3 rd Avenue to 2 nd Avenue <hr/> Gates 2 nd Subdivision – 2 nd Avenue south and southeasterly and return to 9 th Avenue. <hr/>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <hr/> <p style="text-align: center;">Gravel</p> <hr/>						
Average Daily Traffic: 2023 = <u>100</u> , 2043 = <u>200</u>		Classification Type: (As Shown On Functional Classification Map) Local				
Proposed Improvement						
Design Standard Number: Municipal		Surfacing Concrete	Thickness 6"	Width 33'		
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way	<input checked="" type="checkbox"/> Lighting			
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments			
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing			
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input checked="" type="checkbox"/> Sidewalks			
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: <p style="text-align: center;">33' Concrete, Curb & Gutter and Storm Sewer</p> <hr/> <hr/> <hr/>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		360				360
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.3 Miles			Project No.: M211(111)			
Signature: 			Title: City Engineer		Date: August 14, 2023	

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: Crumley Subdivision – 6th Street and 3rd Avenue – 5th Street east to City Limits, also 2nd Avenue cul-de-sac.						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) Gravel						
Average Daily Traffic: 2023 = <u>100</u> , 2043 = <u>200</u>		Classification Type: (As Shown On Functional Classification Map) Local				
Proposed Improvement						
Design Standard Number: Municipal		Surfacing Concrete	Thickness 6"	Width 33'		
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way	<input checked="" type="checkbox"/> Lighting			
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments			
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing			
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input checked="" type="checkbox"/> Sidewalks			
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length		Type		
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: 33' Concrete, Curb & Gutter and Storm Sewer						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		260				260
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.1 Miles			Project No.: M211(112)			
Signature: 			Title: City Engineer		Date: August 14, 2023	


BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: Sand Subdivision and (Replat Part) of Sand Subdivision, 17 th Street, Public Access Road <hr/> From East 12 th Avenue & East 11 th Avenue from 17 th Street north to Public Access <hr/> Road, 17 th Street from East 11 th Avenue west. <hr/>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <hr/> <p style="text-align: center;">Gravel</p> <hr/>						
Average Daily Traffic: 2023 = <u>400</u> , 2043 = <u>600</u>		Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Local</p>				
Proposed Improvement						
Design Standard Number: <p style="text-align: center;"><u>Municipal</u></p>		Surfacing <p style="text-align: center;">Concrete</p>	Thickness <p style="text-align: center;">8"</p>	Width <p style="text-align: center;">33'</p>		
<input checked="" type="checkbox"/> Grading <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input checked="" type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input checked="" type="checkbox"/> Curb & Gutter <input checked="" type="checkbox"/> Utility Adjustments <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> Asphalt <input checked="" type="checkbox"/> Erosion Control <input checked="" type="checkbox"/> Sidewalks						
Bridge To Remain In Place:		Roadway Width	Length	Type		
New Bridge:		Roadway Width	Length	Type		
Box Culvert:		Span	Rise	Length	Type	
Culvert:		Diameter	Length		Type	
Bridges and Culverts Sized		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending				
OTHER CONSTRUCTION FEATURES: <hr/> <p style="text-align: center;">33' Concrete, Curb & Gutter and Storm Sewer</p> <hr/>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		1130				1130
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) <p style="text-align: center;">0.8 Miles</p>				Project No.: <p style="text-align: center;">M211(114)</p>		
Signature: 			Title: City Engineer		Date: August 14, 2023	

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: West Parkway 1st and 2nd Subdivisions; 12th Street - Munroe Avenue to 46th Avenue; 13th Street - 46th Avenue to 48th Avenue; 14th Street - 248' East of Munroe Avenue to 48th Avenue; Munroe Avenue - 11th Street to 14th Street; 46th Avenue - 11th Street to 14th Street						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) _____ _____ _____ <p style="text-align: center;">Gravel</p> _____ _____						
Average Daily Traffic: 2023 = <u>100</u> , 2043 = <u>200</u>		Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Local</p>				
Proposed Improvement						
Design Standard Number: Municipal		Surfacing Concrete	Thickness 6"	Width 33'		
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way	<input checked="" type="checkbox"/> Lighting			
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments		_____		
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing	_____			
<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input checked="" type="checkbox"/> Sidewalks	_____			
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length		Type		
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: _____ _____ _____ _____ _____ _____ _____ _____						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		440				440
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.4 Miles			Project No.: M211(118)			
Signature: 			Title: City Engineer		Date: August 14, 2023	

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: 26th Avenue from 3 rd to 5 th Streets; 25 th Avenue from 4 th to 5 th Streets; 24 th Avenue from 4 th Street North and South ½ Block; 4 th Street from 23 rd to 24 th Avenue						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) Gravel						
Average Daily Traffic: 2023 = <u>200</u> , 2043 = <u>300</u>	Classification Type: (As Shown On Functional Classification Map) Local					
Proposed Improvement						
Design Standard Number: <u>Municipal</u>	Surfacing Concrete	Thickness 6" Width 33'				
<input checked="" type="checkbox"/> Grading <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input checked="" type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input checked="" type="checkbox"/> Curb & Gutter <input checked="" type="checkbox"/> Utility Adjustments <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> Asphalt <input checked="" type="checkbox"/> Erosion Control <input checked="" type="checkbox"/> Sidewalks						
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: 33' Concrete Paving, Curb & Gutter, Storm Sewer						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		340				340
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) .3 Miles				Project No.: M211(157)		
Signature: 				Title: City Engineer		Date: August 14, 2023

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <p style="text-align: center;">Johannes Subdivision</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">Gravel</p>						
Average Daily Traffic: 2023 = <u>150</u> , 2043 = <u>300</u>	Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Local</p>					
Proposed Improvement						
Design Standard Number: <p style="text-align: center;">Municipal</p>	Surfacing <p style="text-align: center;">Concrete</p>	Thickness <p style="text-align: center;">6"</p>				
		Width <p style="text-align: center;">33'</p>				
<input checked="" type="checkbox"/> Grading <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input checked="" type="checkbox"/> Curb & Gutter <input checked="" type="checkbox"/> Utility Adjustments <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> Asphalt <input checked="" type="checkbox"/> Erosion Control <input checked="" type="checkbox"/> Sidewalks						
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: <p style="text-align: center;">Paving over existing Gravel Roadway w/Misc. grading</p>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		2,500				2,500
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) <p style="text-align: center;">1.4 Miles</p>				Project No.: <p style="text-align: center;">M211(190)</p>		
Signature: 				Title: City Engineer		Date: August 14, 2023

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: 10 th Avenue Lovers Lane to 5 th Street, Lovers Lane 5 th Street to 10 th Avenue, 7 th Avenue from Lovers Lane to South 5 th Street East to 3 rd Avenue.						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) Asphalt						
Average Daily Traffic: 2023 = <u>765</u> , 2043 = <u>950</u>		Classification Type: (As Shown On Functional Classification Map) Collector				
Proposed Improvement						
Design Standard Number: <u>Municipal</u>		Surfacing Concrete	Thickness 8"	Width 41'		
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way	<input type="checkbox"/> Lighting			
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments			
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing			
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input checked="" type="checkbox"/> Sidewalks			
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: 41' Concrete Paving, Curb & Gutter with Storm Sewer.						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		2500				2,500
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 1.6 Miles				Project No.: M211(220)		
Signature: 			Title: City Engineer		Date: August 14, 2023	


BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <p style="text-align: center;">East 14th Avenue from 23rd Street north ¾ mile</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">Asphalt rural section, 2 lane</p>						
Average Daily Traffic: 2023 = <u>1350</u> , 2043 = <u>1800</u>	Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Collector</p>					
Proposed Improvement						
Design Standard Number: <p style="text-align: center;">Municipal</p>	Surfacing <p style="text-align: center;">Concrete</p>	Thickness <p style="text-align: center;">8"</p>				
		Width <p style="text-align: center;">41'</p>				
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Right Of Way				
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments				
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing				
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks				
<input type="checkbox"/> Lighting						
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge: X	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: <p style="text-align: center;">Federal Funds, Purchase Program and Assessments</p>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		1900				1900
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) <p style="text-align: center;">0.8 MILES</p>				Project No.: <p style="text-align: center;">M211(257)</p>		
Signature: <i>Richard J. Boyer</i>				Title: <p style="text-align: center;">City Engineer</p>		Date: <p style="text-align: center;">August 14, 2023</p>

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: 26th Avenue from 27rd Street to 32nd Street						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) Concrete						
Average Daily Traffic: 2023 = <u>5450</u> , 2043 = <u>7500</u>	Classification Type: (As Shown On Functional Classification Map) Collector					
Proposed Improvement						
Design Standard Number: Municipal	Surfacing Concrete 8" Thickness 33' Width					
<input type="checkbox"/> Grading <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input checked="" type="checkbox"/> Curb & Gutter <input checked="" type="checkbox"/> Utility Adjustments <input type="checkbox"/> Armor Coat <input type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> Asphalt <input checked="" type="checkbox"/> Erosion Control <input type="checkbox"/> Sidewalks						
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: Federal Funds Purchase Program						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		820				820
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.3 MILES				Project No.: M211(264)		
Signature: <i>Richard J. Beggs</i>				Title: CITY ENGINEER		Date: August 14, 2023

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <div style="text-align: center;">Howard. Blvd -33rd Avenue to 41st Avenue</div> <hr/> <div style="text-align: center;">14th Street – 33rd Avenue to 23rd Street.</div>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <div style="text-align: center;">Asphalt over concrete (Approx. 0.7 miles)</div> <hr/> <div style="text-align: center;">Concrete (Approx. 0.3 Miles)</div>						
Average Daily Traffic: 2023 = <u>6300</u> , 2043 = <u>8500</u>	Classification Type: (As Shown On Functional Classification Map) Principal Arterial					
Proposed Improvement						
Design Standard Number: Municipal	Concrete	9" Thick 41'Wide				
<input type="checkbox"/> Grading <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input checked="" type="checkbox"/> Curb & Gutter <input checked="" type="checkbox"/> Utility Adjustments <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> Asphalt <input type="checkbox"/> Erosion Control <input checked="" type="checkbox"/> Sidewalks						
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length Type			
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: <div style="text-align: center;">41' Concrete Paving, Curb & Gutter with storm sewer</div> <hr/> <div style="text-align: center;">Federal Funds Purchase Program</div> <hr/> <div style="text-align: center;">Construct ADA compliant ramps</div>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY 2700	*STATE	*FEDERAL	*OTHER	TOTAL 2700
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 1.0 Mile				Project No.: M211(272)		
Signature: 				Title: City Engineer		Date: August 14, 2023


BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: 48 th Ave. Bradshaw Park Entrance to 11 th St., 11 th St. from 48 th Ave. to 41 st Ave.						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) Asphalt & concrete rural section						
Average Daily Traffic: 2023 = <u>1300</u> , 2043 = <u>2300</u>		Classification Type: (As Shown On Functional Classification Map) Collector				
Proposed Improvement						
Design Standard Number: Municipal		Surfacing Concrete	Thickness 9"	Width 33'		
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way	<input checked="" type="checkbox"/> Lighting			
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments			
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing			
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input checked="" type="checkbox"/> Sidewalks			
Bridge To Remain In Place:	Roadway Width	Length		Type		
New Bridge:	Roadway Width	Length		Type		
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length			Type	
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: 33' Wide concrete roadway w/curb & gutter						
ESTIMATED COST (In Thousands)	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
*OPTIONAL		2000				2000
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.8 Miles			Project No.: M211(288)			
Signature: <i>Richard J. Boyer</i>			Title: City Engineer		Date: August 14, 2023	

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <p style="text-align: center;">Deerfield Park 2nd Add.</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">Undeveloped</p>						
Average Daily Traffic: 2023 = <u>0</u> , 2043 = <u>200</u>		Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Local</p>				
Proposed Improvement						
Design Standard Number: <p style="text-align: center;">Municipal</p>		Surfacing Concrete	Thickness 6"	Width 33'		
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way	<input checked="" type="checkbox"/> Lighting			
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments			
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing			
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input checked="" type="checkbox"/> Sidewalks			
Bridge To Remain In Place:	Roadway Width	Length		Type		
New Bridge:	Roadway Width	Length		Type		
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length			Type	
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES:						
.....						
.....						
.....						
.....						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
					180	180
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.2 Miles				Project No.:		
				M211(289)		
Signature: <i>Richard J. Boyer</i>			Title: City Engineer		Date: August 14, 2023	

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:
Location Description: Ag Park Drainage 10 th Ave. & 19 th St. drainage to Lost Creek rail road bridge SE corner Christopher's Cove		
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) Open channel drainage		
Average Daily Traffic: 2023 = <u>N/A</u> , 2043 = <u>N/A</u>	Classification Type: (As Shown On Functional Classification Map) N/A	
Proposed Improvement		
Design Standard Number:		
<input checked="" type="checkbox"/> Grading	<input type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way
<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks
<input type="checkbox"/> Lighting		
Bridge To Remain In Place:	Roadway Width	Length
New Bridge:	Roadway Width	Length
Box Culvert:	Span	Rise
Culvert:	Diameter 24" to twin 30"	Length
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending	
OTHER CONSTRUCTION FEATURES: Clean out and upgrade drainage system and build retention structure		
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY
		250
		750
		1,000
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.9 Miles	Project No.: M211(290)	
Signature: 	Title: City Engineer	Date: August 14, 2023

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: 21 st Avenue from 1 st to 3 rd Street; 21 st Avenue from 3 rd Street North ½ Block; <hr/> 4 Street from 20 th to 21 st Avenue; 4 th Street from 19 th to 20 th Avenue; <hr/> 3 rd Street from 19 th to 20 th Avenue <hr/>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) _____ Gravel _____ _____						
Average Daily Traffic: 2023 = <u>200</u> , 2043 = <u>300</u>	Classification Type: (As Shown On Functional Classification Map) _____ Local					
Proposed Improvement						
Design Standard Number: Municipal	Surfacing Concrete	Thickness 6"				
		Width 33'				
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way				
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments				
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing				
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks				
		<input type="checkbox"/> Lighting				
					
					
					
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: _____ _____ 33' Concrete Paving and Storm Sewer _____ _____ _____						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		370				370
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.3 Miles				Project No.: M211(301)		
Signature: <i>Richard J. Bogus</i>				Title: City Engineer		Date: August 14, 2023


BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <p style="text-align: center;">4 Street from 16th to 17th Avenue; 4 Street From 14th to 15th Avenue</p> <p style="text-align: center;">3rd Street from 14th to 15th Avenue; 3rd Street from 13th to 14th Avenue</p> <p style="text-align: center;">2nd Street from 14th to 15th Avenue; 2nd Street from 13th to 14th Avenue; 15th Avenue 3rd to 4th Street; 13th Avenue from 2nd to 3rd Street</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">Gravel</p>						
Average Daily Traffic: 2023 = <u>200</u> , 2043 = <u>300</u>	Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Local</p>					
Proposed Improvement						
Design Standard Number: Municipal	Surfacing Concrete	Thickness 6"				
		Width 33'				
<input type="checkbox"/> Grading <input type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input type="checkbox"/> Curb & Gutter <input type="checkbox"/> Utility Adjustments <input type="checkbox"/> Armor Coat <input type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> Asphalt <input type="checkbox"/> Erosion Control <input type="checkbox"/> Sidewalks						
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length Type			
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: <p style="text-align: center;">33' Concrete Paving and Storm Sewer</p>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		525				525
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.4 Miles				Project No.: M211(302)		
Signature: 				Title: City Engineer		Date: August 14, 2023

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:																				
Location Description: <p style="text-align: center;">Power House Park Trail Phase 2</p> <p style="text-align: center;">North side of Lost Creek Parkway along Lost Creek Flood Control ditch from Wilderness Park Road to 3rd Ave.</p>																						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">Undeveloped Land</p>																						
Average Daily Traffic: 2023 = <u>0</u> , 2043 = <u>N/A</u>	Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">N/A</p>																					
Proposed Improvement																						
Design Standard Number: Municipal	Surfacing Concrete	6" 10'																				
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way																				
<input type="checkbox"/> Aggregate	<input type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments																				
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing																				
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input checked="" type="checkbox"/> Sidewalks																				
<input type="checkbox"/> Lighting	<input checked="" type="checkbox"/> Trail.....																					
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">Bridge To Remain In Place:</td> <td style="width: 20%;">Roadway Width</td> <td style="width: 20%;">Length</td> <td style="width: 30%;">Type</td> </tr> <tr> <td>New Bridge:</td> <td>Roadway Width</td> <td>Length</td> <td>Type</td> </tr> <tr> <td>Box Culvert:</td> <td>Span</td> <td>Rise</td> <td>Length</td> </tr> <tr> <td>Culvert:</td> <td>Diameter</td> <td>Length</td> <td>Type</td> </tr> <tr> <td>Bridges and Culverts Sized</td> <td colspan="3"> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending </td> </tr> </table>			Bridge To Remain In Place:	Roadway Width	Length	Type	New Bridge:	Roadway Width	Length	Type	Box Culvert:	Span	Rise	Length	Culvert:	Diameter	Length	Type	Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending		
Bridge To Remain In Place:	Roadway Width	Length	Type																			
New Bridge:	Roadway Width	Length	Type																			
Box Culvert:	Span	Rise	Length																			
Culvert:	Diameter	Length	Type																			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending																					
OTHER CONSTRUCTION FEATURES: <p style="text-align: center;">Proposed: Nebraska Games & Park Recreational Trail Grant (50%)</p> <p style="text-align: center;">Proposed: Lower Loup NRD (15%)</p>																						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL																
		175	250		75	500																
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 1.0 Miles				Project No.: M211(324)																		
Signature: <i>Richard J. Begus</i>				Title: City Engineer		Date: August 14, 2023																


BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:
Location Description: <p style="text-align: center;">23 Street From 32 Avenue to East of East 11 Avenue</p>		
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">Asphalt over Concrete</p>		
Average Daily Traffic: 2023 = <u>23,730</u> , 2043 = <u>40,000</u>	Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Expressway</p>	
Proposed Improvement		
Design Standard Number: Highway	Surfacing Concrete	Thickness TBD
		Width 60' Plus
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input checked="" type="checkbox"/> Right Of Way
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input checked="" type="checkbox"/> Sidewalks
		<input checked="" type="checkbox"/> Lighting
		<input checked="" type="checkbox"/> Traffic Signals
Bridge To Remain In Place:	Roadway Width	Length
		Type
New Bridge:	Roadway Width	Length
		Type
Box Culvert:	Span	Rise
		Length
		Type
Culvert:	Diameter	Length
		Type
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending	
OTHER CONSTRUCTION FEATURES: NDOT Project – State and City funds. Sidewalk replacement, traffic signal replacement, Partial access elimination property acquisition		
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY
		10,800
		21,200
		32,000
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 2.7 Miles	Project No.: M211(325)	
Signature: 	Title: City Engineer	Date: August 14, 2023

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <p style="text-align: center;">Riverside 3rd Addition</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">Undeveloped Land</p>						
Average Daily Traffic: 2023 = <u>0</u> 0 2043 = <u>100</u>	Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Local</p>					
Proposed Improvement						
Design Standard Number: <p style="text-align: center;">Municipal</p>	Surfacing <p style="text-align: center;">Concrete</p>	Thickness <p style="text-align: center;">6"</p>				
		Width <p style="text-align: center;">33'</p>				
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way				
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments				
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing				
<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input type="checkbox"/> Sidewalks				
		<input checked="" type="checkbox"/> Lighting				
		<input type="checkbox"/>				
		<input type="checkbox"/>				
		<input type="checkbox"/>				
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: <p style="text-align: center;">Private development. Roads turned over to city.</p>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
					125	125
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) <p style="text-align: center;">0.1 Miles</p>				Project No.: <p style="text-align: center;">M211(346)</p>		
Signature: <i>Richard J. Boyer</i>				Title: City Engineer		Date: August 14, 2023

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <p style="text-align: center;">23rd Street / Shady Lake Road from 54th Avenue to West Corporate Limits</p> <p style="text-align: center;">SID #188</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">24' Rural Asphalt</p>						
Average Daily Traffic: 2023 = <u>1,360</u> 0 2043 = <u>2,500</u>		Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Arterial</p>				
Proposed Improvement						
Design Standard Number: Municipal		Surfacing Concrete	Thickness 9"	Width 41'		
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way	<input checked="" type="checkbox"/> Lighting			
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments	<input type="checkbox"/>			
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing			
<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input checked="" type="checkbox"/> Sidewalks			
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: <p style="text-align: center;">Federal Funds Purchase Program Assessments</p>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		3,450				3,450
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.6 Miles				Project No.:M211(352)		
Signature: 			Title: City Engineer		Date: August 14, 2023	


BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <p style="text-align: center;">Downtown Evaluation UPRR Separation Study</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">At grade crossings at 23rd Avenue and 26th Avenue</p>						
Average Daily Traffic: 2023 = <u>NA</u> 0 2043 = <u>NA</u>	Classification Type: (As Shown On Functional Classification Map)					
Proposed Improvement						
Design Standard Number: Municipal	Surfacing Concrete	Thickness 6"				
		Width 33'				
<input type="checkbox"/> Grading <input type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input type="checkbox"/> Curb & Gutter <input type="checkbox"/> Utility Adjustments <input checked="" type="checkbox"/> Study <input type="checkbox"/> Armor Coat <input type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> Asphalt <input type="checkbox"/> Erosion Control <input type="checkbox"/> Sidewalks						
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: <p style="text-align: center;">UPRR Tracks</p>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		275				275
PROJECT LENGTH (Nearest Tenth, State Unit of Measure)				Project No.:		
				M211(355)		
Signature: <i>Richard J. Boyer</i>				Title: City Engineer		Date: August 14, 2023


BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <p style="text-align: center;">63rd Avenue Howard Boulevard to Lost Creek Parkway (Private Development)</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">Gravel</p>						
Average Daily Traffic: 2023 = _____ 0 2043 = _____		Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Collector</p>				
Proposed Improvement						
Design Standard Number: <p style="text-align: center;">Municipal</p>		Surfacing <p style="text-align: center;">Concrete</p>	Thickness <p style="text-align: center;">9"</p>	Width <p style="text-align: center;">41'</p>		
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way	<input checked="" type="checkbox"/> Lighting			
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input checked="" type="checkbox"/> Utility Adjustments	<input type="checkbox"/> Study			
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing				
<input type="checkbox"/> Asphalt	<input type="checkbox"/> Erosion Control	<input checked="" type="checkbox"/> Sidewalks				
Bridge To Remain In Place:	Roadway Width		Length	Type		
New Bridge:	Roadway Width		Length	Type		
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length			Type	
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES:						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
					2,500	2,500
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) <p style="text-align: center;">0.5 Miles</p>				Project No.: <p style="text-align: center;">M211(357)</p>		
Signature: <i>Richard J. Begus</i>			Title: City Engineer		Date: August 14, 2023	

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <p style="text-align: center;">East Park / 17th Street from 16th to 18th Avenues</p> <p style="text-align: center;">Storm Sewer</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">Concrete</p>						
Average Daily Traffic: 2023 = <u>NA</u> 0 2043 = <u>NA</u>	Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Collector</p>					
Proposed Improvement						
Design Standard Number: Municipal	Surfacing	Thickness				
		Width				
<input type="checkbox"/> Grading <input type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input type="checkbox"/> Curb & Gutter <input type="checkbox"/> Utility Adjustments <input type="checkbox"/> Study <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> Asphalt <input type="checkbox"/> Erosion Control <input type="checkbox"/> Sidewalks						
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: <p style="text-align: center;">Storm Sewer improvements from East Park Rain Garden to 17th Street to 16th Avenue</p>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		350				350
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.2 Miles				Project No.: M211(358)		
Signature: 				Title: City Engineer		Date: August 14, 2023

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <p style="text-align: center;">Signal Upgrades 27th Street & 33rd Avenue</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge)						
Average Daily Traffic: 2023 = <u>9,000</u> 0 2043 = <u>11,500</u>	Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Arterial</p>					
Proposed Improvement						
Design Standard Number: Municipal	Surfacing	Thickness				
<input type="checkbox"/> Grading <input type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input type="checkbox"/> Curb & Gutter <input type="checkbox"/> Utility Adjustments <input type="checkbox"/> Study <input type="checkbox"/> Armor Coat <input type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input checked="" type="checkbox"/> Traffic Signal <input type="checkbox"/> Asphalt <input type="checkbox"/> Erosion Control <input type="checkbox"/> Sidewalks						
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: <p style="text-align: center;">Existing Signal Upgrades</p>						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
		100				100
PROJECT LENGTH (Nearest Tenth, State Unit of Measure)				Project No.:		
				M211(359)		
Signature: 				Title: City Engineer		Date: August 14, 2023

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:
Location Description: <p style="text-align: center;">Signal Upgrades</p> <p style="text-align: center;">Wilderness Road and Lost Creek Parkway</p>		
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge)		
Average Daily Traffic: 2023 = <u>7,000</u> 0 2043 = <u>10,200</u>	Classification Type: (As Shown On Functional Classification Map) Major Arterial	
Proposed Improvement		
Design Standard Number: Municipal	Surfacing	Thickness
<input type="checkbox"/> Grading <input type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input type="checkbox"/> Curb & Gutter <input type="checkbox"/> Utility Adjustments <input type="checkbox"/> Study <input type="checkbox"/> Armor Coat <input type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input checked="" type="checkbox"/> Traffic Signal <input type="checkbox"/> Asphalt <input type="checkbox"/> Erosion Control <input type="checkbox"/> Sidewalks		
Bridge To Remain In Place:	Roadway Width	Length
New Bridge:	Roadway Width	Length
Box Culvert:	Span	Rise
Culvert:	Diameter	Length
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending	
OTHER CONSTRUCTION FEATURES: <p style="text-align: center;">Existing Signal Upgrades</p>		
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY
		100
PROJECT LENGTH (Nearest Tenth, State Unit of Measure)		Project No.: M211(360)
Signature: 	Title: City Engineer	Date: August 14, 2023

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <p style="text-align: center;">Private Development – Centennial Park 8th Addition</p> <p style="text-align: center;">2nd Street from 3rd to 7th Avenues; 5th Avenue from 2nd Street north and south 200' and</p> <p style="text-align: center;">6th Avenue from 2nd Street south 200'</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge) <p style="text-align: center;">Undeveloped Land</p>						
Average Daily Traffic: 2023 = <u>200</u> 0 2043 = <u>400</u>	Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Local</p>					
Proposed Improvement						
Design Standard Number: Municipal	Surfacing Concrete	Thickness 6"				
		Width 33'				
<input checked="" type="checkbox"/> Grading <input checked="" type="checkbox"/> Concrete <input type="checkbox"/> Right Of Way <input checked="" type="checkbox"/> Lighting <input type="checkbox"/> Aggregate <input checked="" type="checkbox"/> Curb & Gutter <input type="checkbox"/> Utility Adjustments <input type="checkbox"/> Study <input type="checkbox"/> Armor Coat <input checked="" type="checkbox"/> Drainage Structures <input type="checkbox"/> Fencing <input type="checkbox"/> Asphalt <input type="checkbox"/> Erosion Control <input checked="" type="checkbox"/> Sidewalks						
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES: 						
ESTIMATED COST (In Thousands) *OPTIONAL	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
					350	350
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) 0.4 Miles				Project No.: M211(362)		
Signature: <i>Richard J. Boyer</i>				Title: City Engineer		Date: August 14, 2023

BOARD OF PUBLIC ROADS CLASSIFICATIONS AND STANDARDS
FORM 7 ONE-AND SIX-YEAR PLAN
HIGHWAY OR STREET IMPROVEMENT PROJECT

County PLATTE	City: COLUMBUS	Village:				
Location Description: <p style="text-align: center;">Park Place 10th Addition, Private Developer Subdivision</p>						
EXISTING SURFACE TYPE AND STRUCTURES: (Such As Dirt, Gravel, Asphalt, Concrete, Culvert Or Bridge)						
Average Daily Traffic: 2023 = <u> 0 </u> 2043 = <u> 150 </u>	Classification Type: (As Shown On Functional Classification Map) <p style="text-align: center;">Arterial</p>					
Proposed Improvement						
Design Standard Number: <p style="text-align: center;">Municipal</p>	Surfacing <p style="text-align: center;">Concrete</p>	Thickness <p style="text-align: center;">9"</p>				
		Width <p style="text-align: center;">41'</p>				
<input checked="" type="checkbox"/> Grading	<input checked="" type="checkbox"/> Concrete	<input type="checkbox"/> Right Of Way				
<input type="checkbox"/> Aggregate	<input checked="" type="checkbox"/> Curb & Gutter	<input type="checkbox"/> Utility Adjustments				
<input type="checkbox"/> Armor Coat	<input checked="" type="checkbox"/> Drainage Structures	<input type="checkbox"/> Fencing				
<input type="checkbox"/> Asphalt	<input checked="" type="checkbox"/> Erosion Control	<input checked="" type="checkbox"/> Sidewalks				
		<input checked="" type="checkbox"/> Lighting				
		<input type="checkbox"/> Trails				
Bridge To Remain In Place:	Roadway Width	Length	Type			
New Bridge:	Roadway Width	Length	Type			
Box Culvert:	Span	Rise	Length	Type		
Culvert:	Diameter	Length	Type			
Bridges and Culverts Sized	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Hydraulic Analysis Pending					
OTHER CONSTRUCTION FEATURES:						
ESTIMATED COST						
(In Thousands)	*COUNTY	*CITY	*STATE	*FEDERAL	*OTHER	TOTAL
*OPTIONAL					225	225
PROJECT LENGTH (Nearest Tenth, State Unit of Measure) <p style="text-align: center;">0.2 Miles</p>				Project No.: <p style="text-align: center;">M211(366)</p>		
Signature: <i>Richard J. Begus</i>				Title: City Engineer		Date: August 14, 2023

6. Adjournment.